

The Iron Age

A Review of the Hardware and Metal Trades.

Published every Thursday Morning by DAVID WILLIAMS, No. 10 Warren Street, New York.

Vol. XIV: No. 20.

New York, Thursday, November 12, 1874.

Four Dollars a Year.
Single Copies, Ten Cents.

Air Heating Apparatus.

We illustrate herewith an arrangement of air heating apparatus for heating buildings, devised by Mr. J. H. Reinhardt, of Wuzburg, which will be found of interest to a large number of our readers.

The general features of the arrangement will be at once seen from the engravings. The fire is contained in a cast iron combustion chamber mounted on a brick ash pit, and the products of combustion are caused to circulate through series of large cast iron tubes before passing to the chimney. The cast iron tubes through which the gases are thus led, are all put together with faced joints, and without the use of cement of any kind, and the whole apparatus is contained in a chamber through which the air to be warmed is caused to pass on its way to the building to be heated. To prevent an excessive dryness of the air thus supplied, provision is made for dripping a sufficient supply of water on the surface of the heated pipes, thus moistening the air by evaporation. The principle on which the apparatus is constructed is shown so perfectly in our illustration that no detailed description is necessary.

The Economical Limits to the use of Rolled Girders.

Examples of engineering construction, especially those of roofs, are not wanting in which a sectional area of less than 2 in. is composed of more than one bar or plate. In other words, this absurdly small sectional area as built up is a compound instead of a simple section. It can be readily understood that, inasmuch as the compound or built up section requires a certain number of rivets to unite the different bars or plates of which it is composed, and that as holes must be punched or drilled for these rivets, there is a corresponding loss of material incurred. This loss is directly proportionable to the difference between the gross and the net sectional area. For instance, if we take an angle iron 3 in. by $3\frac{1}{2}$ in., and suppose it riveted to the flanges and web of a solid sided or plate girder by rivets $\frac{1}{4}$ in. diameter, its gross sectional area will be $29\frac{1}{2}$ in., while the net will amount to only 10 in., thus showing a loss of nearly 50 per cent. In this calculation the diameter of two rivets has been deducted, for although the rivets in the flanges and web can be designed so as to break joint in the drawing, yet when the wrappers are taken into account, and the joints, it would not be safe practically to suppose that only one rivet hole would come in the same line of section, but allowance must be made for two. Compared at first sight with the built up section, the rolled joist has the advantage of dispensing with the riveting necessary to connect the web and flanges, since these are rolled all in one piece, and there is consequently no loss of sectional area. It would be more correct to say there is no loss of material due to rivet holes, for it will be seen that there is in larger examples considerable loss of sectional area both in the web and flanges.

A rolled joist is essentially a girder with parallel horizontal flanges, since in the process of rolling the depth cannot be altered. We are not putting any limits at present to the depth or the length of the joist, although practically the limits would be soon arrived at. Our object is to point out that were the capabilities of the rolling mill unlimited in this respect, there would nevertheless be a certain span and load beyond which the employment of rolled joists becomes wasteful of material. Beside the uniformity of depth which must prevail in a rolled girder, the sectional area must also be maintained constant, since neither the width of the flanges nor their thickness can be varied, nor the thickness of the web. So far as a span of 20 feet is concerned, or under, it is of no consequence whether any of these dimensions are varied or not; but when this span is surpassed some greater coincidence between the theoretical and actual sectional areas of the girder at different points becomes absolutely necessary if economy in construction is of any moment. Theory dictates that in every girder which is subject to the ordinary conditions attendant upon these structures, either the depth or the sectional area must vary. It is in many instances immaterial in which of these dimension the alteration is made, but one or the other must undergo it. The depth may be maintained constant provided the sectional area is diminished toward the ends of the girders in proportion to the strain; or the sectional area may be maintained constant, or very nearly so, if the depth be decreased toward the same points. The fulfillment of the former conditions gives the correctly designed parallel girder, and of the latter the bowstring. Neither of these forms can be produced from the rolls. It is true—and the advocates for the employment of rolled joists lay great stress upon the assertion—that an unscientific approximation can be made to the former of these types, not by diminishing the sectional area toward the

ends, but increasing it by the use of extra plates riveted to the flanges toward the central part of the girder, which amounts to much the same thing. But, allowing that this increase of section can be obtained in this manner, the minimum or rolled section of the flange must still be constant, both in breadth and thickness. Moreover, when extra plates are riveted to the flanges in order to give an increased sectional area at the center, the principle of the rolled joist is at once departed from, and it becomes, to all intents and purposes, a built up girder, without possessing the advantages of that particular form.

It is not only in the flanges that a loss of metal occurs from the impossibility of varying their section, and also in consequence of their depth being uniform, but the web suffers as well. As the girder becomes longer so must its depth be

50 per cent. Practically it would not amount to quite so much as this, because there must of necessity be some material in the central portion of the web, but still the excess would be very considerable.

It will be conceded that the strongest girder is that which with a given weight of material will bear the greatest load under precisely similar conditions. Let us compare in this respect the rolled and the built up girder, and as a datum to start from, let the span be 20 ft. and the depth 1 ft., which is not far from the limit of depth hitherto attained in the rolled section. Commencing with the flanges, it is obvious that since the net sectional area of both must be equal in either to withstand the same strain, the advantage lies on the side of the rolled girder, because the gross sectional area of its flanges is equal to the net area. There is no

loss of material due to the connection of web and flanges. The built up girder, on the contrary, is subject to a certain amount of loss due to the difference between the gross and net area of its flanges, and consequently the weight of material in the flanges must exceed that in those of the rolled girder in order to afford the same net sectional area. With a given net sectional area, therefore, the flanges of a rolled girder will be lighter than those of a built-up one. But, if the comparison be carried further, it will be found that what the built up girder loses with regard to the flanges it will more than gain with respect to the web. In the example selected, taken from a trade circular, the thickness of the web of the rolled section is $\frac{9}{16}$ in., whereas in a built up girder of the same area of flange and depth, $\frac{1}{4}$ in. is more than sufficient. Beside, the thickness of the web of a rolled girder must increase with even a very small increase of the depth, and must, moreover, be uniform throughout the entire girder; but this is not the case with the web of the built up section. The thickness of the web of a plate girder, which is always in excess of the requirements of theory, need not be increased until the depth is nearly doubled. A few additional stiffeners are all that are necessary to give rigidity to the greater depth of the web.

In connection with the subject of the relative strength of the type of two gir-


ders under consideration of the same total weight, it must not be lost sight of that the strength of a girder of any form does not depend exclusively upon the actual sectional area of either the flanges or the web, but is due in equal measure to the observance of the proper proportions between the span, the depth, and the breadth of flange. These nice adjustments are easily insured in the case of the built up girder, but not in that of its rolled fellow. It is here that the former has an immense advantage over the latter, particularly when the dimensions of the span exceeds 20 feet. The proper theoretical ratio between the various parts of a girder cannot be observed in those of the rolled form. Hence, in comparing a rolled and a built up girder under the same conditions of loading and weight, the weight of the flanges of the latter can be decreased by in-

tioned, so as to reduce the strains to a minimum, it will be cheaper than the riveted section for a span greater than that already alluded to. The riveting together of a couple of rolled girders longitudinally, so as to double the depth, is a handy expedient as a makeshift, but in complete defiance of all theory. The material in the two flanges, which is then concentrated in the middle of the web, is so much waste metal, since it is situated at or near the neutral axis of the whole girder, and its leverage for resisting strains is reduced to a minimum. Other ingenious combinations of rolled girders are sometimes made. For example, two or more are placed side by side and united by horizontal plates riveted over the top and bottom flanges. This arrangement possesses all the disadvantages of the old box girder, which is now obsolete. It is quite impossible to get at the inside after the plates are once put together, and the same remark applies to the combination of rolled joists with regard to the spaces between the parallel girders. While, under certain circumstances, and within certain limits, rolled girders are exceedingly well adapted for constructive purposes, and could be employed to advantage by engineers to a much greater extent than they are; yet, whenever a girder is required to fulfill certain conditions which admit of a theoretical adjustment of sectional area of strain, they will not be found economical. In a word, if a girder of small span is required to be merely adapted to a given load, one or other of the ordinary rolled sections will be found to be both convenient and economical. But if the span and load are of sufficient importance as to call for a design, the built-up girder, either rolled or open webbed, is the only proper type to adopt.—*The Engineer.*

How a Lighthouse was Built.

The mountain system of Brittany has a sort of continuation in a series of reefs and igneous rocks which jut out in a broken line westward of Finisterre. On one of these rocks, called L'Isle de Sein, there stands a lighthouse, but the real danger lies to the westward, and the rocks there have literally bristled with wrecks of vessels making for Brest. In 1869 the committee for lighting the coast of France decided to erect a lighthouse on the extreme end of the danger, and after a careful examination, M. Ploix, the consulting engineer, decided on the Armen Rock as the best site. At the same time he did not attempt to depreciate the prodigious difficulty of the task, and characterized it as "nearly impracticable." The currents are so strong and the sea runs so high that neither M. Ploix nor the other engineers, nor the director of lighthouses, was able to approach nearer than 50 feet. All they were able to ascertain was that the rock was gneiss, about eight yards across and 12 in length, and that it was just visible at low water. After settling their plan of operations, they applied to the fisherman of the neighboring island of Sein, as most familiar with the locality and the danger, to commence the necessary works. These men undertook the task, and, provided with life belts, began to watch regularly for the best opportunity of landing on the rock. As soon as they got their chance they crouched down on the rock, and clinging on with one hand, with the other worked away with a cold chisel so as to sink a sufficient number of sockets for the insertion of the iron clamps. Every now and then a wave would break over the rock, drenching them with foam and spray, and not unfrequently one of the party would be carried right off by the heavy sea, but would soon be picked up by a vessel kept purposely on the watch.

At the end of the first season (1867) seven landings had been effected and eight hours' work done, which sufficed for the sinking of fifteen sockets, while the following year the weather was more favorable, and forty new holes were pierced, some of which were below water. In 1869 the blocks of stone were first placed in iron clamps about a yard long, riveted into the sockets. The blocks were all hewn according to pattern and joined together with Parker-Medina cement. The work of dropping them into position was exceedingly laborious, owing to the violence of the sea; but two of the officials were constantly in attendance, urging on the workmen, and at the end of the season 25 blocks, each about a yard cube, had been successfully laid. In 1870 eight landings took place and eleven cubes were laid, and in 1871 as many as 23, the work by this time becoming easier as further progress was made. A steam launch is now used for the conveyance of material, and a sort of masonry scaffolding having been built, the builders have succeeded during the first half of this year's season in placing in position no less than 27 blocks. The expense, however, as may be imagined, has hitherto proved considerable. Each of the 45 holes pierced during the first two years cost upward of 2000 francs, and on December 31st last the charges had amounted to more than 180,000 francs. The light is to be a revolving one of the first order, and 97 feet above high water mark; there are to be 7-torches in the house, and there will also be a steam whistle for use in foggy weather.—*Academy.*



AIR HEATING APPARATUS.

increased, a condition which cannot be practically fulfilled without at the same time increasing its thickness. This latter dimension will be constant throughout the whole girder. Theoretically, with a uniformly distributed load, the strain upon the web of a girder at its center is nil, and even with a rolling load of the same intensity per foot run its amount is not of much consequence. Rolled girders are more frequently employed to support uniformly distributed, than moving loads. Consequently, the strain upon the web is nothing at the center, and a maximum at the ends. The shearing strain at the ends is equal to one-half the total distributed load. Thus the sectional area of the web at the ends must be sufficient to resist this strain, and by the conditions of manufacture it must be constant throughout the girder, although theoretically the strain diminishes to zero at the center. There is no need of pointing out the enormous loss of material which would occur in a girder of any pretensions to size, supporting a load of any consequence. This disproportion between the sectional area of the webs of rolled girders and the strains upon them must always remain, since the method which can be employed to vary the area of the flanges cannot be applied to the web. Theoretically, as the sectional area of the web must be proportioned to resist the maximum strain upon it, the loss of material in this respect is exactly

loss of material due to the connection of web and flanges. The built up girder, on the contrary, is subject to a certain amount of loss due to the difference between the gross and net area of its flanges, and consequently the weight of material in the flanges must exceed that in those of the rolled girder in order to afford the same net sectional area. With a given net sectional area, therefore, the flanges of a rolled girder will be lighter than those of a built-up one. But, if the comparison be carried further, it will be found that what the built up girder loses with regard to the flanges it will more than gain with respect to the web. In the example selected, taken from a trade circular, the thickness of the web of the rolled section is $\frac{9}{16}$ in., whereas in a built up girder of the same area of flange and depth, $\frac{1}{4}$ in. is more than sufficient. Beside, the thickness of the web of a rolled girder must increase with even a very small increase of the depth, and must, moreover, be uniform throughout the entire girder; but this is not the case with the web of the built up section. The thickness of the web of a plate girder, which is always in excess of the requirements of theory, need not be increased until the depth is nearly doubled. A few additional stiffeners are all that are necessary to give rigidity to the greater depth of the web.

In connection with the subject of the relative strength of the type of two gir-

ders under consideration of the same total weight, it must not be lost sight of that the strength of a girder of any form does not depend exclusively upon the actual sectional area of either the flanges or the web, but is due in equal measure to the observance of the proper proportions between the span, the depth, and the breadth of flange. These nice adjustments are easily insured in the case of the built up girder, but not in that of its rolled fellow. It is here that the former has an immense advantage over the latter, particularly when the dimensions of the span exceeds 20 feet. The proper theoretical ratio between the various parts of a girder cannot be observed in those of the rolled form. Hence, in comparing a rolled and a built up girder under the same conditions of loading and weight, the weight of the flanges of the latter can be decreased by in-

creasing the depth without at the same time augmenting the weight of the girder in the same proportion. Briefly, the great difference between the two is that a built up girder can be designed so that the dictates of theory can be very closely adhered to in practice, and a rolled girder cannot. The form and proportions of a built up girder are the result of theory, those of the rolled section the result of practice. The exigencies of the manufacturing process virtually determine the relative proportions of a rolled girder. Some attempt is made to assimilate these to what theory would indicate as the correct proportions, but with very equivocal success. It is in fact not possible to roll a girder with a proper regard to these theoretical requirements.

Metals.

ANSONIA
BRASS & COPPER CO.
19 and 21 Cliff Street,
(Adjoining Office of Phelps, Dodge & Co.)

Sheet Brass, Planished Brass, P. Bladed Brass Door Halls, Brass Wire, Hayden's Patent Brass Kettles, Brass Tubing, Lamp Burners, Sun Burners,
Sheet Copper, Planished Copper, Copper Rivets & Burs, Braziers' & Bolt Copper, Braziers' Rivets, Copper Tubing, Copper Bottoms, Copper Wire, Iron Wire, Fence Wire.

A large variety of Wood and Bronze Case Clocks.

MANUFACTURERS AT ANSONIA, CONN.

Phelps, Dodge & Co.,
IMPORTERS OF
TIN PLATE,
Sheet Iron, Copper, Pig Tin, Wire,
Zinc, etc.

MANUFACTURERS OF

COPPER and BRASS.
Cliff St., bet. John and Fulton,
NEW YORK.

A. A. THOMSON & CO.
Importers and Dealers in

Tin Plate, Sheet Iron,
ZINC, COPPER, WIRE,
Block Tin Solder, Solder, &c.

Nos. 213 and 215 Water and 110 Beekman Sts.,
NEW YORK.

T. B. CODDINGTON & CO.,
95 & 97 Cliff St., New York.
Importers of

TIN PLATES,
And METALS of all descriptions.

N. L. CORT & CO.,
Importers and Dealers in

Tin Plate, Pig Tin,
SHEET IRON, SOLDER,
ZINC, &c., &c.
220 & 222 Water and 115 & 117
Beekman Streets,
NEW YORK.

SCOVILL MFG. CO.,
419 & 421 Broome St., New York.
MANUFACTURERS OF

SHEET AND ROLL BRASS,
BRASS AND COPPER WIRE,
GERMAN SILVER, BRASS BUTT HINGES,
KEROSENE BURNERS,
METAL BLANKS CUT TO ORDER.
CLOTH AND METAL BUTTONS, in every variety.

PHOTOGRAPHIC GOODS.

MANUFACTURERS:
Waterbury, Conn.,
New Haven, Conn.,
New York City.

Vermont Spiegel.

A superior article worthy the attention of consumers, both in price and quality. Send for analysis to
JOHN W. QUINCY
98 William Street, New York.

EVANS & ASKIN

BIRMINGHAM, ENGLAND.

Refiners of Nickel and Cobalt.

VAN WART & MCCOY,
43 Chambers St., New York.

Nickel and Cobalt always in stock.

RUSSIA SHEET IRON,
Perfect and No. 1 Stained, in Store and for sale at lowest rates by
A. A. THOMSON & CO., 213 & 215 Water St.,
NEW YORK.



Waterbury Brass Co.

CAPITAL, - - \$400,000.

JOHN SHERMAN, Agent,
No. 52 Beekman Street, NEW YORK.
Mills at WATERBURY, CONN.

Sheet, Rolled and Platers' Brass,
GERMAN SILVER,
Copper, Brass and German Silver Wire,
BRASS AND COPPER TUBING.

COPPER RIVETS & BURS,
BRASS KETTLES,

WASH BASINS,

Door Rail, Brass Tags & Step Plates.

PERCUSSION CAPS,

POWDER FLASKS,

Metallic Eyelets,

Shot Pouches,

Tape Measures, etc.

Manhattan Brass Co.,

Manufacturers of

Sheet Brass, Brass and Copper Wire, Copper Rivets & Burs, Brass Tubing, Spelter Tubing, Satchel Frames, Hurricane Lanterns,
Olimsted Patent Oilers, Prior Patent Oilers, Broughton Patent Oilers, Brass, Tin & Zinc Oils, Baby Carriage Hardware, Stationers' Hardware.

"Domestic" Embossing and Fluting Machine, &c.

Office, 83 Reade St., N. Y.

Works, 1st. Ave. 27th to 28th Sts., N. Y.

H. H. HAYDEN. { Managers. } H. L. COB. J. H. WHITE.

BENEDICT & BURNHAM MFG. CO.

MANUFACTURERS OF

Rolled and Sheet Brass and German Silver, Brass, Copper and German Silver Wire, and Beading.

Plain and Fancy Tubing, Brass and Copper Rivets and Burs, Brass and German Silver Castings, Piano-Forte and Wrought Brass Butt Hinges, Coal Oil Burners, Lamps and Lamp Trimmings of every description, Patent Lamp Scissors, &c., &c.

Depots—78 Reade St., N. Y., 57 Oliver St., Boston, and 17 N. Seventh St., Philadelphia.
Capital \$400,000.

CHAS. BENEDICT, President and Treasurer.
CHAS. DICKINSON, Secretary.

BALTIMORE
COPPER WORKS.

POPE, COLE & CO.,

Are now Purchasing

Copper Ores

and smelting and refining at these works, where, with experienced workmen and unusual facilities, we are turning out Ingot and Cast Copper of unequalled purity and toughness.

We are prepared to buy Ores, Matte, Regulus and other furnace material, in any quantities.

Office, 57 South Gay St., Baltimore, Md.

Works at Canton.

A. HARNICKELL,
22 Cliff Street, New York,
Offers from store

Baltimore Ingot Copper.

Lake Copper, Braziers' Sheets, &c.
Old Copper bought.

W. & J. TIEBOUT,
Manufacturers of

BRASS GOODS,

Galvanized & Ship Chandlery

HARDWARE.

290 Pearl Street, New York.

JOHN W. QUINCY,

98 William Street, New York,
Dealer in

AMERICAN AND FOREIGN SPALTER,

COPPER, TIN, NICKEL,

And Metals generally.

Geo. A. Boynton,

BROKER IN IRON

70 WALL ST., N.Y.

Fuller, Dana & Fitz,

Importers and Commission Merchants,
BOSTON.

110 North Street.

In Plates, Sheet Iron, Metals, Iron, Steel, Etc.

Wrought Iron Beams, &c., for Buildings.

Exclusive Eastern Agents for the sale of Morris, Tasker & Co.'s Lap Welded Boiler Tubes. Patent Cold Rolled Shafting. The "Burden Best" Iron. Tensile Strength 28,000 lbs. The Union Iron Mills' Own Patent Beams, Channels, Etc. The Celebrated Bessemer Steel, grown's Original Concord Axes. The Salem Lead Co.'s Lead Pipe. &c. &c. &c. SOLE AGENTS. AMERICAN AND SCOTCH IRON. RUSSIA SHEET IRON.

FULLER, DANA & FITZ'S Price List on application.

Metals.

The Plume & Atwood
Mfg. Company,

MANUFACTURERS OF

SHEET and ROLL BRASS and WIRE,

German Silver and Gilding Metal,

Copper Rivets and Burs,

Kerosene Burners,

Shoe Eyelets, Lamp Trimmings, &c.

80 Chambers Street, New York.

13 Federal Street, Boston.

Rolling Mill, Factories,
THOMASTON, CT. WATERBURY, CT.

BROOKLYN

Brass and Copper Co.,
100 John Street, N. Y.,
Manufacturers of

Copper Sheets, Bolts, Wire, Tubes

& Bottoms, Roll Brass, Wire,

Tubing & Rivets.

Zinc Plates, Sheets and Tubes. Also, Patent Metal for Roofing, Linings for Bath Tubs, Refrigerators, &c.; considered the best metal for Signs and Reflectors.

JOHN DAVOL & SONS,

100 John Street, N. Y.,
Dealers in

Ingot Copper, Spelter, Tin, Lead,

Antimony, Solder & Old Metals.

Holmes, Booth & Haydens,

49 Chambers Street, N. Y.

ESTABLISHED 1853.

CAPITAL, - - \$400,000.

Manufacturers of all kinds of

Brass, Copper & German Silver,

ROLLED AND IN SHEETS.

BRASS & COPPER WIRE,

Tubing, Copper Rivets & Burs.

BRASS & IRON

JACK CHAIN, DOOR RAIL.

German Silver Spoons,

SILVER PLATED FORKS & SPOONS,

Kerosene Burners, &c.

Works at Waterbury, Conn.

Bailey, Farrell & Co.,

MANUFACTURERS OF

LEAD PIPE,

Sheet and Bar

LEAD,

Iron Pipe, Rubber Hose,

Hose Pipes and Screws, Oil Caps, Steam Gauges

and Water Taps, Globe Valves, Safe Valves, Iron and Copper Sinks and Bath Tubs, Lift and Force Pumps, and all kinds of Brass and Iron Goods for

WATER, GAS OR STEAM.

167 Smithfield St., Pittsburgh, Pa.

Wire, etc.

Geo. W. Prentiss & Co.,

HOLYOKE, MASS.,

MANUFACTURERS OF

IRON WIRE,

Bright, Coppered, Annealed and Tin

Plated.

Coppered Pall Ball Wire, Bolt, Screw, Rivet, Belt Hook and Buckle Wire; Wire for the manufacture of Pins, Hair Pins, Wire Cloth, Heddies, Reeds, &c.

Also, Clock, Machinery, Spiral Spring and Piano Pin Wire, Plated Piano String Covering Wire, Plated Hook and Eye and Button Eye Wire, Tinned Broom Wire, fine Tinned Wire, and Tin-Plated Wire of all sizes and for all purposes. A specialty is made of the manufacture of

GUN SCREW WIRE

of all sizes up to one half inch in diameter, straightened and cut to order. Special attention is given to finishing orders to sample for particular purposes, where exactness of size is required. We work only the best Brands of Norway and Sweden Iron.

Stretches the wire each way, is tightened with a common wrench, is self-fastening at each half turn of the spindle. Warranted for strength and durability. Sold at hardware stores generally. Byington & Northrup, sole manufacturers, Rockville, Illinois.

Wire, etc.

National Wire and Lantern

Works.

Warehouse, 45 Fulton Street, New York.

HOWARD & MORSE,

MANUFACTURERS OF

BRASS, COPPER AND IRON

WIRE CLOTH

Market and Stone Wire, Annealed Fence and Grape Wire in long lengths; Coppered Pall-Ball Wire; Rope, Bridge, Bolt, Screw, Rivet, Buckle and Chain Wire. Wire for the manufacture of Card Clothing, Heddies, Reeds, &c. Piano-string Covering Wire, Tinned Broom Wire, and Tinned-plated Wire of all sizes. A specialty is made of Clock, Machinery, Gun screw and spiral Spring Wire, and Refined Wire to Pattern for particular purposes, from selected stamps of Norway Iron. Any grade of Wire furnished, Annealed, Bright, Polished, Coppered, Galvanized or Tin Plated. Wire furnished, straightened and cut to any length.

Steel Crinoline Wire, Patent Lined Finish.

Unrivaled Steel Music Wire.

Steel Wire for Springs, Needles and Drills. Market Steel Wire kept in stock, all sizes.

Warehouse, 42 Cliff Street, NEW YORK.

Wire, etc.

Washburn & Moen Mfg. Company

WORCESTER, MASS.

Established 1831.

PHILIP L. MOEN, Pres't. WM. E. RICH, Treas.

CHAS. F. WASHBURN, Sec'y.

MANUFACTURERS OF

IRON AND STEEL WIRE.

WIRE RODS of all Grades; Round Iron, Rivet quality, 3-16 in. to 1/2 in., cut to any length.

Owners and exclusive operators of the

PATENT CONTINUOUS MILL,

Producing Iron and Steel Wire, in coils of 100 pounds, WITHOUT SEAM OR WELD.

Plain and Patent Galvanized Tele-

graph Wire.

Market and Stone Wire, Annealed Fence and Grape Wire in long lengths; Coppered Pall-Ball Wire; Rope, Bridge, Bolt, Screw, Rivet, Buckle and Chain Wire. Wire for the manufacture of Card Clothing, Heddies, Reeds, &c. Piano-string Covering Wire, Tinned Broom Wire, and Tinned-plated Wire of all sizes. A specialty is made of Clock, Machinery, Gun screw and spiral Spring Wire, and Refined Wire to Pattern for particular purposes, from selected stamps of Norway Iron. Any grade of Wire furnished, Annealed, Bright, Polished, Coppered, Galvanized or Tin Plated. Wire furnished, straightened and cut to any length.

Steel Crinoline Wire, Patent Lined Finish.

Unrivaled Steel Music Wire.

Steel Wire for Springs, Needles and Drills. Market Steel Wire kept in stock, all sizes.

Warehouse, 42 Cliff Street, NEW YORK.

Wire, etc.

National Wire and Lantern
Works.

Warehouse, 45 Fulton Street, New York.

HOWARD & MORSE,

MANUFACTURERS OF

BRASS, COPPER AND IRON

WIRE CLOTH

Market and Stone Wire, Annealed Fence and Grape Wire in long lengths; Coppered Pall-Ball Wire; Rope, Bridge, Bolt, Screw, Rivet, Buckle and Chain Wire. Wire for the manufacture of Card Clothing, Heddies, Reeds, &c. Piano-string Covering Wire, Tinned Broom Wire, and Tinned-plated Wire of all sizes. A specialty is made of Clock, Machinery, Gun screw and spiral Spring Wire, and Refined Wire to Pattern for particular purposes, from selected stamps of Norway Iron. Any grade of Wire furnished, Annealed, Bright, Polished, Coppered, Galvanized or Tin Plated. Wire furnished, straightened and cut to any length.

Steel Crinoline Wire, Patent Lined Finish.

Unrivaled Steel Music Wire.

Steel Wire for Springs, Needles and Drills. Market Steel Wire kept in stock, all sizes.

Warehouse, 42 Cliff Street, NEW YORK.

Wire, etc.

Washburn & Moen Mfg. Company

WORCESTER, MASS.

Established 1831.

PHILIP L. MOEN, Pres't. WM. E. RICH, Treas.

CHAS. F. WASHBURN, Sec'y.

MANUFACTURERS OF

IRON AND STEEL WIRE.

WIRE RODS of all Grades; Round Iron, Rivet quality, 3-16 in. to 1/2 in., cut to any length.

Owners and exclusive operators of the

PATENT CONTINUOUS MILL,

Producing Iron and Steel Wire, in coils of 100 pounds, WITHOUT SEAM OR WELD.

Plain and Patent Galvanized Tele-

graph Wire.

Market and Stone Wire, Annealed Fence and Grape Wire in long lengths; Coppered Pall-Ball Wire; Rope, Bridge, Bolt, Screw, Rivet, Buckle and Chain Wire. Wire for the manufacture of Card Clothing, Heddies, Reeds, &c. Piano-string Covering Wire, Tinned Broom Wire, and Tinned-plated Wire of all sizes. A specialty is made of Clock, Machinery, Gun screw and spiral Spring Wire, and Refined Wire to Pattern for particular purposes, from selected stamps of Norway Iron. Any grade of Wire furnished, Annealed, Bright, Polished, Coppered, Galvanized or Tin Plated. Wire furnished, straightened and cut to any length.

Steel Crinoline Wire, Patent Lined Finish.

Unrivaled Steel Music Wire.

Steel Wire for Springs, Needles and Drills. Market Steel Wire kept in stock, all sizes.

Warehouse, 42 Cliff Street, NEW YORK.

Wire, etc.

Washburn & Moen Mfg. Company

WORCESTER, MASS.

Established 1831.

PHILIP L. MOEN, Pres't. WM. E. RICH, Treas.

CHAS. F. WASHBURN, Sec'y.

MANUFACTURERS OF

IRON AND STEEL WIRE.

WIRE RODS of all Grades; Round Iron, Rivet quality, 3-16 in. to 1/2 in., cut to any length.

Owners and exclusive operators of the

PATENT CONTINUOUS MILL,

Producing Iron and Steel Wire, in coils of 100 pounds, WITHOUT SEAM OR WELD.

Plain and Patent Galvanized Tele-

graph Wire.

Market and Stone Wire, Annealed Fence and Grape Wire in long lengths; Coppered Pall-Ball Wire; Rope, Bridge, Bolt, Screw, Rivet, Buckle and Chain Wire. Wire for the manufacture of Card Clothing, Heddies, Reeds, &c. Piano-string Covering Wire, Tinned Broom Wire, and Tinned-plated Wire of all sizes. A specialty is made of Clock, Machinery, Gun screw and spiral Spring Wire, and Refined Wire to Pattern for particular purposes, from selected stamps of Norway Iron. Any grade of Wire furnished, Annealed, Bright, Polished, Coppered, Galvanized or Tin Plated. Wire furnished, straightened and cut to any length.

Trenton Vise & Tool Works,

TRENTON, N. J.

Manufacturers of

Solid Box Vises,
HAMMERS, SLEDGES, PICKS,
Mattocks, Grub Hoes, Etc.

WAREHOUSE 101 and 103 Duane Street, N. Y.
HERMANN BOKER & CO.,

Our Vises are warranted to do more work than any other make. No broken boxes or screws.



In addition to a large line of
**Tinned, Stamped and
Japanned Wares,**

We are making a great many styles of

COAL HODS,

In Plain Black, Galvanized and Fancy
Styles,

All with our Patent Double Seamed Bottom, which
makes the strongest and most durable Hod known.
Also a full line of

Fire Shovels & Coal Vases.
FRANK STURGIS & CO.,

72, 74 & 76 Lake Street, Chicago.



Depot, No. 24 EXCHANGE PLACE, Jersey City, N. J.

This Welding Compound is of indispensable utility in all establishments where iron and steel are forged, whether on a large or small scale. It perfectly unites iron to iron, iron to steel, steel to steel, wrought iron or steel to cast iron, and iron or steel to Bessemer metal, without requiring the parts to be welded to be brought above a cherry red heat, and effecting a great saving in fuel over all other welding compounds or fluxes which require the metals to be brought to a white heat.

This compound is manufactured under the inventor's personal supervision, and is sold and warranted genuine under the above trade mark. In 5 lb. and 10 lb. packages. Price for 5 and 10 lb. packages, 25 cents per lb.; for 50 and 100 lb. packages, 25 cents per lb. Samples sent on order.

The advertiser respectfully refers to the following establishments in which his welding compound is exclusively used: TREWILLIGER & CO., Safe Makers, New York; TREWILLIGER & CO., Tool Works, Trenton, N. J.; DEJ. AYRA & CO., Newark Steel Works, Newark, N. J.; WASHOE TOOL MFG. CO., Elm Park, Staten Island; CYRUS CURRIER & CO., Engine Builders, Newark, N. J.; JERSEY CITY STEEL WORKS, J. H. THOMPSON & CO., Jersey City, N. J.; GRANT LOCOMOTIVE WORKS, Paterson, N. J.; DELAWARE IRON WORKS, N. Y.; DELAWARE AND LAKEWATNA RAILROAD CO.

H. SCHIERLOH,

24 Exchange Place, Jersey City, N. J.

AGENTS:

WYETH & BRO., Baltimore, Md.; PANCOAST & MAULE, Philadelphia, Pa.; CYRUS CURRIER, Newark, N. J.; R. POTT, 130 Smithfield St., Pittsburgh, Pa.; W. W. KERR, 59 Dearborn St., Chicago, Ills.

**BUCK BROTHERS, Millbury, Mass.**

The most complete assortment in the U. S. of Shank, Socket Firmer, and Socket Framing Chisels.

PLANE IRONS.

Gauges of all lengths, and circles beveled inside or outside. Nail Sets, Scratch and Belt Ais, Chisel Handles of all kinds. Orders filled promptly; generally same day as received.

Barney & Berry's

Barney & Berry's



Send for Illustrated Catalogue.

P. W. GALLAUDET.

Banker and Note Broker,
Nos. 3 and 5 Wall Street,
NEW YORK.

HARDWARE, METAL, IRON, RUBBER, SHOE,
PAPER AND PAPER-HANGINGS, LUMBER, COAL
AND RAILROAD PAVER WANTED.
ADVANCES MADE ON BUSINESS PAPER AND
OTHER SECURITIES.

TACKLE BLOCKS.**BURR & CO.**

Manufacturers of Waterman and Russell

PATENT IRON STRAPPED BLOCKS.

ALSO MANUFACTURERS OF

ROPE STRAPPED BLOCKS,


at PECK SLIP, NEW YORK

Buffalo Hardware Co.,

Manufacturers of

GARRETSON'S

Patent Blind and Gate Hinges, Axle
"ulleys, &c., &c.



OFFICE AND WORKS,
Cor. Terrace and Henry Streets,
BUFFALO, N. Y.

Send for our Illustrated Catalogue.

Olmstead's Late Improved Patent Double Seaming and

Deflecting Machine.



The patentee of the
above machine, after an
experience of 15 years
in the manufacture and
sale of double-seamers
and other planing tools,
now offers to thence
this machine, which
will double seam all
kinds of straight, flaring
and oval work, coffee
pots, &c., &c. It
works readily on the
lightest and heaviest
grades of tin plate and
other sheet metal. It
is strong and hand-
cheapest seamer ever offered to thence. For full par-
ticulars send for circular. Price only \$25.

W. L. HEATH, Manufacturer.

35 William Street, N. Y.


Also manufacturer of Olmstead's Combined Double

Seamer, Setting, Down and Deflecting Machine. Also

Vaughn's Circular Shears

The Swift Mill.

Established in 1845



Letter "B" Geared Counter Coffee

or Spice Mill.

Stands nearly 2 1/2 feet high. Is highly finished, color

deep Vermillion and Gold. We make more than 20 dif-

ferent styles and sizes.

Send for catalogue. Manufactured exclusively by

LANE BROTHERS, Millbrook, N. Y.

New Jersey Wire Mill.

HENRY ROBERTS,

Manufacturer of

Steel & Iron Wire,**SPECIALTIES.**

Tinned Wire, Tinned, Broom, Spring Wire, made
from Bessemer Steel; Cast Steel and Iron Coppered
Ball Wire; Rivet, Screw, Buckle, Umbrella, Fence,
Brush, Gun Screw Wire; Sewing Machine and Ma-
chinery Wire. Fine Wire for weaving. Also Wire
of any shape made to order.

WIRE MILL, 39 Oliver St.,

Newark, N. J.

**T. C. RICHARDS & CO.,**

47 Murray Street, N. Y.

Manufacturers of Richards' Patent

Porcelain-head Picture Nails; also,

Porcelain Picture, Drawer, Shutter, and

Door Knobs, etc., etc.

Importers of German Brass Goods,

also, China, Gilt, Steel, and Silvered

Furniture Nails Wire Nails etc., etc.

We particularly invite the attention

of large buyers to our Patent Picture

Nails and Knobs being a specialty

with us, we offer satisfactory discounts

on good orders.

Growth of the Iron Trade in France.

France is fairly supplied with deposits of iron ore, the eastern departments being the richest in that respect, and exporting a certain amount of ore; on the other hand the furnaces of France draw largely on the ores of Italy, Spain, and Algeria, the special qualities of which diminish the cost of fuel in smelting.

In 1865 the quantity of ore extracted in France was 3,658,464 tons, valued at 14,500,000 fr., and the quantity smelted 3,010,658 tons. In 1869 the raw ore extracted amounted to 3,466,000 tons, but the number of men employed in the mines had diminished from 13,847 to 9987, the annual production per head having grown from 264 to 347 tons, and the wages from 619 to 637 fr. Of the 42 departments producing iron ore the most important are the Moselle, the Meurthe, the Haute-Marne, and the Ardèche. The price of ore followed that of iron; the average quotations fell from 0-542 fr. to 0-426 fr. per quintal. In two departments, however, it reached 1fr. 80c. The ores are not generally found in the immediate neighborhood of the works, and in some instances they are conveyed a considerable distance. In 1865 the proprietor of the soil drew 10 per cent. of the total value of the ores, but in 1869 this tax had fallen to 6 per cent.

Since 1860, the whole of the machinery and processes employed in the iron trade have been completely modified, and improvements are still being made which exhibit much skill and scientific knowledge. The charcoal furnaces diminish every year. During the eight years which have passed since the commercial treaties have been in action, which brings us down to the present year, the charcoal furnaces are two-thirds less in number than they were, while those using mineral fuel are more numerous by one-quarter; moreover the latter have assumed much larger proportions. The change is equally remarkable with respect to the manufacture of wrought iron. From 1861 to 1869 there were but 104 to 1111 puddling furnaces worked exclusively with coal, while the number of the old Catalan forges fell from 65 to 24; the number of refining furnaces fell during the same period from 510 to 303.

The effect of these changes was as follows: The production of charcoal pig fell from 193,928 to 112,600 tons, and that of mixed fuel pig was diminished by one-quarter, making a total reduction of 103,670 tons in five years. On the other hand, the weight of coke pig rose from 921,908 to 1,202,833 tons, so that the increase in the latter kind of pig iron surpassed the falling off in the former kinds to the extent of twice and a half. The principal departments which produced coke pig were, the Moselle, which made 315,287 tons; Saone and Loire, 122,500; Ardèche, 109,753, and the Nord 96,846, tons. The price of charcoal pig fell from 14fr. 51c. per quintal in 1865 to 13 fr. 14c. in 1869, and coke pig from 8 fr. 90c. to 7 fr. 94c. in 1868, rising again to 8 fr. 08c. in 1869.

The quantity of raw pig transformed by second fusion with foundry pig grew, in the five years, from 252,653 tons to 303,920 tons, while the price fell from 26 fr. 40c. to 25 fr. 56c.

It is not necessary to follow the official statement and give the details of the cost of making iron with charcoal, and charcoal and coke mixed, or coke, it is sufficient to give the result, which is that in the two former cases the cost of fabrication is 83 per cent., and in the latter 77 per cent. of the average selling price of the pig iron.

During the same period, the production of wrought iron from charcoal or mixed pig fell, respectively, 14,522 and 3076 tons, while that from coke pig rose 152,977 tons.

In consequence of the rivalry between French and foreign iron makers, the forges least advantageously situated with respect to the supply of ore and coal disappeared, and the business while increasing became concentrated around a smaller number of industrial centers, with advantage. In 1869 the Nord produced 171,869; the Moselle, 140,761 tons; the Loire, 90,148 tons; and the Saone et Loire, 81,077 tons.

The make of rails presents important results. In 1865 the quantity produced reached 208,786 tons, of the value of 40,568,410 fr., but fell during the three following years to 186,028 tons, of the value of 34,656,643 fr., rising again in 1869 to 216,628 tons, of the value of 41,704,738 fr., the extreme prices being 19 fr. 43c. in 1865, and 18 fr. 13c. in 1867.

The manufacture of iron with mineral fuel reached, during the period in question, to 760,899 tons, valued at 160,000,000 and a few thousand francs, and required 1,426,146 tons of coal at 15 fr., and 1486 tons of coke at 23 fr.; thus each ton of iron, of the average value of 210 fr. 3c., required in its production 187 kilos. of coal and 2 kilos. of coke, worth together 2 fr. 81c., which shows that the cost of fuel for wrought iron made from coke pig did not exceed 14 per cent. of the value of the iron produced. In the old Catalan method, in which the whole cost of producing pig was avoided, the cost of the fuel was not less than 58 per cent. of the value of the iron produced.

The quantity of sheet iron produced did not vary much; it amounted in 1865 to 100,915 tons, of the value of rather more than 36,000,000 fr., and in 1869 to 107,441 tons, valued at nearly 14,500,000 fr.

The production of iron wire fluctuated considerably; it amounted to 43,000 tons in 1865, 63,000 tons in 1868, and 56,000 tons in 1869. Its price did not vary more than 2 per cent. during the period.

The production of iron from charcoal pig remained stationary at about 100,000 tons from 1819 to 1860, falling rapidly afterward, as already shown. The production of iron from coke pig commenced in 1842, when the first rails were also made; in 1854 it had reached 400,000 tons, then remained stationary until 1860, and afterward rose gradually to 850,000 tons in 1869.

The production of steel by the refining process in the low furnace fell from 2217 tons in

1865 to 1331 tons in 1869. Puddled steel in the same period rose from 17,634 to 24,861 tons, but the progress in Bessemer steel was still more striking the amount having grown from 9647 to 70,130 tons. Cemented steel fell from 11,000 tons in 1862 to 5000 or 6000. The demand for cast steel is in like manner diminishing; in 1869 the quantity made reached 7610 tons.

Taking into account all kinds of steel, except cast, which is a secondary production, the fabrication of cemented steel has quadrupled in 43 years, and that of puddled and Bessemer steel has multiplied 50 times.—Iron.

Answers to Correspondents.

R. A. T., Beaver Falls, Pa., writes: Will you give me your opinion on the use of zinc in cooking utensils, as now put on by immersion in the molten metal. Is pure zinc injurious to health if used to boil vegetables in?

Answer.—Zinc is not a metal which can safely be used for the lining of cooking utensils. In its pure metallic state, zinc is not poisonous, but several of its compounds are prejudicial to health or fatal to life, according to the quantity taken into the system. The zinc of commerce, which is seldom pure, and often contains both lead and arsenic, forms various unwholesome compounds when subjected to the action of acid and heat. Many of the vegetable acids are very powerful in their action on metals, and zinc, even when pure, is but little calculated to resist their corroding action. In any acid, when iron is present, zinc becomes the sacrificial metal and is dissolved, thus setting up galvanic action, by the aid of which any acid, and even a solution of common salt in water, will attack it and eat it away with greater or less rapidity, according to circumstances. There are so many vegetable acids which are so complex in themselves and in their reactions, that we cannot here enter upon a consideration of the compounds which zinc would form under the circumstances indicated by our correspondent. Tin, though not entirely free from these objections, is altogether a safer metal than zinc as an inside coating for cooking utensils, and in some respects better even than vitreous enamel. While the enamel lasts, it is probably the best substance which can be employed for this purpose, but it cracks with the contraction and expansion of the metal to which it adheres, and these cracks become filled with matter which cannot fall, in time, to render unwholesome whatever is brought into contact with it during the operation of cooking. With recent progress in the manufacture of enamels, we seem to be approaching a degree of perfection in the art which will give us a substance both elastic and insoluble, and which will answer this purpose admirably.

John Penn.

Toward the close of the last century the first John Penn was working for Messrs. Hall, the engineers of Darford, and whose establishment is still in vigorous life. John Penn had something more than ordinary human clay in his composition. The records of Messrs. J. and E. Hall, to whom reference has just been made, demonstrate that their young workman, Penn, beside being an excellent mechanic, was studious and thoughtful, beyond his years. Undoubtedly he very early discovered that one's truest friend, materially speaking, may be carried in one's own pocket. "Put money in thy purse," said Shakespeare, and young Penn complied, as far as he could, with the mandate; in fact, whilst working at Darford he paid his way, and saved a few pounds into the bargain. The ambition to become master, instead of man, had taken possession of his mind; and although, by no means pennurious, he was wisely careful. At the commencement of the present century John Penn had adieu to Darford, and having heard of a "village smithy" to be let at, or rather near to, Greenwich, he became its tenant. At that period Penn's forge was surrounded by the country seats of city merchants, and the gardens pertaining thereto. The young smith found employment for his head in devising heating apparatuses for the conservatories of his wealthier neighbors, and employment for his hands in constructing and setting them to work. Soon his diligence and skill met their reward; he obtained a small contract for the supply of biscuit baking apparatuses in the Royal Victualling Yard at Deptford. Financially he was assisted in this venture by friends who knew his ability and honesty of purpose. This contract was the real starting point of the subsequent success which he achieved. The smithy was transformed into an engineering workshop, and it was supplied with such rude mechanical appliances as were then available. Little by little the factory, at the junction of Lewisham Road with Blackheath Hill, grew and extended itself. Gardens disappeared, and sheds and buildings arose on their sites. The nucleus of the gigantic establishment which now exists in the same locality, and which has monopolized about seven acres of original garden ground, was thus securely completed. Penn became associated with the engineering notabilities of the time, and obtained a large share in the works of which the first half of the current century saw the advent. He, in fact, was a thriving man, and on one occasion—under the auspices of the celebrated William Cobbett—he offered himself as a candidate for a seat in Parliament for the borough of Greenwich. His efforts were unsuccessful, perhaps because of the extremely liberal or advanced views of his friend and patron Cobbett. This parliamentary campaign was engaged in after the passing of the Reform Bill of 1832. Nearly thirty years before that period Penn had married, and about 1810 his son, the present distinguished and universally respected head of the firm, was born. Fortunately, the son had all the mechanical and scientific proclivities of his father. He had also to commence with a better scholastic training. At an early age the fine arts were cultivated by the young engineer, and had he not, by force of circumstances, come to wield the hammer and ply the jack-plane, he might have figured as a Royal Academician in place of being a civil engineer. Mr. Penn determined to work, as his father had done, with his own hands, and, indeed, to pass through the novitiate of an ordinary apprentice. He had no faith in mere paper engineering; thus to a very great extent may be attributed the success which has constantly attended upon the firm from the date of its foundation.—London Iron Trade Exchange.

<p>Iron. NEW YORK.</p> <p>GAM'L G. SMITH & CO., IRON WAREHOUSE, 342, 344 & 346 Pearl Street, New York. Importers and Dealers in IRON AND STEEL, COMMON AND REFINED BAR IRON, SHEET AND PLATE IRON, Rod, Hoop, Band, Scroll, Horse Shoe, Angle and Tee Iron, PIG IRON, OLD RAILS, WROUGHT IRON BEAMS. Iron of all sizes and shapes made to order</p>	<p>Iron. NEW YORK.</p> <p>Conklin & Huerstel, "IRON MERCHANTS," 99 Market Slip, N. Y. English and American Refined Iron, COMMON IRON, Band, Hoop and Scroll Iron, Horse Shoe Iron & Horse Nails, Norway Nail Rods and Shapes, Cast, Spring, Toe Calk and Bessemer Tire Steel. Sole Agents for the Celebrated Horse-Shoe Brand HORSE RASPS.</p>	<p>Iron. NEW YORK.</p> <p>HAZARD & JONES, BROKERS. NEW & OLD RAILS, FOREIGN AND DOMESTIC Pig Iron, Wrought & Cast Scrap Iron, &c., 204 Pearl St., New York.</p>	<p>Iron. NEW YORK.</p> <p>HARRISON & GILLOON IRON AND METAL DEALERS, 625, 560, 562 WATER ST., and 304, 306 CHERRY ST., NEW YORK. have on hand, and offer for sale, the following: Scotch and American Pig Iron, Wrought, Cast and Machinery Scrap Iron, Car Wheels, Axles and Heavy Wrought Iron; also old Copper, Composition, Brass, Lead, Pewter, Zinc, &c.</p>	<p>Iron. PITTSBURGH.</p> <p>Pittsburgh Foundry. A. GARRISON & CO., Manufacturers of CHILLED AND SAND ROLLS, Of acknowledged superior quality, at the lowest cur- rent prices. Ore and Clay Crushers, and Roll- ing Mill Castings, of every description. Office, No. 33 Wood St., cor. of 2d Ave. PITTSBURGH, PA.</p>
<p>Manchester Steel Works, ENGLAND, sell from stock, at lowest prices, all descriptions Best Tool & Machinery Cast Steels SPRING STEEL Cast Spring, Sleigh Shoe, Toe Calk and Plow Steel. Best Cast Steel and Bessemer Wire Rods. AGENTS: PIERSON & CO., 24 & 26 Broadway, and 77 & 79 New St., NEW YORK CITY.</p>	<p>WM. GARDNER, 575 Grand, 414 Madison & 309 Monroe Sts. Bar, Hoop, Rod, Band and Horse Shoe Iron. AGENT FOR Best Norway N. R. & Shapes, Spring, Toe Calk, Tire & Sleigh Shoe Steel.</p>	<p>JAMES WILLIAMSON & CO., SCOTCH AND AMERICAN PIC IRON, No. 69 Wall St., New York.</p>	<p>PETTEE & MANN, Dealers in Ulster, English Refined & Common BAR IRON, Scotch and American Pig Iron, Wrought & Cast Scrap Iron, &c., &c., 228 & 229 South and 449 & 451 Water Sts., N. Y. The highest price paid for Wrought and Cast Scrap Iron. Storage for Pig, Bar and Railroad Iron taken at the lowest rates. D. L. PETTEE. G. A. MANN</p>	<p>PENNSYLVANIA IRON WORKS. EVERSON, MACRUM & CO., Pittsburgh, Pa., Manufacturers of every description of Bar, Sheet and Small Iron, Make a specialty in Fine and Common Sheet Iron.</p>
<p>JACKSON & CHACE, 206 & 208 Franklin St., N. Y., Importers and Dealers in IRON and STEEL. Agents for JOHN A. GRISWOLD & CO'S Bessemer Steel, MACHINERY STEEL, Cast Steel and SPRING STEEL, ANGLE and T IRON. Special Irons for Bridge and Architectural Work.</p>	<p>A. B. Warner & Son, IRON MERCHANTS, 28 & 29 West and 52 Washington Sts. BOILER PLATE, Boiler Tubes, Angle, Tee & Girder Iron, Holler and Tank Rivets. Sole Agents for the celebrated "Eureka," Pennocks, "Wawasset," Lukens, Brands of Iron. Also all descriptions of Plate, Sheet, and Gasometer Iron. Special attention to Locomotive Iron. Fire Box Iron a specialty.</p>	<p>B. F. JUDSON, SCOTCH AND AMERICAN PIC IRON, Wrought and Cast Scrap Iron. 457 and 459 WATER STREET, And 335 SOUTH STREET, near Pike, NEW YORK.</p>	<p>OXFORD IRON CO., Cut Nails and Spikes, R. R. Spikes, Splice Bars and Nuts and Bolts, 81, 83 & 85 Washington, near Rector St, N. Y. JAMES S. SCRANTON, Agent.</p>	<p>W. P. TOWNSEND & CO., Manufacturers of WIRE and Black and Tinned Rivets OF CHOICEST CHANCELL IRON. Rivets any diameter up to 7-16 inch and ANY LENGTH required. 19 & 21 Market St., PITTSBURGH, PA.</p>
<p>ABEEL BROTHERS, Successors to JOHN H. ABEEL & CO., Iron Merchants, 190 South Street and 365 Water, N. Y. ULSTER IRON A full assortment of all sizes constantly on hand. English and American Refined Iron of choicest brands. Common Iron. Band, Hoop and Scroll Iron. Sheet Iron. Norway Nail Rods. Norway Shapes. Cast, Spring and Tire Steel, etc.</p>	<p>Geo. A. Beynton, BROKER IN IRON 70 WALL ST., N. Y.</p>	<p>JOHN W. QUINCY, 95 William Street, New York Dealer in Anthraxite & Charcoal Pig Irons, OLD SCRAP and CUT NAILS. Gibbs' Patent Lock Nut and Washer, and Fish Plates for Rail Roads.</p>	<p>ADOLPH STARKE, Manufacturer of WROUGHT and GALVANIZED Ship, Dock and Railroad Spikes, NAILS and RIVETS. 441 & 443 East 10th St., Near Avenue D, N. Y.</p>	<p>SHOENBERGER & CO. Manufacturers of CUT NAILS, AND Spikes, HORSE AND MULE SHOES, Horse Shoe, Bar & SHEET IRON. Goods warranted equal to any in the Market. Please send for Circulars in regard to "PICKED NAILS." PITTSBURGH, PA.</p>
<p>A. R. Whitney & Bro., Manufacturers of and Dealers in IRON, 56, 58 & 60 Hudson, 48, 50 & 52 Thomas, and 12, 14 & 16 Worth Sts., NEW YORK. Our daily is in Manufacturing Iron Used in the Construction of Fire-Proof Buildings, Bridges, &c. AGENCY OF Abbott Iron Co. Boiler Plate & Tank Iron. Glasgow Tube Works Boiler Plates. Pennyroyd Iron Works Shifting. Passaic Rolling Mill Angles and Tees. A. R. Whitney & Bro.'s Rivets. Whitney's Best Bar Iron. Whitney's Wrought Iron Beams and Channel Iron. Books containing Cuts of all Iron now made, and Sam- ple Pieces at office. Please address 66 Hudson Street.</p>	<p>POWERVILLE ROLLING MILL, JOHN LEONARD, 450 & 451 West Street, NEW YORK. Manufacturer of all sizes of MERCHANT IRON and HOOPS. Also Manufacturer of Best Charcoal Scrap Blooms. And Dealer in Old and New Iron.</p>	<p>WILLIAM H. WALLACE & CO., IRON MERCHANT'S Cor. Albany & Washington Sts., NEW YORK CITY. WM. H. WALLACE. WM. BISHAM.</p>	<p>DAVID CARPENTER, Manufacturer of HOT PRESSED NUTS, And Dealer in All kinds of Refined Bar & Horse Shoe Iron, 402 Water Street, New York.</p>	<p>Boston Rolling Mills Manufacture extra quality small Rods, from best se- lected Scrap Iron. Swedish and Norway Shapes, NAIL and WIRE RODS. Also HORSE SHOE IRON. BOSTON ROLLING MILLS, W. B. ELLIS, Treasurer. Office, 17 Battery March St., Boston.</p>
<p>BORDEN & LOVELL, Commission Merchants 70 & 71 West St., New York. Agents for the sale of Fall River Iron Co.'s Nails, Bands, Hoops & Rods, AND Borden Mining Company's Cumberland Coals.</p>	<p>Marshall Lefferts, Jr., 90 Beckman St., New York, MANUFACTURER OF AMERICAN Galvanized Sheet Iron, AND AGENT FOR THE Easton Sheet Iron Works, Easton Pa. MANUFACTURER OF Best Bloom, Charcoal & Refined Sheet Iron. Galvanized Telegraph and Fence Wire Galvanized and Tinned Roofing and Siding Nails. Galvanized Hoop Iron of all widths. Galvanized Staples. Corrugated Iron for Roofing, plain or gal'd. Galvanized Bars and Chains for Cemetery Railing. Tin Plates, Spelter, and other Metals.</p>	<p>BOONTON CUT NAILS, HOT PRESSED NUTS, Machine Forged Bolts, Washers. Fuller, Lord & Co., BOONTON IRON WORKS, 139 Greenwich Street, New York.</p>	<p>U. O. CRANE. BROKER IN PIG IRON & METALS, 104 John St. New York.</p>	<p>"PEMBROKE" Round, Square & Flat Iron. "FRANCONIA" Shafting & Bar Iron. Extra quality when great strain or superior finish is required. Also, Irons for ordinary work, like the "ENGLISH REFINED." WM. E. COFFIN & CO., No. 8 Oliver Street, Boston. New York Agents, JEVONS STROUD & CO., 104 John St., N. Y.</p>
<p>T. B. CODDINGTON & CO., 25 & 27 Cliff St., New York. Bar Iron, Sheet Iron, &c Of every description</p>	<p>NORWAY IRON WORKS. Spring, Tire, Toe Calk & Sleigh Shoe Steel. BLISTER STEEL, SCRAP RODS, 3-16, 1-4 and 5-16 Round and Square. Norway Shapes & Nail Rods, Etc., Etc. Address, NAYLOR & CO. New York, Boston or Philadelphia. S. WHITNUM, Manufacturer and Galvanizer of Coal Hods, Water Pails, Baking Pans, &c. Galvanizer of Sheet Iron, Nails, Spikes and Tinned Roofing Nails, Wire, Hoop and Band Iron. Iron Work for Cemetery Purposes furnished complete. Factory, cor Clay and Franklin Sts., GREENPOINT, L. I.</p>	<p>SWEDISH IRON. A Variety of Brands, including (IB) (14) HP (NYR) (03) BARS suitable for Steel of all grades. Wire, Shovels, Hoops, Scythes, Carriage Bolts, Nail Rods, Tacks, &c. CHARCOAL PIG IRON for Bessemer and Cast Iron. MUCK BARS for Steel Smelting and Re-rolling. SCRAP or BAR ENDS. Direct Agency for N. H. HUGLUND, of Stockholm, represented in the United States by NILS MITANDER, 69 William St., New York. AGENTS: ABBOTT & HOWARD, Boston, Mass. ALBERT POTTS, Boston, Mass. PHILADELPHIA, PA.</p>	<p>EDWARD W. COIT, IRON AND METAL Commission Merchant, No. 205 1-2 Walnut Street, PHILADELPHIA, PA. Boiler Plates, Boiler Tubes, Ship Plates, Specials.</p>	<p>PACKARD, GOFF & CO. Youngstown, O. Manufacturers of Merchant Bar Iron. Mills at Hubbard, O.; also Jobbers in Nails, Nuts, Washers & Carriage Bolts.</p>
<p>HOLDEN HOPKINS & STOKES, IRON CAST STEEL NAILS, RAILS, & R.R. SPIKES. 104-106 John St. NEW YORK.</p>	<p>DANIEL W. RICHARDS & CO., Importers of and Dealers in SCRAP IRON, Pig Iron, OLD METALS. YARDS: 88 to 104 Mangin St., Foot of Stanton St., E. R., 71 to 79 Tompkins St., NEW YORK. OFFICES: 90 & 92 Mangin Street, New York. 178 Pearl Street, 30 The Albany, Liverpool, England.</p>	<p>Girard Rolling Mill Co., Manufacturers of MERCHANT BAR IRON AND T RAIL, Nuts, Washers, Collar, Machine and Bridge Bolts, Patent Car Coupling Links & Pins. L. S. TAYLOR, General Agent. GIRARD, OHIO.</p>	<p>PETER TIMMES, Manufacturer and Galvanizer of Wrought, Dock, Ship, Boat & Horse R. R. Spikes, Rivets, Nails, &c. Nos. 281, 283 & 285 N. 6th St., Near junction of N. 3d St., Brooklyn, E. D.</p>	<p>BONNELL, Botsford & Co., Iron, Nails & Spikes. YOUNGSTOWN, OHIO. G. W. FAHRION, Manufacturer of Railroad, Ship and Boat SPIKES. Boat Spikes 3 to 18 inches long. Railroad Hook Heads all sizes. NILES, OHIO.</p>
<p>Pottsville Spike, Bolt and Nut Works. G. D. ROSEBERRY, Pottsville, Pa. Manufacturer of RAILROAD SPIKES, MINING SPIKES, Cold Pressed Nuts, Mac e Bolts & Bolt Ends</p>	<p>Wrought Iron Buildings, Wrought Iron Bridges, Corrugated Iron Roofs, Shutters, Doors, Flooring, &c. Corrugated Sheets of all sizes manufactured by Moseley Iron Bridge & Roof Co., No. 5 Day St., N. Y.</p>	<p>Pittsburgh Foundry. A. GARRISON & CO., Manufacturers of CHILLED AND SAND ROLLS, Of acknowledged superior quality, at the lowest cur- rent prices. Ore and Clay Crushers, and Roll- ing Mill Castings, of every description. Office, No. 33 Wood St., cor. of 2d Ave. PITTSBURGH, PA.</p>	<p>W. P. TOWNSEND & CO., Manufacturers of WIRE and Black and Tinned Rivets OF CHOICEST CHANCELL IRON. Rivets any diameter up to 7-16 inch and ANY LENGTH required. 19 & 21 Market St., PITTSBURGH, PA.</p>	<p>SHOENBERGER & CO. Manufacturers of CUT NAILS, AND Spikes, HORSE AND MULE SHOES, Horse Shoe, Bar & SHEET IRON. Goods warranted equal to any in the Market. Please send for Circulars in regard to "PICKED NAILS." PITTSBURGH, PA.</p>

Iron.

PHILADELPHIA.

Iron and Steel T and Street Rails

Of Best American and English Makes.
CHAIRS, SPIKES, FISH BARS, RAILROAD SUPPLIES.

Muck Bars, OLD RAILS, Scrap, BLOOMS.

American and Scotch
PIG IRON, AND METALS.

CHAS. W. MATTHEWS,

133 Walnut St., Phila.
 (Late HALSTON & MATTHEWS, 133 Walnut St.)

MALIN BROS., IRON

Commission Merchants,
 No. 228 Dock Street,
 3d door below Walnut, PHILADELPHIA.

BLAKISTON & COX, IRON

Commission Merchants,
 No. 333 Walnut Street,
 PHILADELPHIA.

THE CAMBRIA IRON WORKS,

Situated on the line of the Pennsylvania Rail Road,
 at the western base of the Alleghany Mountains, are
 the largest of their class in the United States, and
 are now prepared to make

1800 TONS PER WEEK,

Of Iron and Steel Railway Bars.

The Company possesses inexhaustible mines of
 Coal and Ore, of suitable varieties for the produc-
 tion of Iron and Steel Rails of

BEST QUALITY.

Their location, coupled with every known im-
 provement in machinery and process of manufacture
 enable them to offer Rails, when quality is con-
 sidered, at lowest market rates.

The long experience of the present Managers,
 of the Company, and the enviable reputation
 they have established for "CAMBRIA RAILS,"
 are deemed a sufficient guarantee that purchasers can
 at all times depend upon receiving rails unsurpassed
 for strength and wear by any others of American or
 foreign make. Any of the usual patterns of rails
 can be supplied on short notice, and new patterns of
 desirable weight or design will be made to order.
 Address,

CAMBRIA IRON COMPANY

218 S. Fourth St., PHILADELPHIA.
 or at the works, JOHNSTOWN, PA.

S. FULTON & CO.,

MANUFACTURERS OF
 Pig Iron and Cast Iron Gas and Water Pipes.
 ALSO HEAVY AND LIGHT CASTINGS
 OF EVERY DESCRIPTION.
 PLYMOUTH IRON WORKS, CONSHOHOCKEN, PA.
 Office, No. 249 S. 3d St., Phila.
 SAMUEL FULTON. THOS. TREWENT

W. GRAHAM HOOPES

Commission Merchant
 FOR THE SALE OF
 Pig, Bloom, Plate, Bar & Railroad
IRON,
 No. 419 Walnut Street, Philadelphia.

The Phoenix Iron Co.,

410 Walnut St., Philadelphia.
 MANUFACTURERS OF
CURVED, STRAIGHT AND HIPPED
Wrought Iron Roof Trusses
BEAMS, GIRDERS, AND JOISTS,
 and all kinds of Iron Framing used in the construction
 of Iron Proof Buildings.

Deck Beams, Channel, Angle and T Bars

curved to template, largely used in the construction of
 Iron Vessels.

Pat. Wrought Iron Columns, Weldless Eye Bars,

for Top and Bottom Chords of Bridges.

Railroad Iron, Street Rails, Rail Joints and Wrought Iron Chairs.

Refined Bar, Shafting, and every variety of
 Shape Iron made to order.

Plans and Specifications furnished. Ad-
 dress

SAMUEL J. REEVES Vice Pres.

GEO. D. ALTHOUSE,

Commission Merchant
 For the exclusive sale of
PIG IRON,
 341 Walnut St., Phil

J. O. RICHARDSON,

Pig and Railroad Iron,
 AND IRON ORES.
 No. 329 Walnut St., PHILADELPHIA.

Iron.

PHILADELPHIA.

H. L. GREGG & CO.,

Ship Brokers & Commission Merchants,
 Importers of

Old Iron, Metals and Rags.

Freight engagements made to all parts of the world.
 Marine insurance effected in reliable offices.

108 Walnut St., Phila.

J. J. MOHR, IRON

Commission Merchant,
 430 Walnut St., Philadelphia.

Sole Agent for

BUSHONG, SHERIDAN,

And other brands of **PIG IRON.**

Metallurgical.**The Iron-Masters' Laboratory.**

Exclusively for the Analysis of Ores of Iron,
 Pig and Manufactured Iron, Steels, Limestones,
 Clays, Slags & Coal for Practical Metal-
 lurgical Purposes.

No. 339 Walnut Street, Philadelphia.

J. BLODGET BRITTON.

This Laboratory was established in 1866, at the instance
 of a number of practical Iron-masters, expressly to afford
 prompt and reliable information upon the chemical com-
 position of the substances above mentioned, for smelting
 and refining purposes. The object being to make it at
 once a convenient, practically useful, and comparatively
 inexpensive adjunct to the Furnace, Forge and Rolling
 Mill.

CHARGES TO IRON WORKS.

For determining the per cent. of pure Iron in an
 ordinary Ore..... \$4 00
 For the per cent. of Pure Iron, Sulphur and Phos-
 phorus in do..... 12 50
 For each additional constituent of usual occur-
 rence..... 1 50
 For those of unusual occurrence or difficult to de-
 termine, the charge must necessarily depend
 upon circumstances.
 For determining the per cent. of Sulphur and Phos-
 phorus in Iron or Steel..... 12
 For each additional constituent of usual occur-
 rence..... 4 0
 For the per cent. of Carbonate of Lime, and In-
 soluble Silicious Matter in a Limestone..... 10 00
 For each additional constituent..... 2 00
 For the per cent. of Water, Volatile Combust-
 ible Matter, fixed Carbon, and Ash in Coal..... 12 50
 or determining the constituents of a Clay, Slag,
 Coke, or of an Ash of Coal the charges will correspond
 with those for the constituents of an ore.
 For a written opinion or letter of instruction the charge
 must necessarily depend upon circumstances.
 Printed instructions for obtaining proper average sam-
 ples for analysis furnished upon application.

Metallurgical.**SCHOOL OF MINES, COLUMBIA COLLEGE,**

East 49th Street, NEW YORK.

FACULTY:

F. A. P. BARNARD, S. T. D., LL. D., President.
 T. EGGLESTON, JR., E. M., Mineralogy and Metallurgy.
 FRANCIS L. VINTON, E. M., Mining Engineer.
 C. F. CHANDLER, Ph. D., Analytical and Applied Chemistry.
 JOHN FORREY, M. D., LL. D., Botany.
 CHARLES A. JOY, Ph. D., General Chemistry.
 WILLIAM G. PECK, LL. D., Mechanical and Mining Engineering.
 JOHN G. VAN AMRINGE, A. M., Mathematics.
 JORDEN N. HOWD, A. M., Physics.
 JOHN S. SEWERY, M. D., Geology and Paleontol-
 ogy.

The plan of this school embraces a three years' course
 for the degree of ENGINEER OF MINES, or BATCH-
 ELOR OF PHILOSOPHY.

For admission, candidates for a degree must pass an
 examination in Arithmetic, Algebra, Geometry and
 Plain Trigonometry. Persons not candidates for degrees
 are admitted without examination, and may pursue any
 or all of the subjects taught. The next session begins
 October 2nd. The examination for admission will
 be held on June 22nd and September 29th, 1874. For fur-
 ther information and catalogue, apply to

DR. C. F. CHANDLER,

Dean of the Faculty.

MAYNARD & VAN RENSSLAER, CONSULTING

Mining and Metallurgical
ENGINEERS,
 experts in Iron and Analytical Chemistry
 24 Cliff Street, NEW YORK,
 George W. Maynard. Schuyler Van Rensselaer.

THOMAS M. DROWN,

Analytical Chemist.
 LAFAYETTE COLLEGE,
 EASTON, PA.

GEO. W. BRUCE

No. 1 Platt Street,
 Continues to Import
 Nettlefold & Chamberlain's,
 IRON AND BRASS SCREWS, AND WIRE
 GOODS, RIVETS, &c.,
 and assures the trade that his stock, assortment and
 prices are not equaled by any other parties, whatever
 their pretensions. NEW YORK, April 1st, 1873.

Established in 1849.

THE Jackson & Woodin Mfg. Co.

Successors to JACKSON & WOODIN,

Manufacturers of

Car Wheels and Cars,

BERWICK,
 COLUMBIA, CO., PA.

Improved Adjustable Clamp.

Messrs. Hammer & Co., of Branford, Conn.,
 are introducing the clamp shown in the accom-
 panying illustration.

This is one of those simple and yet very
 effective little devices which is sure to meet
 with a ready application from all having occasion
 for its use. The shape, clearly shown in
 the annexed engraving, is such as to insure
 strength, stiffness, and convenience in handling,
 and the material used is malleable iron. The
 socket on the upper extremity of the frame is
 threaded to receive a screw, A. Through the
 latter passes the clamping rod, B, along the
 sides of which are cast a series of projections,
 as shown at C. These enter grooves at the side
 of the rod orifice through the screw, so that
 the rod may be moved up and down through
 the latter with ease. In use, however, the ob-
 ject to be clamped is placed between
 the frame and the enlarged lower
 end of the rod. The latter is then
 pushed down against the object
 and turned to the right. The pro-
 jections, C, then enter notches
 made along the sides of the grooves
 in the screw, and consequently
 carry the latter around with the rod,
 thereby forcing the same tightly
 down upon the work. The sectional
 view, Fig. 2, will render the
 arrangement of grooves and pro-
 jections clearly understood. A
 quarter turn to the left disengages
 the projections on the rod from the
 notches, so that the rod can at once
 be drawn back.

It is unnecessary to point out the
 advantages resulting in saving of
 time in turning down screws, as
 well as the firmness with which the
 clamp holds its work. The inven-
 tion is made in various sizes, and
 is, of course, applicable to a variety
 of uses, by cabinet makers, carpen-
 ters and others. A vise for wood
 workers' use has also been intro-
 duced, we understand, constructed
 on the same principle. The present
 invention is sold by the trade.


Industrial Co-operation.

We take the following from the London *Min-
 ing Journal*:

This is a phrase easily written, but it is one
 susceptible of many meanings, and one which
 will convey different ideas to different minds.
 We only propose now, however, to refer to
 that idea which has brought about co-operative
 engine works, co-operative mines, and not a few
 other enterprises of a cognate nature. Many a
 learned chapter, from the days of Adam Smith
 downward, has been written on the relations
 of capital and labor to each other. Divers
 have been the theories elaborated on the subject,
 but no political economist has ever yet held
 that the one can exist without the other.
 Any system which does not award to each its
 just rights is faulty; and some—as, for instance,
 communism—are simply tyrannical and dis-
 honest. All the difficulties of legislation in
 these days of freedom which have been, and
 which remain to be, encountered arise from
 attempts on the one side or the other to make
 labor the slave of capital, or vice versa. Half
 the wars in the world from the very beginning
 have been attempts to obtain by the conqueror
 the labor of the conquered; and the old maxim,
seu victis, meum est as much as anything slave labor.
 Co-operation, on the other hand, means the in-
 vestment of labor with capital. Thoughtful
 working men have discovered that capital has
 the same right to be protected as labor, and that
 it is only by their union that satisfactory results
 can be obtained for all. Out of their cogitations
 came the idea of co-operation. At first it was
 tried only in the matter of shop keeping, and
 the idea was that of an unlimited partnership.
 It did not succeed, except in a few cases, where
 the constituents were numerous and the district
 prosperous. At length the principle began to
 assume a more definite form—to be tabulated,
 as it were. And it took this form, that the
 consumers being able to produce the custom
 without which no trade can exist, should fur-
 nish their own supplies. This principle has
 proved wonderfully successful in divers retail
 undertakings, particularly in Halifax, Rochdale,
 Oldham, and other densely populated towns in
 Lancashire: The men who originated—or those
 who latterly have been at the helm—are persons
 to whom it would be no exaggeration to attrib-
 ute great financial genius, so ingenious and so
 satisfactory are the arrangements in which the
 profits are divided between consumers and
 capitalists.

It is obvious, however, that when capital,
 generally in small amounts, came to be applied
 to productive works—to manufactures and pro-
 ductions of various kinds which must compete
 with what may be called single handed capital
 —difficulties must arise. The main spring of
 co-operation is the principle of making the
 workmen employers as well as employed, and
 so giving them an ever-increasing and direct
 pecuniary and personal interest in the work
 done. This is effected by each worker leaving
 a definite proportion of his earnings to become
 share capital, and although he may increase his
 stake by bringing in any former savings he
 might have accumulated, no one is allowed to
 lessen his capital. One of these concerns, of
 which there are now a good many in the North
 of England, is the Ouseburn Engine Works
 Company, New-Castle-on-Tyne. It arose three
 years ago out of a strike, but at the annual
 meeting last week the chairman Dr. Rutherford,
 said that its object was to solve the great prob-
 lem of how to join capital and labor and
 prevent strikes. He complained of unfair
 competition on the part of other manufacturers,
 and of "a deliberate and systematic attempt to

shut them out of the market for material," in
 consequence of which they had for a long time
 great difficulty in procuring coal and iron to
 supply their wants. It appears, too, that they
 had been hindered by a strike amongst them-
 selves, and a revolt of their boiler makers had
 produced a loss of profits to divide which the
 chairman estimated at £5000 or £6000. In spite
 of all these difficulties he congratulated the
 shareholders—that is, the workmen,—on having
 made their mark in the engineering world,
 and pointed with pride to the success of the
 engines they had put into the screw steamers
 Vandertelen and the Ly-ee-moon, both of
 which had made most successful trial trips, the
 latter on the Thames, and combined a smooth-
 ness of working with a minimum consumption
 of fuel quite unusual. The report was adopted
 with unanimity, but this brotherhood of labor
 appears to possess no immunity against ag-



grieved shareholders, and there was a consider-
 able squabble over the election of a new
 director. The difficulty, however, was sur-
 mounted without going to a poll, the chairman
 was re-elected, and the proceedings terminated
 with a vote of confidence in that gentleman.

Chattanooga Iron Items.

The Chattanooga *Commercial* says: Chatta-
 nooga has in operation three large manufactur-
 ing establishments with an aggregate capital of
 \$1,470,000. The Roane Iron Company manu-
 factures rails and pig iron, the product last
 year being 11,000 tons of rails and 7500 tons of
 pig iron. The rail mill run two-thirds time—
 full capacity at present 24,000 tons. Present
 production of pig iron 1000 tons per month.

The Vulcan Iron Works manufacture bar and
 strap iron, car axles, railroad supplies,
 nuts, bolts, etc. Yearly capacity 15,000 tons.

The Chattanooga Foundry and Machine
 Works manufacture stationary and portable
 engines, boilers, locomotives and all kinds of
 mining machinery. It is probably the largest
 and completest establishment of the kind in
 the South.

In addition to these three are the smaller, but
 not less busy or useful machine works of Trux-
 all & Dummeyer, and the Novelty Works.

There are in course of construction the Was-
 son Car Works, capacity, four cars and 200 car
 wheels per day, and a blast furnace by the
 Chattanooga Iron Company, with a capital re-
 spectively of \$200,000 and \$100,000 each. They
 will be ready to commence operations within a
 few months.

The proprietor of the Athens Foundry and
 Machine Works has purchased ground, and
 contemplates removing his establishment to
 this point in the spring.

American Coal Production.—The total
 production of anthracite in 1873 was twenty-two
 and three-quarter million of tons, of which
 about three and a quarter million tons were
 consumed in the coal regions, leaving nineteen
 and a half millions for the market. The de-
 mand is estimated to increase annually ten per
 cent., and taking a series of years together it
 does increase that much. What it falls short in
 any one year is usually made up by excess of
 the estimate the next year following. There is
 no reason to doubt that there will be market for
 twenty millions of tons in 1874. What may be
 new to many of our readers is that the bitu-
 minous coal production is equal to, if not in
 excess of, that of anthracite. It last year
 amounted to 22,585,000 tons, and the production
 of both kinds for the year to 45,413,340 tons.
 The total of foreign coal imported during the
 year was less than half a million of tons, and
 the amount exported was but about 100,000
 tons in excess of the imports. Should the
 annual increase in the production of anthracite
 and bituminous coal in the next ten years equal
 that of the last ten years, the production to be
 marketed for consumption in 1883 will reach the
 enormous aggregate of 95,000,000 tons. And
 there is no reason furnished in the past history
 of the trade, either here or in England, to doubt
 that it will so increase. With such an increase
 in the production of coal, how do the present
 facilities for marketing it stand in comparison?
 Those who sometimes express fears that the
 coal carrying companies are laying out too
 largely in the future in this business, may be
 perhaps somewhat assured in contemplating
 the existing situation, and comparing it with so
 near a future as only ten years.—*Philadelphia*
Ledger.

THE CELEBRATED

YALE LOCKS
FOR ALL USES.
ORNAMENTAL
Real Bronze Hardware,
YALE LOCK MFG. CO.,
Stamford, Conn.
 Salesroom, No. 298 Broadway, NEW YORK.

Guns, Rifles, Revolvers & Sporting Apparatus.

AMERICAN GOODS
 IMPORTED AT
 Lowest
 Prices.

EDW. K. TRYON, Jr., & CO.,
 19 North Sixth and 220 North Second Sts., Philadelphia, Pa.

New Patent "X" Razor Strap.

PATENTED DECEMBER 23, 1873.
 This Strap, designated on our List as Letter "X," is of novel construction—is elastic, pleasantly
 yielding to the razor—gives a keen fine edge—is made of superior stock—is furnished at a low price—and
 gives universal satisfaction.
ITS PRICE SELLS IT.
BENJAMIN F. BADGER, Sole Manufacturer,
 Badger Place, Charlestown, Mass.

Iron.

CLEVELAND.

CLEVELAND ROLLING MILL CO.,

MANUFACTURERS OF

BESSEMER STEEL RAILS,

Steel Plates and Forgings, Railroad Iron, Merchant Bar,

Beams, Orders, Splices, Bolts, &c., &c.
Office, Nos. 99 and 101 Water St., CLEVELAND, O.
A. B. STONE, Pres. H. CHISHOLM, V. P. & Gen. Supt.
E. S. PAOR, Sec'y.

Cleveland, Brown & Co.

IMPORTERS, MANUFACTURERS AND DEALERS IN

IRON AND STEEL,

HORSE SHOES, HORSE NAILS,

NORWAY NAIL RODS,

NAILS, SPIKES,

"Standard Taper" Axles & Swedes Iron,

WINDOW GLASS,

Wrought Iron Pipe and Boiler Tubes.

Chains, Rivets, Nuts, Washers, and Heavy

Hardware Generally.

25, 27, 29 & 31 Merwin Street,

CLEVELAND, OHIO.

OLD DOMINION

Iron and Nail Works Company,

RICHMOND, VA.,

J. E. BLANKENSHIP, Commercial Agent,

Manufacture

NAILS AND BAR IRON,

Bands, Scrolls, Horse Shoe Bars, Nut and
Rivet Iron, Spike Rods, Shunting Bridge
Bolts, Ovals, Half Ovals, Half Rounds, &c.

NEW HAVEN

Rolling Mill Comp'y

Manufacturers of Merchant, Horse Shoe, and extra
quality Iron. Guaranteed to stand specified tests.
Special orders taken for common Iron.

New Haven, CONN.

Jos. Scheider & Co

Manufacturers of

Japanned & Stamped


TIN WARE,



MINER'S PATENT

Street and Depot Lamps.

FOR GAS OR OIL.



AND

PATENT SELF-RIGHTING

CUSPADORES.

THE PATENT SELF-RIGHTING

CUSPADORE

Is superseding
all others. Being
made of METAL
it will not break,
and as the lower
part is
CAST-IRON,
will not corrode so
quickly as other
articles composed
of sheet metal for
the same purpose,
and if upset, it
rights itself home-
dusily.


58 Beekman St., N. Y.

P. O. Box 4991 New York.

FACTORY, PORTLAND, CONN.

Iron.

MILWAUKEE IRON CO.,



RAILROAD IRON

From 30 to 65 Lbs. per Yard.

Re-Rolling done on short notice.

PIG IRON.

BEST No. 1 FOUNDRY IRON constantly on hand and for sale in car-load or larger lots, at
lowest market price.

Merchant Bar Iron.

A FULL ASSORTMENT—SUPERIOR QUALITY.

Address all correspondence to

MILWAUKEE IRON CO.,
MILWAUKEE, WIS.

P. J. POTTER.

JOHN W. HOFFMAN.

WILLIAM TOOTHE.



SOUTHWARD HOFFMAN.

Potter, Hoffman & Co.,

110 Liberty St., N. Y.

GENERAL RAILROAD SUPPLIES.

AGENTS FOR

Bay State Iron Co., Boston Mass.
Homogeneous Plates, Rails, &c.
Crucible Steel Tires, Axles, Forgings, &c.Chrome Tool Steel and Spring Steel.
Nichols, Pickering & Co.'s Springs.
Sax, Kear & Co.'s Patent Steel Tired
Wheels.JOHN McNEAL & SONS,
BURLINGTON, N. J.CAST IRON PIPES
FOR WATER AND GAS.

Keystone Portable Forge Co.,

120 Exchange Place, Philadelphia.

Manufacturers of the

KEYSTONE PATENT
FORGES,

(FAN BLAST.)

23 Standard Styles, Large and Small, for Hand or Power, for
EVERY CLASS OF WORK.H. S. MANNING & CO., Agents.
111 Liberty Street, New York.

Manufacturer of

Rules, Planes, Iron Planes, Grooving Plows, Gauges, Plumbs and Levels, Hand Screws,
Beach Screws, Handles, Door Stops, Try Squares, Sliding T Bevels, Turning Saw Frames
and Saws, Schell's Patent Gauge, Butler's Patent Gauge, Boring Machines, &c., &c.
Illustrated Catalogues of 1874 furnished on application. Address,

H. CHAPIN'S SON, Pine Meadow, Conn.

Having great facilities
for doing cheap work as
well as costly, using Way-
moth's variety turning lathe,
which in many kinds of
work will lessen the cost
at least one-half, we are
prepared to furnish paten-
tees and dealers with fin-
ished work in quantity.

Iron.

CAST IRON FLANGE PIPES

Of any length or diameter, for Steam Engines, Exhaust Steam, Fire Purposes, Redneries,
both Faced and Drilled and Plain. Also,

GAS and WATER PIPES

Of all sizes, with necessary connections for

LAMP POSTS, FIRE HYDRANTS,
VALVES, &c.

R. A. BRICK & CO., Mfrs., 112 Leonard St., N. Y.

NEW HAVEN ROLLING MILL CO.,

Manufacturers of

HORSE AND MULE SHOES.

NEW HAVEN, CONN.


JESSE W. STARR.

BENJ. A. STARR.

BENJ. F. ARCHER.

CAMDEN IRON WORKS

(Established 1824), CAMDEN, N. J.



JESSE W. STARR & SONS,

Engineers, Contractors and Manufacturers of Gas Apparatus.

And all the

Buildings, Tanks, Holders, &c., required for the Manufacture, Purification, and Storage
of Gas, and Street Mains Requisite for its Distribution.

Plans, Drawings, and Specifications promptly furnished.

IRON FOUNDERS.

CAST IRON STREET MAINS, for Water and Gas, from One and a Half Inches to

FORTY-EIGHT Inches in Diameter.

Stop Valves (all sizes), FIRE HYDRANTS, HEATING PIPES, BRANCHES, BENDS, TEES

CASTINGS of any form or size required.

PHILADELPHIA OFFICE. - - 403 WALNUT STREET.


TAYLOR IRON WORKS,

HIGH BRIDGE, N. J.,

On the line of the Central Railroad of New Jersey.

CAR WHEELS, CAR AXLES,

DRAW HOOKS & FORGINGS.



LEWIS H. TAYLOR, President.

JAS. H. WALKER, Secretary.

W. J. TAYLOR, Treasurer.

S. P. RADER, Supt.

New York Office, 93 Liberty St.

ATKINS BROTHERS,

PROPRIETORS OF THE

Pottsville Rolling Mills & Pioneer Furnaces
POTTSVILLE, PENNSYLVANIA.Having introduced New and Improved Machinery into their Rolling Mills, and manufacturing all their
Iron from the ore, and also doing all Machine Work and Repairs in their own shops, they are enabled to
produce

RAILROAD IRON

Of uniform quality, unsurpassed for strength and wear, and of any required length.

Address the Proprietors Pottsville, Pa.

The Britannia Ironworks Company, Limited,
Middlesbro' England,

MANUFACTURERS OF

ALL DESCRIPTIONS OF IRON RAILS

Surplus Stocks of Various Sections always on hand.

London Office: W. G. FOSSICK, 6 Laurence Pountney Hill, E. C.

Weekly Output, One Thousand Tons.


M. H. Jones.

A. G. Peck.

M. H. JONES & CO.,

COHOES, Albany Co., N. Y.

Manufacturers of AXES and EDGE TOOLS.



Sole Manufacturers of the late T. & N. EYCK AXES, MFG. CO.'S GOODS.

J. CLARK WILSON & CO., New York Agents, 81 Beekman Street.

W. & B. DOUGLAS,

MIDDLETOWN, CONN.

The Oldest and Most Extensive Manufacturers of

**PUMPS,
HYDRAULIC RAMS,
GARDEN ENGINES****Hydraulic Machines**IN THE
WORLD.

Awarded the GRAND MEDAL of PROGRESS at WORLDS' EXPOSITION, VIENNA, 1873, being the highest awards on Pumps, &c., also, highest medal at PARIS in 1867.

Descriptive Catalogues and Price Lists sent when requested.

BRANCH WAREHOUSES,

85 & 87 John Street, N. Y.

AND

197 Lake St., CHICAGO, ILL.


**UNION MANUFACTURING COMPANY,**

Manufacturers of all styles Plain and Ornamental Butts,

LOOSE PIN REVERSIBLE,

Cast Fast & Loose,Drilled and Wire Jointed,
Japanned, Figured, Enamelled, Nickel Plated,
and Real Bronze Butts. Also a full line of**IRON & BRASS PUMPS,**Clutch, Well, and Force Pumps, Yard Drive
Well, Garden Engine and Steam Boiler Pumps,
Hydraulic Rams, &c., and all with the most modern
improvements. 100 Fine Castings a Specialty.

NEW BRITAIN, CONN.

Warehouses, 99 Chambers Street, N. Y.,
4 India Street, Boston, (Butts),
67 Kilby Street, Boston, (Pumps).
Send for New Illustrated Catalogue and Price List.**CHARLES E. LITTLE, 59 Fulton St., N. Y.**
MECHANICS' AND MACHINIST TOOLS,
COOPERS' TOOLS & TRUSS HOOPS a specialty.Slaters' and
Coach Makers'
Tools.Merchant's Improved
Dowelling
Machines.

Any one in the trade not receiving my new Price List will please inform me.

G. W. BRADLEY'S EDGE TOOLS.

Butchers' Cleavers,
Corn Knives,
Bush Hooks,
Coopers' Tools,
Ship Adzes and Axes,
Crawling Knives,
Axes and Hatchets,
Grub Hoes,
Picks and Mattocks,
Mill Picks,
Box Chisels & Scrapers.

NATHAN WEED, 37 Chambers St., New York.



WRIGHT'S

**Double Acting,
BUCKET - PLUNGER
STEAM PUMPS.**

ALWAYS RELIABLE

VALLEY MACHINE CO., Easthampton, Mass.

**KANAWHA
PUMP WORKS**Burlingham & Purdy,
PROPRIETORS.103 Chambers Street, N. Y.,
MANUFACTURE

Burlingham's Patent

**CUCUMBER
WOOD PUMPS.**BARGE AND TANNERS'
PUMPS, HYDRANTS
AND AQUEDUCT
PIPE.Factory, CHARLESTON,
West Virginia.

Goods shipped from Factory via
River to all points West and
Southwest. Eastern and Southern
Coast Trade shipped from New
York Depot, with expenses only
added to factory prices.
Price List with description sent
on application.
See wholesale price current in
this paper

The Original Inventors and Manufacturers of the
OSBORN BRIGHT METAL CAGES.Also OSBORN & DRAYTON improvements under
twelve different patents. We are continually bringing
out new and beautiful designs to meet the demands of
refinement and taste.

ALVAN DRAYTON, General Agent.

MYERS MFG. CO.,

209 Centre Street, N. Y.

Manufacturers of

FLUTING MACHINES,Stand Sad Irons, Polishing Irons,
Tollot Irons, Towel Racks, &c.**Cast Iron Bridge over the Allier at
Vichy.**

We condense the following from a translation published in the *Engineer* of a paper by M. Radoult Delafosse, originally published in the *Annales des Ponts et Chaussées*:

The new bridge at Vichy was built in 1868-70 to replace a suspension bridge partly destroyed by a flood in September, 1866. The superstructure consists of cast iron arches, and the foundations were laid within iron caissons by means of compressed air. In the investigations connected with these foundations lies the chief interest of the paper.

1. The bridge is designed to carry the road between the towns of Vichy and Annet across the river Allier. It takes the place of two suspension bridges crossing separate branches of the Allier, and having a causeway between them. The principal data for the construction were as follows: Total length of the bridge, 232m.; width of road (including footways), 6.60m.; height of road above low water mark 8.96m.; number of intermediate piers, from four to eight. The necessity of making the piers as small as possible, arising from the very treacherous character of the bed of the Allier, led to the adoption of iron for the superstructure. Leaving on one side the question of foundations, the choice lay between cast iron arches and wrought iron arches and girders. An investigation showed that the type of cast iron bridge with two arches introduced by M. Georges Martin was the most satisfactory on the score of economy; and as it was considered to possess numerous other advantages, it was naturally adopted.

The bridge has six spans, each of 37m. The piers and abutments are in masonry, and have the following dimension at the springing of the arches: Piers, 2.70m. by 6.30m.; abutments, 6.75m. by 6.20m. The upper part of the footings is on a level with low water. The height of the lowest part of the springing above the footings is 3.21m.; that of the soffit of the arches above the same point is 6.91m.; and that of the surface of the roadway 8.05m. The rise of the arches is thus 3.70m., or one tenth of the span, while their distance apart, out to out, is 5.14m. The piers are founded on caissons of plate iron, rectangular in shape, but rounded at the angles, having a length of 10.10m. and a width of 3.90m. The abutments are founded on similar caissons, 7.30m. long by the same in breadth.

The right abutment is placed at a distance of 10m. from the foot of a dyke protecting the town of Vichy from the floods of the Allier. The foundations of the old suspension bridge were deeply sunk in this dyke, and as it was not thought prudent to disturb them or to build the abutment upon them, it was carried out into the waterway, and the interval between the two was spanned by a semicircular arch of masonry. The stone used was principally limestone of the district. A basaltic stone was employed for the skewbacks of the arches, and for corbels, stringcourses, and other ornamental work. The lime used both in the foundations and in the work above was that from the lime-stone beds of Vernet, near Vichy. This lime is moderately hydraulic, takes a considerable time in slaking, and hardens very slowly. With time and care it gives good results, but could not be used where rapid hardening was required. In the erection of the masonry, the only noteworthy point was the mode of consolidating the plinths and parapets, which were corbelled out from the face of the piers and abutments. The corbel stones were held down to the general masonry by iron bolts 0.63m. in diameter and 1.26m. long. These bolts had at each end a ring through which was passed a round bar 0.63m. in diameter. The one bar was solidly bedded between the surface of the corbel and the bed of the plinth, whilst the other was buried in the masonry 1.26m. below.

The stones of the parapets were, fastened together by oak dowels 0.09m. square, and penetrating the same distance into the stone. These were made of perfectly dry wood, and were kept in boiling oil for some time previous to their use. The parapets were, beside, fastened to the plinth by small iron dowels bedded in the surface of the plinth, and in the lateral joint of the parapet stones, and run in with lead. This corbelling out of the parapet was suggested by a similar principle being adopted for the iron superstructure. It has, moreover, in addition to its architectural effect, the advantage of reducing the amount of masonry, and especially in the dimensions of the foundation caissons. It may, therefore, be recommended as an essentially economical system.

With regard to the superstructure, the depth of the arches was fixed at 1m. throughout. Each is formed of nine equal voussoirs, whose transverse section is that of a web 16mm. thick, with a rib top and bottom. The voussoirs are fastened together by bolts passing through flanges at the joints. They rest on the skewbacks by the intervention of cast iron filling pieces bolted to them, and having wrought iron wedges to regulate the pressure. The spandrels are composed of trapezoidal open castings, the vertical struts of which are exactly over the joints of the voussoirs. These castings are bolted to the upper rib of the arches, and kept in the vertical position by means of the horizontal bracing of the bridge. The roadway rests on small arches of brick in cement 0.13m. in thickness, supported by rolled iron cross girders 0.35m. in depth, and placed 1m. apart center to center. These cross girders are united to the arches and spandrels by means of socket pieces cast upon the latter, in which the cross girders are solidly bedded by means of iron keys and of a mixture composed of sal-ammoniac, sulphur and iron filings. Its composition is as follows: Iron filings, 6 lb.; sal-ammoniac, 2 oz.; sulphur, 4 oz.; water, 10 oz. A considerable quantity of heat is dissipated during the mixing. This composition has the property of hardening very quickly, and of incorporating itself with the different parts of the joint. For further security the cross girders are bolted to the ribs of the arches and spandrels. The arches are covered by a layer of cement 0.025m. in thickness. The rain water is carried off by small earthen pipes placed at the intersection of the arches, and also by paved gutters, one on each side of the roadway, leading to cast iron spouts spaced 9m. to 10m. apart. With regard to the horizontal bracing, the method described above for the bearings of the cross girders was adopted to unite all the other pieces of the cross bracing, either to one another or to the arches and spandrels. The solidity of the joints thus formed appears very satisfactory, and is certainly far superior to that of joints made by means of rivets alone. The arches of the same span are braced together at their upper part by four large cast iron cross beams laid horizontally. These cross beams are in the form of a rectangular frame strengthened

by horizontal struts, which multiply the points of attachment and give great stiffness to the whole system. The arches are also united by twelve wrought iron cross beams at their lower part. This system of bracing is completed by four horizontal wrought iron cross beams, which join the middle parts of the spandrels, by vertical cross beams, also of wrought iron, in the form of a St. Andrew's cross, and finally by two longitudinal ties running under the cross girders. The footways, each 1m. wide, are carried on brackets, and are formed of cast iron plates, of which the upper surface is suitably hollowed out to receive a bed of mortar 25mm. thick, covered by a layer of bitumen. The brackets are of cast iron, projecting to a distance of 0.87m., and are placed 2m. apart, center to center.

The system of foundations employed is more particularly described in the second part. The principal dimensions of the caissons which support the masonry of the piers and abutments are here given. These caissons consist of two distinct parts, the working chamber and the upper casing; the working chamber is 2.30m. in height, it has sides 7mm. thick, and a roof of the same thickness, riveted to strong outside cross girders, spaced at distances varying from 0.98m. to 1.14m. These cross girders are in the same plane with inclined struts placed in the inside of the chamber, and reaching from the bottom to the roof, so as to form a connection between the sides and the top. The cross girders and struts are of plate 6mm. thick, with ribs of angle iron 5 to 7 centimetres wide. Finally, horizontal struts are placed at the bottom and half way up the chamber, to keep apart the opposite sides. The upper casing is especially intended to protect the fresh masonry against the immediate contact of the soil during the descent of the caisson. It is formed of sheet iron 4mm. thick, riveted together, and strengthened horizontally by butt-plates and angle irons. From its floor rise two tubes having an internal diameter of 0.84m., which preserve communication between the working chamber and the upper air by means of air locks.

Among the contrivances connected with these caissons is an ingenious iron "drawer," as this may be called, designed for the removal of the excavated earth from the working chamber. This consists of a rectangular cast iron box having a partition in the middle of its length, and a round opening in the top at each end. This box moves within a rectangular casting partly penetrating within the air lock and partly extending on either side of it. In the top of each of these extended parts is a opening similar to that in the top of the drawer; the part of this casting within the air lock is covered by a friction plate, making an air tight joint with the edges of the drawer, and with faced level rims raised round the openings. In the middle of this friction plate is an opening communicating with the air lock. At each end of the drawer is placed a bucket to receive the earth excavated in the working chamber. This earth is raised to the top of the level of the air lock and is then shovelled into the right hand bucket through the aperture in the casting and that in the drawer, which is then immediately below it. As soon as the bucket is filled the drawer is pulled to the other end of the casting, when the right hand bucket will be open to the interior of the air lock, and the left hand bucket to the compressed air of the working chamber. During this movement all passage of air from one-half of the drawer to the other is prevented by the friction plate sealing up the only two openings in the drawer. The right hand bucket is now lifted away, emptied and replaced, while the filling of the left hand one is proceeding. As soon as this is completed the reverse motion takes place, the left hand bucket is emptied and the right hand one is refilled. This to and fro movement is given by draw-bars, united by handles. The drawer rolls on two rails by means of small wheels, carried on side frames. Stop pieces prevent the drawer from moving too far, and screws are employed to regulate the pressure of the friction plate upon the top of the drawer. This machine is said to have worked with great regularity and success. Its advantage, obviously, is that it dispenses with an immense deal of locking through the air lock, thus effecting a great saving of time, and producing very economical results. The description of this machine concludes the first part of the paper.

(2) The bed of the Allier is in general formed first of a thin layer of sand and small gravel, and below this of a bed of variable thickness, composed of compact gravel mixed with pebbles. This second bed is extremely hard. It is impossible to drive piles into it to a greater depth than from 3.2m. to 4m.; but at the same time it is quite capable of being undermined by floods to a greater depth than this. It rests on a bottom of marl mingled with clay. At Vichy the thickness of the two upper beds under the low water channel varies from 4m. to 5m. Below these comes a layer of clay some centimetres thick, and then a bed of homogeneous marl whose thickness is unknown. According to observation, the gravel beds are capable of being completely undermined, but the erosions in the marl are only to a limited depth, about 60 to 70 centimetres. It was necessary then for the complete security of the foundations either to bury them deep in the marl, or else simply to lay them on that bed, suitably levelled, protecting them at the same time by masses of stone deposited round them. In either case, various methods might have been adopted for laying the foundations, which will be considered further on. The details are now given of the method actually employed. The caissons were erected in place on staging of the ordinary kind. Once erected they were suspended by chains from four screws placed on the upper platform of the staging. Their sinking into place then began, and went on with perfect regularity, in spite of stones and fragments of wood which were met with in considerable quantities at from 4m. to 5m. below low water. In addition to their suspension by the chains, the caissons were kept in place by the lower framework of the staging, against which they bore as they descended. Their position was also fixed every day with references to bench marks on both banks, and, thanks to these precautions, the greatest deviation recorded was not more than 12 centimetres. The mode of excavation, says M. Radoult Delafosse, was somewhat unusual. In general, the spoil is brought up through a central tube, by means of a bucket dredge whose ladder is placed in the axis of this tube; and it is only when the caisson has come down to its place that the dredge is withdrawn, and an air lock fixed at the top of the dredge in order to allow the working chamber to be filled up with masonry. This system is no doubt the best with a soft, homogeneous earth, and where there is no fear of meeting with fragments of stone or wood embedded in the soil. At Vichy the hardness of the ground would have occasioned great difficulty in dredging, whilst it would have been necessary to replace the dredge by an air lock whenever any considerable piece of wood or stone came under the cutting edge of the caisson. The raising of the spoil was, therefore, carried on through the two side tubes, and its withdrawal was generally effected by means of the "drawer" described above. It has thus been established that this method allows the greatest regularity in the carrying on of the work, and is, moreover, in almost all cases, as expeditious as the raising of the spoil in the open air. During the sinking of the caissons the masonry in the upper part was carried on in the open air, the upper

casing serving as a coffer dam. The progress of the work was so regulated that the weight of masonry executed produced a regular rate of sinking in the caisson. This masonry consisted of a shell of faced rubble stone round the whole interior of the caisson, with an internal core of concrete. It was intended originally that the upper casing of the caisson should be filled in entirely with concrete, surmounted by a layer of rubble masonry 2m. thick; but during the execution of the work it was judged wiser to build the ring of rubble masonry at the outside, in order to prevent a firmer surface hereafter, should the iron casing be partially destroyed by rust and by the friction of pebbles in time of flood. As each caisson sank to its proper level, and the excavation came to an end, the filling in of the working chamber was proceeded with. This was done in concrete, working from bottom and sides of the caisson toward the roof and the orifices of the tubes, which were finally closed by means of a metal plug and of wedge shaped stones driven in with the sledge. As soon as this filling in was completed the two tubes were withdrawn, the space they occupied filled in with concrete, and the footings were then laid under the protection of the movable parapet of the caisson, which was afterward withdrawn. The total depth to which the caissons were sunk was 7m. below low water. They were then embedded in the compact marl to a depth varying from 2.30m. to 3.30m., or in the worst case, equal to the full height of the working chamber.

The time occupied in the erection of each pier and abutment is given by M. Delafosse in full detail. It appears that the time taken in erecting the caissons was, on the average, forty days for a pier and fifty for an abutment. The average rate of sinking for the caissons was 53 centimetres per day in the gravel, and 24 centimetres in the marl.

We may here state that during the progress of the works, a series of experiments was made on the strength of mortar made in compressed air, as compared with that made under ordinary circumstances. The mortar used for the foundations of the Vichy Bridge was composed of two parts sand from the Allier, and one part well slaked Vernet lime. As this, as stated above, is moderately hydraulic, and hardens very slowly. To give a fair comparison the experiments were made under exactly the same conditions as those which existed during the sinking of the caissons. The time employed in filling up the working chamber was, on the average, ninety-six hours. Hence, the concrete used for this purpose remained during that time in the dry under the pressure of the compressed air. When the filling was complete, the concrete became exposed to the water under the ordinary atmospheric pressure, to which was added the weight of a column of water 6m. to 7m. in height. To approach as nearly as possible to these conditions, twenty bars of mortar were prepared, 30 centimetres long and 10 centimetres square in section. These bars were run in boxes made to these dimensions, but having two cleats nailed to them 7 centimetres apart, so as to reduce the dimensions in the middle by 3 centimetres. An iron spindle was placed in each end of the bar when fresh to facilitate their being eventually broken. Of these bars ten were kept for six weeks in the working chambers of different caissons. They were dry for the first ninety-six hours, and under water for the rest of the time. After the six weeks they were kept at the surface, but always in water. The other ten specimens were kept at the surface—first, for ninety-six hours in the dry, and afterward under water until they were broken, which was not till three months afterward. The breaking was effected by suspending the bar from one spindle and attaching the weight to the other. For this purpose dry sand was used, being poured a little at a time into a sack hung on the lower spindle. By this method of proceeding there could be no difference between the first series of bars and the mortar in the working chambers, except that the pressure sustained by the latter when in water was in reality somewhat less than that sustained by the bars during the first six weeks:


Mortar, where kept.	Breaking weight per sq. centimetre. Kilogrammes.	Average.
In compressed air.....	1-737	
do.	1-678	
do.	2-063	1-84
do.	1-850	
Under atmospheric pressure.....	1-568	
do.	1-297	
do.	1-295	1-37
do.	1-359	

The broken pieces from these experiments were kept in water under atmospheric pressure for three months more, and were then broken in the same manner. The results were as follows:


Mortar, where kept.	Breaking weight per sq. centimetre. Kilogrammes.	Average.
In compressed air.....	2-778	
do.	2-857	
do.	2-775	2-858
do.	3-095	
do.	3-000	
do.	2-990	
Under atmospheric pressure.....	2-381	
do.	2-133	
do.	1-952	
do.	1-952	2-247
do.	2-440	
do.	2-489	
do.	2-333	

These two sets of experiments exhibit a complete agreement, and seem to establish beyond a doubt that mortar made in compressed air is in no way inferior but rather superior to that made under ordinary circumstances.

The expense of constructing the foundation was ascertained with great care, and is given at considerable length. Only the more important items will here be specified. The total cost of the foundations up to the top of the footings was, it appears, 248,780f., the total cost of a pier being 31,513f., and of an abutment 49,606f. The value of the plant employed was about 100,000f.; 20 per cent. of this sum is allowed for rent and depreciation. The temporary bridge consisted of 102 cube metres of fir timber. Taking the expenses of erection, demolition, &c., and allowing 50f. per cube metre for waste and depreciation of timber, the total cost of this bridge was 13,001f. The stagings were three in number, one for the abutments and two for the piers; when their work was done in one place they were shifted to another. The total cost of these, allowing as before 50f. per cube metre for waste and depreciation, was 10,007f. The weight of iron in the caissons was 153,100 kilos., and taking 45c. per kilo. as its value delivered, the cost amounted to 68,895f. The total cost of erection was 18,947f. The cost of sinking the caissons was 50,427f., or 24,875f. in the gravel and 31,355f. in the marl per cube metre excavated. In this cost are included the special expenses in removing pieces of stone and timber, which amounted to 32,722f. The cost of the concrete for filling in the working chamber was 11,047f. per metre cube as delivered. To this must be added 2,511f. per metre cube for laying and ramming in the working chamber, and 3,611f. for rent and maintenance of plant, making the whole cost of filling the working chambers 17,169f. per metre cube. The cost of the masonry above the working chamber was 13,631f. per metre cube. From these figures it appears that the total cost—everything included—of the foundations up to low water was 113,507f. per metre cube of masonry.



SEND FOR ILLUSTRATED



PRICE LIST.

BLACK DIAMOND FILE WORKS.


G. & H. BARNETT,

39, 41 & 43 Richmond Street, PHILADELPHIA.


LINFORTH, KELLOGG & CO.,

Sole Agents for the Pacific Coast, 3 and 5 Front Street, San Francisco, Cal.

SEND FOR ILLUSTRATED



PRICE LIST.



THE NICHOLSON FILE.

All Nicholson Files are cut with the Patent Increment Cut, an invention owned and controlled exclusively by us, the file cut in this manner being Patented as a new article of manufacture, and differs from all other machine cut files (all of which have their teeth cut with equal spaces) by being cut with teeth slightly expanding or increasing in size and space from the point, thus avoiding the too great regularity of teeth common to all other machine cut files. The tendency of all cutting tools with teeth or cutters placed at regular distances from each other may be illustrated (to the machinist at least) by the fluted reamer—as it is well known that if a round reamer be made with (say 12) teeth whose spaces are equidistant, the hole reamed will not be round and smooth, but will approximate to a hexagon in shape. Whereas, if the same number of teeth be made of irregular distances, the hole reamed will be both round and smooth. The same is true of a file, hence the necessity of its having teeth at unequal distances, and to which we have applied the name of Increment Cut File, which possesses all the advantages of hand cut work, and the accuracy and uniformity of machine work. It is now upwards of seven years since this File was introduced to the public, and the demand has increased until our production is undoubtedly treble that of any File manufactory in the country.

We put all files under seven inches in boxes of either one-half or one dozen each. These boxes are neatly arranged, and open on the end, on which the kind is plainly marked with printed labels, acknowledged improvements on the old methods.

The "Increment File" is not an experiment, but an established fact, and already has acquired a legitimate demand or upwards of 500 dozen per day. We employ no regular Travelers, but our goods may now be found in the hands of the principal jobbers and dealers throughout the country.

Prices and terms will be forwarded on application to

NICHOLSON FILE COMPANY,
Providence, R. I.

USE THE BEST.



Pawtucket, R. I.

The American File Company have the exclusive right to use the Bernot process for cutting files. By this method all the advantages of hand cutting are secured, together with an accuracy unattainable in hand work. They are the only manufacturers who employ machinery for testing files and steel.

Goods of all known manufacturers have been repeatedly tested, and interesting tables have been compiled showing the working qualities of files made by different makers, and of files made from different steels, and with various shapes and angles of tooth. They have thus reduced the manufacture of files to an exactness and perfection with a uniformity of result, as they believe, never before attained. No file, foreign or domestic, that they have ever tested, has equalled the performances of their own goods taken at random from their stock. Their machines are capable of the most delicate adjustment, and can produce the very finest work known to the trade. Special files made to order. Prominent file manufacturers are having their best goods from our works. Price lists and information furnished on application.

AMERICAN FILE CO., Pawtucket, R. I.

FILES
AND
RASPS.
XTRA QUALITY,
MADE FROM THE BEST
IMPORTED STEEL
BY THE
Auburn File Works,
AUBURN, N. Y.

JOHN ROTHERY'S
Celebrated Hand-Cut FILES,
Made of Best English Cast Steel.

WALSH, COULTER & FLAGLER, Sole Agents,
83 Chambers and 65 Reade Streets, N. Y.

W. F. SHATTUCK & CO.,

113 Chambers and 95 Reade Street, New York.

MANUFACTURERS OF AMERICAN HARDWARE.

Cox's & Taff's Pat. Wrenches. Mouse Traps. Wire Selves. Yaw's Cow Bells. Axes, Picks and Hatchets. Hammers, Crow Bars. Sled Irons. Boring Machines. Cast Iron Hatchets. Coffee Mills. Star Steel Spoons. Stocks and Dies. Augers and Auger Bits. Scales. Patent Tap Borers. Tool Chests. Chimney Horse Collars. Brandage Horse Nails. Maguire's Wrt Iron Goods. Shattuck's Platform Counter Scales.

Leather Belting.

PAGE BELTING COMPANY.

Sole Manufacturers of
TRADE MARK
Page's Patent Tanned
Leather man'd under Pat.
MAY 8 - 1866.
PAT. EXT. 12, 1871.

GENERAL MILL SUPPLIES.
No. 24 Exchange Street, Boston.

Alexander Brothers,
Manufacturers of OAK TANNED

Leather Belting
410 & 412 North 3d, Philadelphia, Pa.

HOWSONS'

OFFICES FOR PROCURING
UNITED STATES AND FOREIGN
PATENTS,
Forrest Buildings

119 SOUTH FOURTH ST., PHILADELPHIA.
AND MARBLE BUILDINGS
605 Seventh St. (Opposite U. S. Patent Office,
Washington, D. C.)
H. HOWSON, Solicitor of Patents. C. HOWSON, Attorney Law.
Communications should be addressed to the
PRINCIPAL OFFICE PHILADELPHIA.

Established 1816.

Peter A. Frasse & Co.,

95 Fulton Street, New York,

SOLE AGENTS FOR

Thomas Turner & Co.'s Suffolk Works,
SHEFFIELD.

FILES AND HORSE RASPS,

And Importers of

P. S. STUBS' FILES, TOOLS & STEEL,
W. J. Davies' Sons' London Emery Cloth,
HUBERT'S FRENCH EMERY PAPER.

EVERY FILE WARRANTED.

Equal to the
BEST.

Western Files.
Works, Beaver Falls, Pa.

Western Files.
Office, 96 Chambers St., N. Y.

Western Files.
LARGEST CAPACITY
Of any File Works in the World.

In the face of strong prejudice against American files, this brand has earned a reputation second to none. The trade in all sections testify to their excellence. We confidently offer these files as superior in every respect and cheaper than any first-class file in the market. A trial will confirm their reputation.

PENNSYLVANIA FILE WORKS.




McCAFFREY & BROTHER,
Manufacturers of FIRST QUALITY FILES and RASPS ONLY,
Nos. 1732, 1734 & 1736 North Fourth St., Philadelphia, Pa.

GEORGE T. RICHARDSON. FRANK H. SCUDDER.
Middleboro' Shovel Co.,
MANUFACTURERS OF

SHOVELS, SCOOPS & SPADES.



Office and Salesroom,
63 OLIVER STREET,
Works Middleboro, Mass. BOSTON.
J. CLARK WILSON & CO., New York Agents, 81 Beekman Street.



A. FIELD & SONS,

TAUNTON, MASS., Manufacturers of

Copper and Iron Tacks, Tinned Tacks,

SUPERIOR SWEDES IRON TACKS, for Upholsterers' Use, Saddlers' Supply, Card Clothing, etc., etc.

American and Swedes Iron Shoe Nails,
Zinc and steel Shoe Nails, Carpet, Brush and Gimp Tacks, Common and Patent Brads, Finishing Nails, Annealed Trunk and Clout Nails, Hob and Hungarian Nails,

Copper and Iron Boat Nails, Patent Copper Plated Tacks and Nails
Fine Two Penny and Three Penny Nails, Channel, Cigar Box and Chair Nails, Leathered Carpet Tacks, Glaziers' Points, etc., etc.

OFFICES AND FACTORIES AT TAUNTON, MASS.

WAREHOUSE AT 35 CHAMBERS STREET, NEW YORK, where may be found a full assortment of Tacks, Brads, &c. for the accommodation of the New York Wholesale and Jobbing Trade.

Any variations from the regular size or shape of the above named goods made from samples, to order.

Hopkins & Dickinson Manufacturing Co.,

FINE METAL WORKERS,

69 DUANE STREET,

Works, DARLINGTON, New Jersey.

NEW YORK.



HAND MADE LOCKS AND REAL BRONZE HARDWARE.

New and Artistic Designs for Private Residences, Banks, Churches and Public Buildings.

THE FINEST QUALITY OF BRONZE METAL IS USED IN ALL GOODS OF OUR MANUFACTURE.

We are the Sole Manufacturers of the Patent "Secure Self Bolt-ing Sash Lock," represented in above cut, endorsed by all the leading Architects and Builders. It draws the sashes together, prevents rattling or warping, is easily applied, and cannot be opened from the outside, and is therefore positively Burglar Proof.



GEORGE S. FALES,

SUCCESSOR TO
FAIRBROTHER & FALES,
Sole Owner and Manufacturer of

Page's Patent Lace Leather,

And Manufacturer of

OAK BELTING,

Also, Pickers or Moccasin Leather, for Boot and Shoe Packs.

Angular Belting and Pullies made to order.

PAWTUCKET, R. I.

Ask for Star Stamped Lace Leather.

Birmingham Shovel Co.,
Birmingham, Conn.,

Manufacturers of

LOWMAN'S PATENT CAST STEEL

SHOVELS, SPADES & SCOOPS

Of all Descriptions,

Without straps or rivets, of the best English and American Cast Steel. Every Shovel warranted. Printed lists of prices and discounts to be had on application at the office.

SOLE AGENT,

H. K. DRAKE, 31 Chambers St., N. Y.

OTIS PASSENGER —AND— FREIGHT ELEVATORS

FOR HOTELS, OFFICE BUILDINGS, STORES,
WAREHOUSES, FACTORIES, MINES,
BLAST FURNACES, &c.

OTIS BROTHERS & CO.
SOLE MANUFACTURERS,

348 Broadway, New York.

Licensed by United Nickel Company.

NEW YORK

Nickel Plating Co.

Works, 133 & 135 W. 25th Street,
Office, No. 18 Park Place,

ISAAC ADAMS, Jr., Pres.

NEW YORK.

Philadelphia Nickel Plating Works.

John Hartman,

No. 1049 Ridge Avenue, Philadelphia.

ELECTRO-NICKEL PLATING

On all Metallic Articles finished in the best manner.
Office, 615 Jayne Street, J

BUSINESS ITEMS.

NEW YORK.

The puddling mill of the Rome Iron Works will soon be started. Work in the rail mill was resumed October 29. The directors have decided to run the mill all winter and pile the rails in the yard, if the employees will consent to a reduction of wages. This action is solely taken in the interest of the employees, as there is no immediate prospect of selling the rails made.

The Schenectady Locomotive Works have resumed work with a small force.

PENNSYLVANIA.

The puddle mills of the Valentine Iron Works, Williamsport, will start up in a few weeks.

Mr. Houston Hay, of Coshocton, has purchased the Coshocton Iron and Steel Works at that place, paying therefor a little over \$3000, or about two-thirds the appraised value.

The Allegheny Car and Transportation Company has erected new brick buildings to replace the wooden ones destroyed by fire last spring. The machinery has all been replaced or rebuilt, and the company is ready to start.

John Roach has over two thousand men employed in his yard at Chester, in this State, on the keels of three new iron steamships.

It is stated that the Warwick Iron Company, of Pottstown, are to erect a blast furnace near the western part of that town, and will soon commence operations.

The new furnace at Freemansburgh, known as the Northampton Iron Works, has been leased by the Bethlehem Iron Company.

The Pittsburgh and McKeesport Car Company has bought land at McKean Station, a mile from McKeesport, and purposes moving its shops to that point.

The new rolling mill in course of erection by Messrs. Van de Sande & Capp, at Lebanon, is almost finished.

MASSACHUSETTS.

The National Machine Needle Company, of Springfield, are now producing 325,000 needles per month, and are 200,000 behind their orders. They have recently introduced an automatic machine, which takes the long wire and carries it through all the steps preliminary to grooving the needles; the company will add them and other machinery, so as to increase their production from 25,000 to 50,000 per month, until they can meet all their orders. It is probable, also, that before long the company will also undertake the manufacture of hand needles. The annual importation of these amounts to \$3,000,000, and their production would seem to offer a promising field for American enterprise and capital.

The Lowell Foundry has recently finished two Swain turbine wheels, of 72 inches diameter, for the Boot mill, at Lowell, and the Lock and Canal Company have built a canal at their own expense, at a cost of \$2500, to test them. Their decision has not been announced, but it is expected that over 83 per cent. will be allowed. This foundry has just run what is claimed to be one of the largest castings ever made, in a 30 ton cupola. There were 21½ tons of metal in one piece. The same company have completed the castings of the bed pieces for the 10-ton steam hammer of the Nashua Iron and Steel Company. There are four pieces, the first of which weighs 36,230 pounds, the second 32,880 pounds, the third 39,530 pounds, and the fourth 33,960 pounds. This hammer is of Philadelphia make, 11 feet stroke, two strokes per minute.

The Douglas Axe Company, at East Douglas, have just received two heavy orders for their goods from Norway and South America, both of which call for over 10,000 axes, and the trip hammers are running from early morning until evening. Their productions have gained a very wide reputation, and are destined to be scattered all over the world or, at least, wherever civilization exists.

The contract for the brick work on Hayden, Gere & Co.'s brass foundry, at Haydenville, has been awarded to Henry Sampson, of that village, and work has already commenced.

Messrs. Stetson & Talbot, manufacturers of shoe nails and tacks, at Holliston, recently put a new 30 horse-power vertical engine into their factory. They employ about 30 men.

CONNECTICUT.

The Bradley & Hubbard Works, at Meriden, will begin work at once on a Russian order for ten fifty light chandeliers of solid brass, heavily gold plated. Each will weigh one thousand pounds, by forty-five feet long, and have a spread of twelve feet, and will cost about \$3000. Numerous corresponding brackets also accompany the order, which, it is said, is designed for the Royal Palace, St. Petersburg.

There is great activity at present in the Woodruff Iron Works, of Hartford, which are running 15 hours a day, and finishing up a pair of marine engines for the Navy Department, some portions of which were shipped this week. It is a creditable piece of work, and highly commended by government officials and mechanics. Beside this they are doing a large amount of mill work and general jobbing. Among other things they are altering one of the immense steam presses used by the Cunard Steamship Company in compressing cotton for shipment, and increasing its power by putting in a new cylinder 51 inches diameter and 7 foot stroke. They have a prospect of a large amount of work for the coming winter.

The Birmingham Iron Foundry is closed for an indefinite period.

The Meriden Malleable Iron Company employ 250 hands, and ship one hundred barrels of manufactured stock daily.

The Meriden Britannia Company will soon run their works night and day.

OHIO.

The Cleveland Rolling Mill Company is using a valuable improvement for blooming steel in-

gots, which are bloomed faster than they can be put through the mill. They are not hammered but rolled, all four sides being subjected to pressure, at the same time making them much more perfect than those made in the old way. This is a labor-saving machine, and is worked by a man and boy, who do the work which heretofore took ten men to accomplish.

The works of the Buckeye Bridge & Boiler Company, at Cleveland, have been running through the dull season, and at present are very actively employed, making some very large boilers and oil tanks for parties in various States. At present they have 400 hands at work.

The Ironton Iron & Steel Company are getting ready to run their sheet mill on double turn.

The plate mill at Swift's Iron & Steel Works, Cincinnati, resumed operations last week.

The stacks of the Williston Furnace, Jackson, are up, and the furnaces are fast approaching completion. The two stacks are about fifteen feet apart, will be supplied from one stock house, and use the same casting house, and will be run by two large engines, both under the same roof.

A new sheet mill and new galvanizing works are being put in by the Cleveland Boiler Plate Company.

The works of the Excelsior Mower & Reaper Company, of Akron, are being run to their utmost capacity. The company have sold over 25,000 of their mowers and reapers. They have one of the largest establishments of the kind in the State.

MISSOURI.

The new furnaces of the Jupiter Iron Works, near St. Louis, have been finished for sometime except placing the machinery in position, but owing to the general depression of the iron trade have not been put in operation. The capacity of the furnaces is about 90 tons of pig per day for each stack, of which there are two, 75 feet in height, with 30 feet boshes. The Jupiter works are situated on the banks of the Mississippi, about 50 rods north of the Vulcan Iron Works, South St. Louis, and preparations are now being made toward putting them in operation as soon as the condition of the trade will warrant. The present week a 40 inch steam and a 100 inch blowing cylinder will be placed in position. Garrisons, Chouteau & Hart are the proprietors.

At the Heimbacher forge and rolling mill, at St. Louis, there are seven boiling and nine heating furnaces, five hammers, two trains of rolls, five large cranes and several small ones, eight boilers, four engines, eight forges, two doctors, one drill press, one punch, five lathes, three shears, one saw, one screw cutter, three fans, one blower. Nearly all of the works are in operation.

KENTUCKY.

The Champion Iron Drag Saw Company, at Louisville, are shipping their drag saws to all parts of the United States. These machines are made to saw a tree in the woods just as it falls, without moving the tree or power in any particular, and by its aid a large amount of lumber can be cut up in one day. It requires but one man to run it, while it does the work of twelve men.

Electro-Deposition of Iron.

An interesting paper was read by M. Volger before the Frankfort Society of the Physical Sciences last autumn, from which we extract the following notes relative to the treatment of iron.

Forty years ago M. Pellot succeeded in reducing chloride of iron by means of hydrogen gas, obtaining regulus of iron in octahedric crystals; and he also succeeded in preparing small malleable plates.

In 1846, M. Boettger succeeded in decomposing chloride of iron by galvanism, but he soon found that a mixture of ammoniacal sulphate and chloride of iron was more advantageous for the purpose, and he prepared this mixture very simply by dissolving together two parts by weight of sulphate of iron and one part of sal-ammoniac. He employed a piece of iron plate at the positive pole, and at the other a piece of metallic iron scraped bright. He thus produced beautiful iron coins, the metal of which was extremely hard and steel-like, but so brittle that the medals often broke in pieces when taken from the molds. It was, therefore, thought impossible to make any industrial use of this method.

In 1856, however, M. Jacquelin published his method of depositing an excessively thin coating of iron on engraved copper plates, and for this purpose he made use of M. Boettger's process.

Very lately the deposition of iron by galvanism has been greatly improved by M. Klein, of St. Petersburg. In 1868 he produced before the Academy of Sciences, of that capital, the results which he had obtained by means of an ammoniacal solution of sulphate of iron, and a Mellinger battery with a piece of iron plate at the positive pole. With these he produced, by precipitation of the iron, not only entire plates of steel from the hardest to the softest, for the reproduction of engraved copper plates, which united the advantages of the softness of the copper for the engravers and the steel like hardness of the iron for printing from. He also applied the method to the production of various articles in iron. In all cases the iron precipitated by M. Klein is very brittle, and he found that it was combined with hydrogen, and that its specific gravity was not more than 7.675, that is to say, a little more than rolled iron, but the hydrogen was driven off by annealing, which gave the iron the density of 7.811, which is greater than that of hammered iron, and it became perfectly malleable, eminently flexible and elastic, and capable of being welded; in a word, possessing all the characteristics of excellent hammered iron.

M. Volger exhibited to the society steel reproductions of engraved plates prepared by M. Klein, a block made up of strips of the deposited iron welded together, forged, filed and polished, and a shield reproducing perfectly an elaborate repoussé composition of the "Battle of the Amazons," with a plateau weighing 15 lbs. The most valuable application of electro-iron was pronounced by M. Volger to be in its employment in stereotype works, and especially in the case of printing in colors for the government bank notes, cheques, stamps, &c., as iron is not affected by mercurial pigments which ruin copper, type, and other metals.

GEORGE GUEUTAL & SON,

39 West 4th St., New York.



IMPORTER OF
Wood Screws, Steel in Sheets,
BAND SAWS, TOOLS FOR BRAZING, &c.
Bed Screws, Pin Hinges, and Wire Nails a Specialty.

H. W. PEACE,

MANUFACTURER OF

SAWS OF ALL KINDS.

FACTORY, WILLIAMSBURG, N. Y.

**THE SILVER STEEL
DIAMOND CROSS-CUT SAW.**


\$1.50 Per Foot.

Patent Secured

THIS new Saw, which is destined to take the place of all Cross-cut Saws in point of **SPEED AND EASE**, is manufactured by E. C. ATKINS & CO., Indianapolis, Ind., who are the **SOLE MANUFACTURERS FOR THE UNITED STATES.** So confident are we that this is the best Cross-cut Saw in the market that we **CHALLENGE THE WORLD.** Orders promptly filled.
E. C. ATKINS. H. KNIPPENBERG.
Saw Manufacturers and Repairers, Indianapolis, Ind.

Hankins' Elliptic Forked Saw Frame.

Patented June 28th, 1870.



The annexed engraving represents HANKINS' ELLIPTIC FORKED SAW FRAME, which commends itself to the trade for its simplicity of construction. The Forked Frame being all in one piece, without any center bolt, secures for the Frame great strength and durability. These Frames are put up with my best Webs, marked "No. 40, Harvey W. Peace."

HARVEY W. PEACE,
VULCAN SAW WORKS.
WILLIAMSBURG, N. Y.

J. FLINT & CO.Manufacturers of all kinds of **SAWS AND PLASTERING TROWELS.**


ROCHESTER, N. Y.

Dietrich's Patent Wood Saw. Guaranteed the strongest, lightest, easiest to strain or tighten and best braced wood saw made; also to give perfect satisfaction.

Dietrich's Patent Double Handle Rip Saw. All will readily see the benefit of this useful invention.

J. Flint's Patent Plastering Trowels. The best made and finished Trowels in the world. We make four grades of Plastering Trowels, from the best to the cheapest.

Our patent method of grinding hand saws makes them superior to any in the market.
Send for Illustrated Price List.

**Lloyd, Supplee & Walton,
HARDWARE FACTORS.**


(MANUFACTURERS OF)

**Bonnev's Hollow
AUGERS.**

Stearn's Hollow Augers
and Saw Vises

Bonnev's Spoke Trimmers
Double Edge Spoke Shaves
Adjustable Gate Hinges
Scandinavian Pad Locks

Flat Key Brass and Iron Pad Locks, &c., &c.
625 Market St., Phila., Pa.

**E. M. Boynton,**80 Beekman Street,
NEW YORK,

Manufacturer of

**Saws of all kinds.
LIGHTNING SAWS.**

Also Sole Manufacturer of

Two Direct Cutting Edges, instead of one Scraping point.



Note extra steel and durability over the old V, outlined on M tooth.

I am willing and extremely anxious, on proper notice, to accept a Challenge from H. Disston & Sons, or any responsible Saw Manufacturer, and am ready to back my words with appropriate deeds and \$500 expense, if beaten.

N. B.—With Hand, Billet or Cross Cut Saw, \$500 on each.
E. M. BOYNTON.

BIRMINGHAM, ENGLAND

SAMUEL A. GODDARD & CO.,


Commission Merchants and General Agents,
execute orders for British manufactures on the lowest terms, and collect and forward goods for a very moderate payment. Agents for the sale of North Staff forshire Iron of a standard quality.

RIEHL BROTHERS,Ninth Street, near Coates, Philadelphia.
New York Store, 91 Liberty Street.
Pittsburgh Store, 255 Liberty Street.

"Patented" Furnace Charging Scale.
Double Beam R. R. Track Scale, Compound Parallel Crane Beams, &c. Patented First Power Lever Wagon Scales. Testing Machines any capacity.

**PYROMETERS
for BLAST FURNACES.**

E. BROWN'S STANDARD PORTABLE.
E. Brown's Improved
Gauntlet



Edw. BROWN,
311 Walnut St., Philadelphia.

ALSO FOR SALE

PYROMETERS

For Baker's Ovens, Boiler Flues, Galvanizing Baths, Oil Stills, Vulcanizers, Superheated Steam.

E. Brown's Portable Blast Gauge for the plug hole, Steam Gauges, Blast Gauges, Mercury Gauges, Recording Steam Gauges, Engine Counters, Indicators for ascertaining the Horse Power.



Over 300 "Gauntlet" and 100 Portable Pyrometers are now in use at Blast Furnaces.
Circulars on application.

WHEELER, MADDEN

&

CLEMSON,

Manufacturers of Warranted Cast Steel

SAWSof every description,
including

Circular, Shingle, Cross Cut,
Mill, Hand, Roberts' and
other Wood Saws,
&c., &c

Cast Steel Files

of the well known brand of

Wheeler, Madden & Clemson.

FACTORIES:

Middletown, Orange Co., N. Y.

BRANCH OFFICE:

97 Chambers Street, New York.

BRUNDAGE FORGED HORSE NAILS,

Manufactured from

BEST NORWAY IRON,

by BRUNDAGE & CO. Sold by

WHEELER, MADDEN & CLEMSON

Middletown, Orange Co., N. Y.



I make a specialty of the LARGEST SIZES of Circular Saws, and call particular attention of lumber manufacturers to the following points of excellence:
Evenness of Temper.—The peculiar structure of my furnace subjects all parts of the saw to a DEAD heat, and when dipped in the oil bath secures perfect uniformity.
Perfect Accuracy in Thickness.—My saws are ground on a patent machine, automatic in its operation, grinding off the thick places upon the plate before the thinner parts are reached, and when the saw is removed BALANCES PERFECTLY, which is proof positive of the right accomplishment of the work.

Properly Hammered.—Great care is taken that no saw shall leave my works without due attention in this important particular. A saw too tightly strained upon the rim, or too loose in the center, cannot be successfully run—hence the importance of so hammering the saw as to effect equal strain in all its parts, and at the same time RUN TRUE. This department is under the personal supervision of myself, who has devoted over twenty years to the art of saw making.

I am sole proprietor and manufacturer of the celebrated "Challenge" Cross-Cut Saw. Price Lists of all kinds of saws sent on application.

JAMES OHLEN.

The Sugar Maker's Friend.
More agents wanted to canvass for the sale of Post's Patent Sizing Machine. Circulars and Terms sent on receipt of 25cts to pay postage. Address, C. C. Post, Manufacturer & Patentee, Burlington, Vt.

Backus's Patent Bit Brace

AND

Angular Extension
BORER.

Q. S. Backus,

SOLE MANUFACTURER OF

ANGULAR EXTENSION BORER.

Salesroom, 82 Chambers St., N. Y.

This tool can be used in any brace, at any angle, and also for straight work. Is the best and most convenient tool of its kind ever offered to the public. Eight thousand sold the first year.

Also Manufactures the Straight Extension

Backus's Pat. Improved Bit Brace.

The socket is arranged so that the strain does not come on the jaws, but on the square hole which fits the shank of the bit. The jaws attached to the sleeve hold the bit firmly in the square, and center it truly. The sweep is of wrought iron. The general finish of the stock is good. Its appearance is neat. Mechanics who have used it unanimously pronounce it superior to all others; and we offer it to the trade as the strongest, most simple, and quickest operating brace in the market. We manufacture five sizes. The number of inches of sweep corresponds with the commercial number of the list.

VAN WART, SON & CO.

Hardware Commission Merchants,

BIRMINGHAM, - ENGLAND,

Agents,

VAN WART & MCCOY,

43 Chambers Street, New York

George H. Gray & Danforth,

48 India Street, Boston.

F. W. TILTON,

17 Old Levee Street, New Orleans.

At each of these places a complete assortment of samples of Hardware and Fancy Goods will be found, including all new descriptions. Sole Agents for **John Himmer & Son's Celebrated Harness and other Needles.**

Agents for

Seydel's "Ashantee" Pocket Hammock

OSCAR IRVING VAN WART & Co.,

FORWARDING AGENTS,

2 South John Street, LIVERPOOL.

SCHOLEFIELD, GOODMAN & SON.

(Formerly JOSHUA SCHOLEFIELD & SONS.)

GENERAL

Hardware Merchants,**BIRMINGHAM, - ENGLAND.**

Agents and Sample Rooms.

New York—Edward Frith, 16 Chit Street.

Boston—H. L. Richards, 18 Batterymarch Street.

New Orleans—R. Rhodes, 71 Camp Street.

Montreal—J. J. Evans 14 St. John Street.

H. CARTER,

290 PEARL ST., NEW YORK.




Manufacturers of and Dealers in all descriptions of Moulders' and Plasterers' Tools, and Dealers in General Hardware, Gilded Copper Weather Vanes, CARTERS' PATENT CARRIAGE LIFTING JACK, &c.

GEO. M. EDDY & CO.,

Manufacturers of Measuring Tapes,

33 Nassau Avenue, Brooklyn, N. Y.



Manufacturers of Pattee's Patent Steel Standard Measuring Tapes, for Surveyors, Engineers and Mechanics requiring a correct measure of great length according to U.S. Standard. Also of Tape measures for the same trades, Lumbermen, Machinists, Tailors, Shoemakers, Dressmakers &c. Catalogues on application.

Moulders' and Plasterers' Tools.

Cutlery.

John Russell Cutlery Co.,

FACTORIES AND OFFICE,
TURNERS FALLS, MASS.

Manufacturers of

TABLE CUTLERY, Butcher, Painters' and Druggists' Knives

IN GREAT VARIETY.

Extra Hard Rubber Handle, Table Cutlery of our own Manufacture.

Fine Ivoride Handle Table Cutlery, very White and Durable.

Sample Office, 77 Chambers St., N. Y.

NORTHAMPTON CUTLERY CO.,

Manufacturers of all kinds of

American Table Cutlery,

Cook, Butcher, Shoe and Hunting Knives. Sole Agents for Rogers' Cutlery Co.
Plated Forks and Spoons. D. P. GRIFFITH, Manager, 43 Murray Street, N. Y.

PETERS BROTHERS,

AWARDED THE MEDAL OF MERIT.

LARGE STOCK OF

VIENNA 1873.



American, German, English
Pen, Pocket & Com-
bination Knives.

Scissors, Scissor Cases,
Razors, Honers, Strops, &c.,
Heinrich Tailor Shears, &c.,
88 Chambers Street, New York.

TABLE KNIVES AND FORKS OF ALL KINDS,
AND EXCLUSIVE MAKERS OF

And the "Patent Ivory" or Celluloid Knife. These Handles never get loose, are not affected by hot water, and are the most durable knives known. Always call for the Trade Mark "MERIDEN CUTLERY COMPANY" on the blade. Warranted and sold by all dealers in Cutlery, and by the MERIDEN CUTLERY CO., 49 Chambers Street, New York.

ROGERS & BRO.,

MANUFACTURERS OF THE

Celebrated Silver Plated Goods, FORKS, SPOONS, HOLLOWWARE, &c.,

STAMPED

"ROGERS & BRO. A 1,"

which they are now offering at greatly reduced prices.

Price Lists and Discounts mailed on receipt of business card or reference. Address

P. O. Box 320.

203 Broadway, New York.

THE MILLER BROTHERS CUTLERY CO.,

Manufacturers of

PATENT FINE PEN & POCKET CUTLERY

WEST MERIDEN, CONN.

The only knives made that are put together in such a manner that there is no strain on the covering or frail part of the knife. We warrant our knives equal in cutting qualities and workmanship to any made, and are acknowledged by English makers as the Best American Knife. We also make
NICKEL & SILVER PLATED POCKET KNIVES
which will not rust or become discolored when used as a Fruit Knife, and their cutting qualities are equal to any other knife. Orders filled from the factory or by

J. CLARK WILSON & CO., 81 Beekman Street, N. Y.

BAEDER, ADAMSON & CO.,

Manufacturers of

Sand and Emery Paper and Emery Cloth

(Also, in Rolls for machine work.)

GROUND EMERY, CORUNDUM AND FLINT,
Glue & Curled Hair, Cow Hide Whips.

STORES:

PHILADELPHIA, 730 Market St.,

NEW YORK 87 Beekman St.,

CHICAGO, 182 Lake St.

BOSTON, 143 Milk St.,

CINCINNATI, 92 Main St.,

CHICAGO, 182 Lake St.

ESTABLISHED 1852.

NEW YORK KNIFE CO.

MANUFACTURERS OF SUPERIOR

Table & Pocket Cutlery,

WARRANTED TO BE MADE OF THE BEST
MATERIAL.

WALKILL RIVER WORKS,

Walden, Orange Co., New York.

THOS. J. BRADLEY, President.

Wood's Hot Water-Proof Table Cutlery.

Handsome, Cheapest, most Durable Cutlery in use.
Wood's Celebrated Shoe Knives. Butcher
Knives a specialty.

WOODS CUTLERY CO., Andover, N. H.

J. CLARK WILSON & CO., Agents, 81 Beekman St., N. Y.

A. TILLMES & CO.,

August Tillmes.

I. H. CLAUSER.

531 Commerce St., Philadelphia.

Wholesale Cutlers.

Sole Agents for Wm. Clauser's Warranted Pen and Pocket Knives, Razors, Scissors, &c.

SPECIALTIES:
Full Cased Razors,
Wostenholme's Pocket
Knives,
Razor Honers,
Genuine Leather Razor Straps,
Wade & Butcher's Razors,
and Cutlery in general.

AMERICAN
PEN AND POCKET KNIVES,

MANUFACTURED BY

AARON BURKINSHAW, PEPPERELL,

MASSACHUSETTS.

My Blades are forged from the best Cast Steel, and
warranted. To me was awarded the GOLD MEDAL of
the Connecticut State Agricultural Society; also a Medal
and Diploma from the Mass. Mechanics' Ass'n Sept., 1870.

Cutlery.



JOSEPH S. FISHER,

No. 411 Commerce St., PHILADELPHIA,

AGENT FOR

George Wostenholme & Son,

Washington Works, SHEFFIELD,

Celebrated I-XL Cutlery, Razors, &c.

AGENT FOR

WALTER SPENCER & CO.,

Steel and File Manufacturers,
Rotherham, ENGLAND.

Corporate Mark

NO SPENCER
ROTHERHAM

Granted 1777

RICHARD A. TURNOR,

37 Chambers St., New York,

Agent for

F. W. HARROLD,

Hardware Commission Merchant,
BIRMINGHAM.

JOSEPH ELLIOT & SONS,

Manufacturers of Razors, Table Knives, &c.,
SHEFFIELD.

CORPORATE MARK,
* * *

Joseph Rodgers & Sons'

(LIMITED)

CELEBRATED CUTLERY,

No. 82 Chambers Street, New York.

CHARLES PEACE, Jr., Agent.

The demand for Joseph Rodgers & Sons' productions having considerably increased, they have, in order to meet it, greatly extended their Manufacturing Premises and Steam Power.

To distinguish Articles of Joseph Rodgers & Sons' Manufacture, please to see that they bear their Corporate Mark.

Notice of Removal.
ASLINE WARD,

From 54 Beekman St. to No. 101 and 103
Duane St., N. Y.

GEO. WOSTENHOLM & SON

CUTLERY AND RAZORS,

WASHINGTON WORKS, SHEFFIELD.

CORPORATE MARK.

I-XL

FRED'K WARD & CO., SHEFFIELD.

CUTLERY & TABLE KNIVES.

CORPORATE MARK.

B4*ANY

ROMER & CO.
MANUFACTURERS OF
PAD LOCKS
NEWARK, N.J.

ROMER & CO.
MANUFACTURERS OF
PAD LOCKS
NEWARK, N.J.

ROMER & CO.,
Established 1857.

Manufacturers of Patent Brass Pad Locks for
Railroads and Switches. Also, Patent
Stationary R. R. Car Door Locks, Patent Plan
and Sewing Machine Locks.

141 to 145 Railroad Avenue, NEWARK, N. J.

Illustrated Catalogues sent on application.



WM. ESTERBROOK,

Wholesale Manufacturer of

Coal Hods, Fire Shovels, etc.,

311 Cherry St., PHILADELPHIA.

Clement & Hawkes Mfg. Co.,

Manufacturers of

SHOVELS,

Planters' Hoes, Trowels and Machinery.

Northampton, Mass.

Send for Circular and Price List.

Protection and International Trade.

A favorite argument with free trade writers is that the general success of protection would annihilate foreign trade. Protection could not produce cotton in Norway, nor tea in Russia, nor coffee in Germany, nor sugar-cane in Scotland, nor ivory in England, nor indigo in Ireland, nor mahogany or rosewood in France, nor raisins nor figs in Sweden, nor camphor in Denmark, nor suns in Switzerland. In fact the burdens of international commerce are and must always be immense both in quantity and variety. And the best proof of the hollowiness of the argument quoted is to be found in the vast amount of British commerce that consists in the mere handling of foreign products, buying from one nation and selling to another.

Great as are the varieties of soils, climates and resources of the United States, there are commercial staples for which we must always be dependent on foreign lands. India rubber, gutta percha, ratan, bamboo, palm oil, spices, drugs, tropical hard woods, camels' hair, goat-skins, and an immense array of other articles will be imported in ever-increasing quantities long after we shall have ceased to import cotton, woolen and iron fabrics. And as foreign commerce has two sides, imports and exports, and our shipments of domestic products have increased while our imports declined, we do not exactly see how protection is to annihilate foreign trade. If we shall produce in the Southern States all the rice we need for home consumption, there is certainly no reason for lamenting the cessation of foreign imports of rice. And if instead of depending on Buenos Ayres for hides we become ourselves the greatest hide-producing nation in the world, it surely cannot be a cause of regret.

Commerce most enduringly gathers about nations that are in themselves great producers, as in the case of China, Brazil, Cuba, England, France, Germany, Russia and the East Indies. Hence the policy of this Republic in seeking to become constantly greater in production, instead of being limited to foreign commerce, is exactly the course calculated to centralize it here. There are very many of our products that the world at large needs and of which we command the trade; and as to the general lists of commerce, the necessities of civilization are so varied that such a thing as the annihilation of foreign trade is a mere dream. It is not only impossible—it is impossible.

When we talk of a nation being independent and self-sustaining, we mean comparatively so, in order that in the event of a great war or a great blockade, or being suddenly cut off from foreign supplies by any other means, the deprivation will fall less heavily upon the people. If the importations of sugar, coffee and hides continue to subject us to the visitation of yellow fever, we submit that it is desirable to see whether we cannot raise supplies at home. But we really cannot understand that philosophy which, with ample facilities for producing inexhaustible supplies at home, prefers to import rice from India; which with the greatest grazing region in the world, and the most numerous herds of cattle and flocks of sheep, would rather see hides and wool imported from La Plata, Cape of Good Hope and Australia; with limitless resources in iron, coal, copper, lead and lumber, would give the preferences to the competing articles from abroad, and think this advanced civilization because it encourages foreign commerce.

At the present time, after fourteen years of the most resolute and unflinching perseverance in the protective policy, the foreign commerce of the Republic is greater than it ever was before. In proportion as our progress in domestic production causes the imports of corresponding foreign articles to decline, the internal prosperity of the nation enables the people to import larger supplies of other articles that we do not produce, or that are essential to our industries. In some lines of the foreign trade the domestic consumption has been limited by the high prices of the imported articles; but no sooner does the domestic competition begin than the prices decline, the consumption increases, and the market expands constantly. This was clearly proven in the case of steel rails, but many other illustrations of the same kind might be cited. If it were possible to naturalize, on a great scale, the production of tea and coffee in the United States, the prices of both would at once decline.

But when the foreign trade is put in direct hostility to domestic development we decidedly prefer the latter. The exchanges between New Jersey and South Carolina, or between New York and California, or Massachusetts and Michigan, or Pennsylvania and Colorado, can scarcely be considered as of less importance than those between the same States and Europe, Asia, Africa or the Indies. If two millions of capital were embarked in the former and two millions in the latter, we undertake to say that the first would be the most productive and the most enduring in its results. The domestic capital and industry that have built seventy thousand miles of railway at home, have done better than if the same means had been applied to the construction of as many miles of railway in foreign lands. And this rule is susceptible of general application.—North American.

Razors.

Razors, after all, form no unimportant subject, and their purpose—shaving—mounts in antiquity to pre-historic time. Far later than that rather indefinite epoch of the archaeologists, Persians and Chinese, Egyptians, Jews and Gentiles, Greeks, Romans, and innumerable barbarous people shaved, if not their beards, more or less of their heads. The processes and the instruments employed by divers peoples and times were, no doubt, various, and probably curious in many ways, though but little is known about them. While soap was unknown,

or a rare cosmetic, and steel not widely diffused, "easy shaving" could only have been accomplished by methods very different from our own. Almost in our own day might have been witnessed the extremes of the barber's craft in its primitive and its perfect instruments. Captain Cook was shaved in one of the Pacific Islands as an act of homage, by the king's barber, with a sharpened oyster shell, the process of getting over the tough beard of the great navigator occupying about six hours. Cook, no doubt, had his own old-fashioned steel razors in his cabin—quite as good, probably, as "the newest thing out" now in that line; and at the present day Sheffield razors are to be found plentifully amongst the Fiji Islanders, Bosjesmens, Hottentots, and the tribes subject to King Coffee.


The Chinese razor is a curious bit of sheet steel, very much like a penny piece clipped off straight at one side, and sharpened at the opposite one, with a thin projecting tail which connects it with the split handle almost identical with that of modern European razors, which suggests the notion that the rather peculiar handles in which our razors are mounted may have come to us from Asia. In Europe the straight or slightly curved blade of some four inches in length is universal, but innumerable varieties and vagaries, in form and proportion, weight, &c., are everywhere encountered, the real reason at the base of all being, probably, that there are razors made to sell and some to shave. But is an instrument for shaving a thing absolutely beyond the control of rational principle or the teachings of experience? There must be some one size and form of blade, and some one weight, that should be the best possible for the average human face and beard. Yet as to this no certainty can be arrived at from the doctors of the craft of razor fabrication. One recommends a light razor; another "our own make," with a crooked shank next the handle, probably, that no fingers not provided with the suckers of the octopus could hold; a third oracularly advises a heavy razor, with a thick back, and strong enough to cut the throat of Goliath; while Germans tell us our British razors are all wrong, that nothing shaves well but the Hamburg razor, with its hollow sides and thin pliable edge, which never require setting. We should like some light and guide through all this labyrinth and contradiction, for we must confess that the resulting impression chiefly left upon our minds by it is, that there are few branches of retail trade in small wares in which there is more humbug than in that branch of the cutlery craft which deals in razors. An excellent razor, well tempered, of good steel, and with a black handle, can be purchased for about 1/6. We can testify that such a razor can shave well, and for many years. Yet go into some eminent "cutlery establishment" in any of the great London thoroughfares and your will be asked 12/ to 14/ for a pair of instruments with, perhaps, ivory handles, and much glitter from the polishing wheel, but intrinsically not a whit better than the soldier's razor at 1/6. A curious essay, and of some length, might be written as to the improvements, pretended or real, that have within this century attracted scientific or general attention in razor making. Some of these, like those given account of by Parkes, of Birmingham, in his "Chemical Essays" of some forty years ago, which attempted to fix the temperature at which razors should best be tempered, were laudable attempts to reduce empiricism in art to the science of rule, though little came of it. Nor did any real improvements result from the somewhat elaborate experiments of Faraday and Stodart on improving razor steel, by the alloy of other metals in minute quantities. Rhodium and silver steel razors have all passed away, though so-called "silver steel razors" can still be purchased near Sheffield which do not contain a trace of silver. First-class cast steel of the most brilliant fracture and closest grain and perfect hardening and tempering are the only real requisites to form a first-class razor. The right quality of steel can be chosen, but in the tempering an element of uncertainty remains, which is no doubt the cause on which the capriciousness experienced in the goodness of any "pair" of razors proving quite alike depends.

A knife or surgical scalpel may cut through animal tissues with perfect smoothness and but little effort, but it may not shave well. The razor edge must not only be sharp, but smooth, i. e., if it be like all edges, that of a saw, it must be that of a saw whose teeth are more than microscopically fine. This was the basis of a mode of sharpening razors proposed about forty-five years ago by Mr. Gill, a patent agent and editor of "Gill's Technical Repository," which drew for a time some attention, namely, to burnish simply the sides of the razor edge with the "carrier's steel," which is only a bit of finely hardened and polished steel wire, and this thinning and smoothing of the edge is also the foundation of the Hamburg construction, in which the edge formed by the osculation of opposite outside surfaces is thin enough to bend under the finger nail, and yet return to its position. But though these razors are said to need no setting, they scrape rather than shave, and most uncomfortably.

Then the "setting" of the razor becomes a source of ever renewed need and annoyance, it being a rare thing to get it well done, and the expense is no longer beneath consideration, since London cutlers have fallen in with the prevailing habits of extortion and doubled their prices, under the plea of enhanced wages, etc. We have very many readers in all classes and in all sorts of occupations, and amongst them many ingenious and inventive men. We ask them to consider whether it be not possible to construct a machine for automatically setting razors—one that driven by power shall apply its fine grinding power to the razor blade already fixed into a suitable rest or frame, in such a manner as to effect all that now depends upon the dexterity of the "setter's" hand, or the degree of carelessness, or the contrary, with which he does his work. With the polishing machine for telescopic specula and the gem cutter's wheel before us, why should we despair of this? Once accomplished, it would prove, even in London alone, a little gold-field to reward the perseverance of the inventor.—The Engineer.

H. D. SMITH & CO., PLANTSVILLE, CONN.

Patent Embossed Steps.



Leaf Pattern.

King Bolt Yokes.



Established 1850.


No. 6 Fifth Wheels.



1871 Pattern Shaft Couplings.



Patent Cross Bar Steps.





Upper View.




Lower View.

Solid Plain Pattern Steps.



Star Pattern.

Smith's Improved Philadelphia Pattern Slat Irons.




MANUFACTURERS OF A LARGE VARIETY OF FIRST-CLASS

FORGED CARRIAGE IRONS.

Send for Price List.

FORT PLAIN SPRING & AXLE WORKS, CLARK, SMITH & CO.,

Green Jacket Axles. FORT PLAIN, N. Y. Fine Carriage Springs.



MANUFACTURERS OF

English and Swedes Steel Springs, and Iron and Steel Axles.

Execute orders promptly for

Black, Bright, Tempered and Oil Tempered Springs,
any Pattern or Style. Also for AXLES of any description, from a COMMON LOOSE
COLLAR to the FINEST OF STEEL.

Our facilities for manufacturing are very extensive, and with our recent additions of new and improved
inery, we defy competition.

Send for Price List and Descriptive Circular.

CARRIAGE BOLTS.

Buy the Best.

Clark's Patent
Carriage Bolt.

Best Bolt manufactured for all kinds of agricultural machinery. Will not split the wood, and can not
turn in its place.

MANUFACTURED BY

CLARK BROS. & CO., Milldale, Conn.

Also Manufacturers of

Plow and Machine Bolts, Coach Screws, Nuts, Washers, Tire Blanks, Rivets, &c
Send for Illustrated Price List

WILSON MANUFACTURING COMPANY., NEW LONDON, CONN.

MANUFACTURERS OF

SOLID BOX VISES.

With or without Convex and Concave Washers.

Jackscrews, Braces, Coffee Mills, Turning Lathes, Clamp
Heads and Screws; Parallel Bench Vises, Sash Pullies, Ho
House Pullies, Composition Cocks, Bench Screws, Vise Screws
Gridirons, Drill Stocks and Boxes, Box Chisels, Rivets,
Screws, Block Pins, Composition Roller and Iron Bushings,
Riggers' Screws, Caulkers' Tools, Pump Chambers, Belaying
Pins, Marine Spikes, Malleable Iron Castings, and General
Hardware.

GALVANIZING DONE TO ORDER.

WILSON MFG. COMPANY,

Warehouse, 37 Chambers St., N. Y.



WM. H. HASKELL & CO., Pawtucket, R. I.

Manufacturers of

COACH SCREWS (with Gimlet Point),
all kinds of

Machine and Plow Bolts,
FORGED SET SCREWS AND TAP BOLTS.

Warehouses. No 11 Warren St., New York H. B. NEWHALL, Agent.

CONCORD SPRING WORKS, J. PALMER & CO.,

Manufacturers of

CARRIAGE SPRINGS,
Superior Temper, Warranted.
CONCORD, N. H.

Philadelphia Star Bolt Works.

"STAR"

Carriage and Tire Bolts,

NORWAY IRON,

Button Head.

QUALITY GUARANTEED.



Trade Mark.

Carriage and Tire Bolts,

CHARCOAL IRON,

Beveled Head.

QUALITY UNSURPASSED.

The Celebrated "STAR" Brand of Axle Clips.

Blank Bolts, Wood Screws, Square Head Bolts, Plow Bolts, &c., &c.

Our I X L

Bolt is made from approved brands of Iron, and is equal in every
point of appearance to the regular Philadelphia Carriage Bolts, being made on the same machinery, and
the quality is not surpassed by any bolt of like grade in the market.

TOWNSEND WILSON & HUBBARD 2301 Cherry St. Philadelphia Pa.

Old Colony Rivet Works.



Rivets, Nuts, Washers, Lag Screws, Coleman's Eagle Carriage and
Tire Bolts, Axle Clips, Felloe Plates, Shaft Couplings, Stove
and Machine Bolts, Drilling Machines, Tire Benders,
&c. Full stock constantly on hand. Warehouse, 116 Chambers St., N. Y.



ARMS, BELL & CO.,

Manufacturers of

Carriage, Tire & Square Head
Bolts.

Cold Pressed Nuts and Washers, Etc.,

YOUNGSTOWN, OHIO.

Price lists sent on application.



THE READING BOLT & NUT WORKS.



J. H. STERNBERGH,

READING PA.

Machine Bolts, Bolt Ends,
RODS for Bridges & Buildings,
HOT PRESSED NUTS,

Washers, Coach Screws, Refined Iron, &c.
Manufacturing my own stock of iron, I am able to control
quality, and fill orders promptly, with a very superior
article, at the lowest possible price. Send for Price List.






H. B. NEWHALL, Agent for New England
States, New Jersey and Eastern New York, 11 War-
ren Street, New York.

J. AUSTIN & CO.,

168 Fulton Street, N. Y.

SOLE AGENTS FOR

SCRIPTURE'S OILERS.





FLAT AND ROUND HEAD MACHINE SCREWS,
 OF SIZES, Nos. - - 4, 6, 8, 10, 12, 14, 16, 18, 20, 24, SCREW GAUGE.
 AND LENGTHS - - $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$ INCH.
PLUG AND BOTTOMING TAPS.
 Manufactured, **KEPT IN STOCK**, and sold by
AMERICAN SCREW COMPANY, - - PROVIDENCE, R. I.
 Fillister Head and Pattern Machine Screws Made to Order Promptly.

11 Warren Street, New York.

H. B. NEWHALL,

Agent for the Following Companies:

PROVIDENCE TOOL CO., - - Providence, R. I.
 Heavy Hardware, Ship Chandlery and Clothes Wringers.
WM. H. HASKELL & CO., - - Pawtucket, R. I.
 Machine Bolts and Coach Screws.
LEWIS, OLIVER & PHILLIPS, Pittsburgh, Pa.
 Heavy Hardware and Railroad Supplies.
ROCHESTER MACHINE SCREW CO., Rochester, N. Y.
 Milled Set and Cap Screws.
PENFIELD BLOCK WORKS, - Lockport, N. Y.
 Rope and Iron Strapped Tackle Blocks.
ADAMANTINE FILE WORKS, - Providence, R. I.
 Hand Made Files. Trade Mark "Philo, Sheffield."



**Braces, Curry Combs, Ash Shovels, Ferrules, Chisel
 Rings, Garden Trowels, Pat. Ox Bow Pins, &c.**
 Manufactured by
G. W. & H. S. BARTHOLOMEW, Bristol, Conn.

THE FLORENCE SKATES.

FLORENCE CLUB SKATE.



Patented March 31 and Aug. 18, 1874.

This latest invention is adjustable, automatic and self-fastening. No heel plates or sockets to clean out; no wrenches, no keys, no straps. Instantly and securely it fastens itself to the boot. Made of the best steel, in the most thorough manner.

Price, \$3.50 per pair, 25 per cent. discount.

FLORENCE STEEL SKATE.



Patented Aug. 18, 1874.

This Skate for the Million is unique, simple, light, strong and durable. Quickly and firmly fastened to the foot by the usual heel button and elastic toe trap. An elegant, warranted steel skate, at the price of a common iron one.

Price, \$1.00 per pair, 25 per cent. discount.

Made by THE FLORENCE SEWING MACHINE CO., Florence, Mass.

Manufacturers of the Best & Most Simple First-Class Sewing Machine in the World.

To all Manufacturers who use Emery for polishing Iron and Steel Goods, and for the manufacture of Polishing and Cutting Wheels, and other purposes.

CORUNDUM

FROM THE

UNIONVILLE MINE, Chester County, Pa.,

Manufactured by the

PENNSYLVANIA CORUNDUM COMPANY.

Are now prepared to furnish a very superior quality of Genuine Corundum, from the Unionville Mine, Chester County, Pa., which is the largest known deposit of Corundum in the world. It is harder than Emery or any other known Mineral except the "Diamond," and superior in its cutting qualities for the polishing or cutting of steel, iron or other hard substances for which Emery has been used.

**JAMES C. HAND & CO.,
 COMMISSION MERCHANTS,**

No. 614 & 616 Market Street,

PHILADELPHIA.

AMERICAN BOLT COMPANY,
 MANUFACTURERS
BOLTS AND NUTS,
 Coach or Lag Screws, Washers, Chain Links, Forgings, &c.
 OF ALL KINDS AND SIZES, AT SHORT NOTICE.
210 Lawrence St., Lowell, Mass.
 JONATHAN HOPE. ROBERT H. BUTCHER. JAMES MINTY.
 With increased facilities we are now enabled to pay prompt attention to all orders for our Patent Bolt Heading Machine, now fully acknowledged the best ever invented. Our Machinery will head Bolts from $\frac{1}{4}$ inch diameter to $1\frac{1}{2}$ inch diameter, and from $\frac{1}{4}$ inch to 48 inches long, or longer if necessary, and almost any description of heads—Square, Hexagon, T head, &c. and properly attended, without changing, will head from 300 to 500 per day. We are also prepared to offer for sale our New Patent Bolt Cutter, which will cut Bolts from $\frac{1}{4}$ inch diameter to $1\frac{1}{2}$ inch inclusive. A boy will cut on an average 200 $\frac{1}{4}$ inch Bolts per day. Parties wishing first class Bolt Heading Machines or Bolt Cutters, we would respectfully invite to call at our works, where they can at all times see the Machines in operation and judge for themselves. Perfect satisfaction guaranteed in all cases. For reference and any other information in regard to the above, apply to the American Bolt Co., Lowell, Mass.
 O. W. LEONARD, 40 John St., Sole Agent for New York and vicinity.



TACKS & SHOE NAILS,
Upholstery, Gimp, Brush, Card & Pail Tacks,

Leathered, Tinned and Large Head Iron Carpet Tacks, Finishing Nails made expressly for black walnut work, Clout and Trunk Nails, black or tinned, warranted to clinch.

Hungarian, Cigar Box and Chair Nails, Boat Nails of Copper or Iron.

Zinc, Copper, Steel and Iron Shoe Nails, Slating and Roofing Nails, 3d and 2d Fine Nails, Roofing Tacks, Brads, Patent Brads, Dowel Brads for cabinet makers' use, etc., etc.

Any Size or Style of Tack or Nail made to sample. **TINNED TACKS AND NAILS** of every variety.

MADE BY THE

AMERICAN TACK COMPANY,

FACTORY, Fairhaven, Mass.

SALESROOM, 117 Chambers St., N. Y.

Orders sent to either place will receive prompt attention.



EAGLE BOLT WORKS.
 (ESTABLISHED 1845.)

No. 2030 Arch St., PHILADELPHIA.

THE ORIGINAL AND ONLY ESTABLISHMENT MANUFACTURING THE

Genuine Eagle Bolt.

AND USING SQUARE NORWAY IRON EXCLUSIVELY.

Carriage Bolts of every description, Tire Bolts, Square Head Bolts, Countersunk Bolts, Cone Heads, Steepie Heads, T Heads, Cheese Heads, Elliptic Heads, Step Bolts, Axle Clips, Turned Collars, California Tire Rivets and Washers constantly on hand, and orders filled promptly.

POINTED TIRE BOLTS A SPECIALTY.

For Price Lists and Discounts, Address

THE M. J. COLEMAN BOLT AND NUT COMPANY,


(Successors to M. J. COLEMAN.)

No. 2030 Arch Street, PHILADELPHIA.

A complete assortment at **OLD COLONY RIVET WORKS**, 116 Chambers Street, N. Y.

Many & Marshall,
 48 Warren St., N. Y.

SASH CHAIN.



BUILDERS' HARDWARE,
 Chain and Pulley for Heavy Sash.
THE BEST & CHEAPEST MADE.
 Manufacturers of every description of
 Pure Bronze Metal and Hand-Plated Knobs, Hinges, &c.,
 Agents for Greater's Black Lead Crucibles.
 Agency and Depot of the **TRENTON LOCK COMPANY.**

The Iron Age.

New York, Thursday, November 12, 1874.

DAVID WILLIAMS . . . Publisher and Proprietor.
JAMES C. BAYLES . . . Editor.
JOHN S. KING . . . Business Manager.

The Iron Age is published every Thursday morning, at No. 10 Warren Street, New York, on the following terms:

SUBSCRIPTION.

Weekly Edition . . . \$4 a year.
Issued every THURSDAY Morning. Contains full Trade Reports for the week, brought up to the close of business on the previous day.

Semi-Monthly Edition . . . \$2 a year.
Issued the FIRST and THIRD THURSDAY of every month. Contains a full Review of the Trade for the previous half month.

Monthly Edition . . . \$1 a year.
Issued the FIRST THURSDAY of every month. Contains a full Review of the Trade for the previous month.

To	Weekly.	Semi-Monthly.	Monthly.
Canada	\$4 00	\$2 40	\$1 24
Great Britain	6 00	3 00	1 50
France	6 00	3 00	1 50
Germany	8 00	4 00	2 00
Prussia	8 00	4 00	2 00
Buenos Ayres	8 00	4 00	2 00
Pern	8 00	4 00	2 00
Belgium	8 00	4 00	2 00
Mexico	7 00	3 50	1 75
Sweden	12 00	6 00	3 00
New Zealand	8 00	4 00	2 00
Brazil	6 00	3 00	1 50

ADVERTISING.

One square (12 lines, one inch), one insertion, \$2 50; one month, \$7 50; three months, \$15 00; six months, \$25 00; one year, \$40 00; payable in advance. All communications should be addressed to

DAVID WILLIAMS, Publisher,
10 Warren St., New York.

EUROPEAN AGENCY.

CHARLES CHURCHILL & Co., American Merchants,
26 Wilson Street, Finsbury, London, England, will receive subscriptions (all postage prepaid by us) at the following prices in sterling: Great Britain and France, 25/-; Germany, Prussia and Belgium, 33/4; Sweden, 50/-. They will also accept orders for advertisements, for which they will give prices on application.

City Subscribers will confer a favor upon the Publisher, by reporting at this office any delinquency on the part of carriers in delivering *The Iron Age*; also, the loss of any papers for which the carriers are responsible. Our carriers are instructed to deliver papers only to persons authorized to receive them, and not to throw them in hall ways or upon stairs; and it is our desire and intention to enforce this rule in every instance.

CONTENTS.

First Page.—Air Heating Apparatus. The Economical Limits to the use of Rolled Girders. How a Lighthouse was built.
Third Page.—Growth of the Iron Trade in France. Answers to Correspondents. John Penn.
Fifth Page.—Improved Adjustable Clamp. Industrial Co-operation. Chattanooga Iron Items. American Coal production.
Seventh Page.—Cast Iron Bridge over the Aller at Vichy.
Ninth Page.—Business Items. Electric-Deposition of Iron.
Eleventh Page.—Protection and International Trade. Razors.
Thirteenth Page.—Chance for Our Manufacturers in the Dutch East Indies. The American and Foreign Lead Markets.
Fifteenth Page.—Scientific and Technical Notes. Philadelphia Correspondence. The Iron Resources of the United States. Cost of Manufacturing. A Substitute for Mica for Stove Lights. An Outlet for the Iron Trade.
Sixteenth Page.—Western Hardware Association—Minutes of the Convention. A Wooden Railroad in Michigan.
Seventeenth Page.—Trade Report.
Eighteenth Page.—Trade Report—(continued).
Nineteenth Page.—Our English Letter. The Iron Interests of the James River Valley. The Pequea Iron Works.
Twentieth Page.—Tempering Steel. London Metal Market.
Twenty-first Page.—The Iron Age Directory.
Twenty-fourth Page.—Specification of Workmanship, Materials and Construction, as applied to Sheet Metal Architectural Work.
Twenty-sixth Page.—New York Wholesale Prices of Hardware and Metals.
Twenty-eighth Page.—New York Wholesale Prices (concluded).
Thirty-first Page.—Philadelphia, Buffalo, Cincinnati, and Detroit Hardware and Metal Prices.
Thirty-third Page.—Chicago, Boston, and St. Louis Hardware and Metal Prices.

Chance for Our Manufacturers in the Dutch East Indies.

We have received an interesting document in the shape of an announcement and prospectus of the Second Agricultural and Industrial Exhibition at Djokjakarta, Island of Java, Dutch East Indies. Our readers will be excited to learn that the exhibition will be held under the immediate patronage of His Highness, Hanangko Boewono VI., Sultan of Djokjakarta, and Knight Commander of the Order of the Netherlands Lion; also, that the Vice Presidents will be Messrs. A. J. B. Wattendorff and J. M. Pijnacker Hordch, both of whom are Knights of the Order of the Netherlands Lion. The idea of an international industrial exhibition under anybody's patronage in such a place may cause amusement, but there is really no reason why it should. It is especially desired to establish more intimate commercial relations between the Dutch East Indies and the United States, and a favorable opportunity is now offered to bring such of our manufacturers as are adapted to that market prominently to the notice of the people of those countries. The Dutch colonies in the East consist of the islands of Amboyna and the other so-called spice islands; the Bandas, Banca, Java and Madura—all

absolutely belonging to Holland—while on the Islands of Sumatra, Borneo and Celebes, the Dutch own large tracts, which with the former compose the Dutch Indies, containing a total population of thirty millions. The productions of these colonies are as various as they are valuable. Rice, indigo, tobacco, sugar, cinnamon, pepper, allspice, nutmegs, cloves, oils, costly woods, gums, camphor, beeswax, tin, ebony, are some of their staples, beside mother of pearl, diamonds and precious stones, which find their way to all other countries in exchange for the manufactures of Europe, China and Japan; those of America having thus far been introduced only on a very small scale, and almost entirely indirectly, through England, Germany and Holland. Beside the above articles of export, these colonies produce every species of cereal, vegetable and fruit indigenous to the climate of those latitudes. The population of the Dutch East Indies consists of Javanese, intermixed with Malays, a few Arabs, Hindoos and Chinese, and its occupation is eminently agricultural. In Java (the largest island of the group) containing nearly ten millions of people, this is particularly the case. It is especially desired by the projectors of the exhibition to secure a good display of certain classes of American manufactures, special articles belonging to the following classes, for which liberal premiums are offered:

Agricultural implements; tobacco and indigo presses; coffee and rice hullers; coffee and rice winnowers; fertilizers for sugar, coffee, indigo and rice plantations; articles of hammered iron, tin and copper; saddlery and leather work; building materials and machinery; cooper's work; wagons; pottery; basket work; wood carving machinery; joiner work and house and school furniture, and cotton fabrics. A special prize of \$200 in gold, is offered for the best portable steam press for stamping sugar in baskets. This seems to be an excellent opportunity of introducing American manufacturers to a large and profitable market. The cost of sending goods is 75 cents per cubic foot, and 15 cents primeage. In the Javanese tariff the following articles have been placed on the free list: bricks and tiles for walls, roofs and floors, and other materials for same; books, maps, charts, engravings, music bound or unbound; engines and machinery, implements, apparatus and tools for agriculture, or for every kind of industry, or for mining or domestic purposes; rosin, pitch, tar, ship timber, masts, spars, oars and canvas; ice, coal, coke, chalk, iron, copper, tin, lead, steel, zinc and manufactures of all these metals, viz., pieces, rods, sheets, rails and iron for railway purposes; gas and other pipes; axles, wheels, (except carriage); framework for buildings, sheds or barns; bolts, nails, screws, wire, anchors, anvils, chains, capstans; iron tubes for canals, railway wagons, canal boats, lighters, or sections of these; bronze and brass work. Those for whom this subject is of interest can obtain fuller information at the office of the Netherlands-American Steam Navigation Company's New York offices, No. 50 Broadway.

The American and Foreign Lead Markets.

The influences which have operated to disturb the home and foreign lead markets during the current year, have been of a character somewhat unusual. As the result of the panic, our own production of lead has fallen off materially. Many—perhaps most—of the Western smelting works were compelled to suspend operations, but, owing to the small demand, the lack of fresh supplies of pig lead was not felt during the spring months. Building operations were very generally abandoned, and the demand for manufactures of lead suffered a proportionate decline. Gradually, however, the consumptive demand began to revive, and during the summer months the demand exceeded the available supply—so much so that some of the large refining establishments sent out buyers to Colorado and Utah for additional supplies of bullion. This scarcity of domestic lead would probably have induced a high range of prices at the time, but for the fact that the government took advantage of the opportunity to sell some 9000 tons remaining on hand of the surplus stock of lead accumulated by the Quartermaster's Department during the war. When the gradual sale of this important stock was announced, prices began to decline, and consumers at once came into the market and made liberal purchases. It must be conceded that the sale of the government lead was conducted judiciously, and with a due regard for the interests of both dealers and consumers; and when this was understood the market recovered from extreme depression. As consumers had supplied their requirements, however, any tendency to an advance in prices was quickly checked by a slackening

of the consumptive demand. Notwithstanding all the varied influences thus operating upon the market to alternately raise and depress values, the trade has been without extraordinary excitement and prices have remained as uniform throughout as any consumer could have wished.

In Europe, on the other hand, the lead market has been unduly stimulated by causes all operating in the interest of holders. The course of prices has been steadily upward, and had lead been a favorite metal with speculators, like tin and copper, there is no telling what figures it might have reached. As it was, speculators would probably have tried to monopolize lead, had it not been for the absence of Peninsular statistics since the beginning of the civil war, and the uncertainty in which the issue of that contest is still shrouded. Official Spanish statistics are published only once in five years—the last official report relating to the quinquennial ended with 1871. During that period Spain exported no less than 420,700 tons of lead, or an average of 84,140 tons per annum. The total excess of the production of the five years over that for the five years preceding was about 55,000 tons. Although the Carlists have been in partial possession of the lead producing districts several times, and although the "Intransigent" rebellion also interfered with the production for a short time by disorganizing labor at the mines and capturing Carthagena, production in Spain has at no time been suspended completely, and lead has been exported at intervals. The relative importance of Spanish lead production is best shown by the following statistics of European production published in 1869:

	Tons.
Great Britain	68,326
Spain	66,803
France (in part Spanish)	16,922
Germany	49,327
Sardinia	23,255
Belgium	10,322
Greece	8,483
Austria	7,687
Sweden	384

Thus, of a total production of 251,079 tons, Spain produced 66,803 tons, or over 26 per cent. With a heavy falling off in the Spanish exports, it was natural to expect a sharp advance in the price of lead throughout Europe; but as industry in nearly all branches was paralyzed about the time of our panic, consumption was held in check. In May, however, the Russian government made some large purchases for army purposes, and the market stiffened gradually, assisted by a revival of the consumptive demand, great ease in the money market, and unusually light stocks in London, Hamburg, Berlin and Marseilles. From late advices we learn that the principal powers of Central Europe are arming on a scale which indicates an apprehension of impending war, and as quartermasters' departments are liberal purchasers of lead, that metal will probably still further advance in value. The Carlist rebellion continues, and, from present appearances, is likely to be long protracted. There appears, therefore, to be no likelihood of an early decline in lead prices in Europe. In this country the prospects of holders are fair. The country is slowly but surely recovering, and the prospects are in favor of a revival in the consumptive demand for all metals, and as lead, after iron and copper, is the most extensively used of all the metals, especially for building purposes, it is probable that by the opening of spring the unsold balance of the government stock will be absorbed, and that our smelters and refiners will then have before them a long period of profitable activity.

The Lake Champlain Ship Canal.

The preliminary surveys for the proposed ship canal to connect Lake Champlain, at Whitehall, with the Hudson River, at Fort Edward, have been completed by Mr. G. Hall, by order of Col. Fuller, State Engineer, who will make an estimate of the cost of the work and present it at the next session of Congress. It is hoped the national government will undertake the work. The national importance of the proposed improvement has already been set forth in these columns, but a few remarks at this time on the features of the work which give it especial interest to the iron trades, may be of interest as showing our readers in other parts of the country that it is something more than a scheme of local improvement which the people of this State are seeking to shift upon the broad shoulders of the national government.

The work proposed, and which is shown to be practicable by the surveys just made, may be briefly outlined as follows: From Troy to Fort Edward, a distance of forty miles, the river is to be improved, and there is an elevation of 116 feet to be overcome; from Fort Edward to the summit, a distance of two miles, an elevation of thirty-one feet; from the summit to Whitehall on Lake Champlain, a distance of about twenty-one miles, there is a descent of fifty

feet to Lake Champlain. The highest point between tidewater and the St. Lawrence is 147 feet, and the entire length of the river and canal improvement is sixty-three and three-tenths miles. Eleven locks and dams will be required, the former 300 by 45 feet in size, to overcome the elevations and to give ten feet of water in the river. A portion of the canal is already formed by Wood's Creek, running into Lake Champlain, which only requires a little straightening, so that the actual canal to be constructed is reduced to seventeen miles, requiring only two locks. The proposed dimensions give a width at the bottom of 110 feet, and on the surface of 150 feet. The route from the terminus at Whitehall extends up Lake Champlain to the Richelieu River, and thence to the St. John's River, which is entered by the projected Caughnawaga canal, an enterprise chartered by the Canadian government to connect the St. Lawrence River with Lake Champlain via the St. Johns River, a distance of twenty-nine miles. From Caughnawaga on the St. Lawrence, the route continues via the Beaubarnais and Cornwall canals, works already constructed, around the rapids of the St. Lawrence, and by that river to Lake Ontario, thence through that lake and the Welland canal to Lake Erie. From Lake Erie vessels can pass to Lakes Huron and Michigan and Georgian Bay, and via the Sault Ste. Marie canal, of little more than a mile in length, from Lake Huron into Lake Superior. From Lake Michigan, at Green Bay, an improvement of the Fox and Wisconsin Rivers, now in progress, will open water communication between Green Bay and the Mississippi River, a distance of 278 miles, and also via the Illinois and Michigan Canal and Illinois River to the Mississippi, a little above the mouth of the Missouri. Through this entire distance from the lakes to tidewater, with the exception of eighty-four miles of ship canal, there is a free and uninterrupted waterway upon which vessels can be propelled either by steam or sail. Such is the route proposed for the transmission of Western freights by all water way to the Hudson. This system of improvement is needed to prevent the diversion to Canadian ports of the traffic of the St. Lawrence route. It will enable us to take advantage of all the Canadian improvements by which the free navigation of the St. Lawrence route is secured, and still retain the control of the export trade of ports on the upper lakes, which would else find an outlet at Montreal.

To the iron trades of the country, the one link in this chain of water communication lying within the boundaries of this State possesses an immediate and permanent importance, as affording a better and cheaper outlet for the ores of the Lake Champlain region. The furnaces and mills of the lower Hudson, New Jersey and Eastern Pennsylvania are largely dependent upon this region for their supplies of magnetites. Nearly 400,000 tons per annum have been shipped from the mines now worked, and with better facilities for cheap transportation we should witness a vast increase of production by the opening of rich and extensive deposits of magnetites and hematites and titaniferous ores not yet developed to any extent. The proposed canal would thus render accessible a vast and varied supply of cheap ores of excellent quality, and anything which accomplishes this result possesses a national importance. We have not space at this time to discuss the general commercial advantages of uninterrupted water communication from New York to New Orleans, via the St. Lawrence, the Lakes and the Mississippi, but these are certainly great enough to justify the undertaking of the work by the national government.

Trade Marks and Geographical Names.

An interesting case involving the validity of a trade mark, which is at the same time a geographical name, lately came before the Pennsylvania courts. The Glendon Iron Company have long used the name Glendon as the distinguishing mark by which their pig iron has been known in the market. The name, we believe, was original with the company, and was adopted by them as early as 1844. During recent years, however, the name of the works has gained a wider application which, in some sense, makes it the common property of manufacturers in that immediate locality. In 1867 a borough was incorporated under the name of Glendon, and a second iron company, whose works are located within the borough limits, have followed the example of the first and adopted the name Glendon as a trade mark. Regarding this as an attempt to trade upon an established reputation and thus secure a more ready sale for an unknown brand of iron, the original Glendon Iron Company endeavored to enjoin the new company from using their name, but the application was denied by the Supreme Court of the State, on the ground that, as Glendon had become the name of a borough, the company had lost

all right to its exclusive employment as a trade mark, as it then became the property of all residents within the borough limits.

This decision was quite in accordance with established precedents in English and American law, and it is scarcely probable that any other view of the case would have been sustained on an appeal to the Supreme Court of the United States. The only exceptions to this ruling would be in the case of a manufacturer in some other locality—say Philipsburgh—who should use the name Glendon; but any other iron company with works in Glendon borough has as much right to employ that name as the original company. This is a point in law which manufacturers would do well to bear in mind. Where they have once allowed the name of their company or works to become a geographical designation, they have no means of protecting themselves against such of their neighbors as may choose to adopt that name and take advantage of its popularity; but they have the right to protect their trade mark in advance of such an appropriation of it, and the courts would sustain an injunction against the employment of a corporate name or trade mark as a town or borough name.

New Publications.

THE INTERNATIONAL REVIEW, for November and December. A. S. Barnes & Co., No. 111 William Street, Publishers.

The present number of this excellent periodical, which has been published bi-monthly since January of this year, fully sustains the promise of the earlier numbers. It is in all respects a first-class review, and compares favorably in character and interest with the best publications of the kind in any language. Its list of contributors includes the names of many who occupy prominent positions in the front ranks of literature, history, science, art, statesmanship, diplomacy, theology and philosophy. The following are the principal articles in the current number: "International Communication by Language," Philip Gilbert Hamerton, London. "History of American Architects at the National Capital," James Q. Howard. "Iron Supplies and Manufactures of the U. S.," Prof. John S. Newberry, M. D., Columbia College. "Study of Greek and Latin Classics," Prof. Elliott, D. D., Western Theol. Seminary, Chicago. "Divorce," Hon. N. H. Davis, South Carolina. "The Domestic Commerce of the United States," Hon. S. Shellabarger, of Ohio.

Of the two articles of especial interest to our readers we can speak in highest praise. Prof. Newberry's article on the Iron Resources of the United States, of which we republished a part, contains much valuable information in a condensed form, although a majority of iron manufacturers will be apt to differ somewhat from the writer's opinions as to the future of the industry. Mr. Shellabarger's article on our domestic commerce is also a valuable contribution to the cheap transportation discussion. It is devoted to a consideration of reciprocal interchanges among our people of the productions of this Continent. Mr. Shellabarger aims to show the failure of those upon whom the care of our commerce has been devolved by government, to adequately realize and meet their obligations. The author proceeds to examine statistically: 1. The extent and conditions of the products and commerce of the people. 2. The average cost of transportation from West to East. 3. Benefits of improved means of transportation. 4. Comparisons between the United States and other grain producing and cotton producing countries. 5. Railroad competition as a cheaper mode of transportation, and other points of vital interest. It is a problem that will decide no doubt the fate of the Republic. He asks "what are the powers, and what the duties, of the federal government toward this commerce amongst the several States?" and ventures to predict that the American people have resolved irrevocably to rescue, develop and defend their commerce. He recounts the history of other nations in their efforts in the direction of commerce and the carrying trade; ventures upon a comparison between them and us; quotes legal judgments in important trials, and concludes by summarizing the "remedies for our commercial condition which seem best sustained by the experience of all other nations—and by the results of investigations at home."

A PRACTICAL THEORY OF VOUSSEUR ARCHES, by Prof. Wm. Cain, C. E., N. Y. D. Van Nostrand, Publisher.

This little volume forms No. 12 of Van Nostrand Science Series, and is a republication in convenient pocket size of a paper originally published in Van Nostrand's *Engineering Magazine*, in which Dr. Scheffler's theory of arches was first given to the American public. Vertical forces are alone considered. Numerous experiments are given in illustration of the theory advanced, both for symmetrical and unsymmetrical arches, and for arches unsymmetrically loaded. The volume is illustrated with wood cuts which greatly assist the reader in acquiring the theory presented.

A number of Sheffield capitalists have organized a corporation under the name of the Bilbao Iron Ore Company, limited, and having already spent upward of \$400,000 in developing Spanish mines, lately sent Sir John Brown and other gentlemen to spy out the land. These gentlemen return with large stories of the mineral wealth of Spain. The only fear they have is that the Spanish government may throw impediments in the way. By treaty arrangements the government of Madrid is debarred from levying an export duty, but it is now threatened to impose a municipal tax. The town of Bilbao fancies it can recoup itself for the damage caused by the siege by levying a duty of 5d. per ton on all ore leaving the coast, but the question whether it can do so or not remains to be settled.

Scientific and Technical Notes.

La Revue Industrielle publishes the following with regard to

FLUXES FOR STEEL:

In his work on the treatment of phosphoric iron, both wrought and cast, M. Lanciaux gives the composition of the fluxes made use of by MM. Verdie and Micolon, for the manufacture of steel by means of iron and steel scrap. The following are two recipes employed by these gentlemen:

No. 1.	Kilogrammes.*
Peroxide of Manganese.....	0.750 @ 2.000
Tungstate of iron.....	0.200 @ 0.700
Borax.....	0.300 @ 0.900
Carbonate of soda.....	1.000 @ 2.000
Quick lime.....	0.000 @ 0.500
Pulverized charcoal.....	0.150 @ 0.900

Total for 100 kilogrammes* (nearly 2 cwt.) of cast steel.....2.400 @ 6.700

No. 2.	Kilogrammes.
Peroxide of Manganese.....	0.500 @ 2.300
Tungstate of iron.....	0.150 @ 0.750
Borax.....	0.400 @ 1.000
Carbonate of soda.....	1.300 @ 3.000
Sal ammoniac.....	0.150 @ 0.300
Pulverized charcoal.....	0.100 @ 0.500

Total for 100 kilogrammes (nearly 2 cwt.) of cast steel.....2.800 @ 7.850

These substances were well ground together, then calcined in old worn out crucibles placed in the furnaces at a low heat, so that, during the night, perhaps for 13 or 14 hours, the mixture was exposed to a temperature of from 1200° Cent. (2192° Fah.) at the beginning, to 500° Cent. (932° Fah.) at the end.

It is easy to see that, in this calcination, manganese of soda and basic borate were produced, and that the sal-ammoniac was completely decomposed under the form of chlorine and chloride of iron evolved by the tungstate of iron; then, the water in combination with the borax and the carbonate of soda, being partially decomposed at a temperature of 600° Cent. (1112° Fah.) was obliged to give up some of its oxygen to the peroxide in order to facilitate the formation of the manganates of soda and of lime.

It will be remarked that in this chemical process there is no trace of silicon in the products mentioned, which, with respect to the acid, had played the part of the most energetic bases, thus accounting for the fact, that their use was only possible in plumbago crucibles; now, as it was by chance that MM. Verdie and Micolon were unable to procure in Paris other crucibles than those of plumbago, which came from England, it is due to this chance, says M. Lanciaux, that a process has now succeeded, which before had always failed.

The recipes of MM. Verdie and Micolon approach very nearly to that of M. E. Gallet:

	Kilogrammes.
Alumina.....	0.500 @ 1.000
Clay.....	0.120 @ 0.200
Pulverized charcoal.....	0.500 @ 0.500
Carbonate of lime.....	0.750 @ 0.400
Carbonate of potash.....	0.180 @ 0.300
Carbonate of soda.....	0.620 @ 0.028
Caustic potash.....	0.500 @ 1.000
Oxide of manganese.....	0.400 @ 0.040
Iron.....	0.940 @ 0.050
Muriate of soda.....	0.010 @ 0.010
Sal-ammoniac.....	0.500 @ 1.000
Borax.....	0.300 @ 1.000
Water.....	40 per cent. of the weight.

This mixture must be made with care. The quantity to be used per 100 kilogrammes (nearly 2 cwt.) of steel, varies from 3 to 7 kilogrammes, (about 6 to 15 lb.)

Capt. Noble and Mr. Able have concluded their

RESEARCHES INTO THE ACTION OF FIRED GUN-POWDER.

and have embodied their conclusions in a report in the proceedings of the Royal Society. Their objects they state to have been: (1) To ascertain the products of explosion when fired in guns and mines; (2) to investigate the tension; (3) the effect of various sizes of grain; (4) the variation caused by various conditions of pressure, comparing explosion in a closed vessel with that in the bore of a gun; (5) the volume of permanent gas; (6) the heat; (7) to ascertain the work performed on a shot in the bore of a gun. For this very careful experiments were carried out to ascertain the pressure, volume of permanent gas, heat, and analysis of gases and solid products. A vessel of mild steel, tempered in oil was used, completely closed with a closely fitting screw firing plug, through which were led circuit wires with fine platinum wire enclosed with mealed powder, which it fired when heated by the current of a Daniell battery. The results were briefly as follows: The pressure was registered by Capt. Noble's crusher gauges at from 1 ton to 36 tons per square inch. The analysis of the gaseous products showed a regular change, due to variation in pressure, carbonic anhydride increasing with a decrease in carbonic oxide as the pressure increased. The solid products were subject to greater and less regular variation; speaking generally, the chemical action is more complicated than has been supposed, and the old fundamental equations are found to represent it very imperfectly. More carbonic oxide and potassium carbonate, and less potassium sulphate than has been thought is produced. Potassium sulphide is thought to be formed primarily, but eventually it is not present in any considerable quantity, having given place to potassium hyposulphite. The temperature of explosion is found by means of platinum wire or foil to be about 2200 deg. C. About 25 per cent. of the heat generated is communicated to a small arm, and but 3 per cent. to an 18-ton gun. The products of explosion consist of about fifty-seven parts by weight of solid to forty-three of permanent gas. When the powder fills the space in which it is fired, the pressure is about 6400 atmospheres, or 42 tons per square inch. The products of explosion generally are the same in a gun and in a completely closed vessel. The work on the projectile is due to the elastic pressure of the permanent gases. These results have only been obtained by a long and laborious course of very carefully conducted experiments. They are very valuable, and such as but very few individuals have the means of carrying out.

PHILADELPHIA CORRESPONDENCE.

PHILADELPHIA, Nov. 9, 1874.

This wonderful country has again passed through another of those trials which "threatened to destroy our national existence," and still pursues its way. Previous to the election we were assured that a democratic success would cause a financial revolution; bring about repudiation; restore the theory of secession; absolutely destroy all manufacturing industry; and in short that chaos would come again. Such a democratic success was gained as never before in the country at any one election. We all naturally looked for the threatened disasters, accepted the situation philosophically, and prepared to emigrate to Japan or Fejee. Days pass, and the cable brings us news of a steady market for American securities abroad, while at home bonds and gold remain unaffected and stocks advance. For the moment business men discount the possibilities of the future, and then conclude that it was not "such a great shower after all." The iron trade was the special industry to be destroyed, and the effect of its approaching dissolution is seen in a decidedly better feeling, and positively more disposition to purchase by consumers. No one believes that the advent of the democratic party to power means repudiation or free trade, or a wiping out of constitutional amendments, any more than it means the payment of the Confederate loan and the restoration of slavery. What surprises our neighbors abroad is that such a state of affairs can exist with the quiet continuance of industry and business, and the London Times truly says, in commenting on our election: "Such a situation is not inducible here. The discredited ministers would retire from office before the meeting of Parliament. An attempt to maintain a similar state of affairs would be passionately resented in France, yet it is borne in America without remonstrance, the victors patiently waiting the fruits which are to be found in their succession to the federal government."

This is undoubtedly the case, and the conclusion to be deduced from it is either that we are the more sensible people, or that we are even more strongly influenced by our material interests than that people who have been stigmatized as a "nation of shopkeepers." Independent of politics, the party newly come into power has the most glorious opportunity to shape the future welfare of the country that has ever been offered since the revolution. The industrial interests of the whole country may be made in all sections more prosperous than ever before; the disturbed finances adjusted; the former rapid progress of enterprise restored, and the whole accomplished with nothing more of statesmanship than the use of common sense. Who of us would not welcome the coming of such a party into power, whatever be its title. The people may be always safely trusted with the handling of the great interests of this country, and it would be quite as idle to say that the result of the late elections was not a direct expression of the people as to say it was a popular verdict in favor of the old democratic principles as now construed.

Much interest has been expressed, especially in this city, as to how the report of the investigating committee of the Pennsylvania Railroad Company would be received abroad, and, indeed, action was deferred on it until the English shareholders could be heard from. During the week the Times, of London, has been received, with a most favorable acceptance of the report. Not usually favorable to American enterprises, the Times, perhaps from the late change in the editor of the money article, assumes a very kindly feeling in this case, and manfully admits the force of the report, and the magnificent showing which it makes, in the following words:

"The company is very strong as it is, and the peculiar rights which it enjoys in land of rapidly growing value, in its leases, and in the strong hold which it has on a great traffic route, makes its prospects good."

With probably a continuance of the same feeling, the same journal in another article squarely recommends American investments, and especially commends our railways. The gist of most articles lies in the beginning and ending, and this is not an exception. It commences with the axiom that "the great North American Continent offers, beyond doubt, a splendid field for investment to the English capitalist," and closes with the conclusion that "the growth of railways in America has of late years been very rapid indeed, but they have not yet outgrown the demand for them, and the American railway system may even now be largely increased without going at all beyond its reasonable and legitimate limits."

While on railways, let us note the declaration of a semi-annual 5 per cent. cash dividend by the Penna. R. R. Co., payable Nov. 30th, with the following agreeable showing by the finance committee. The gross receipts of the past six months were over \$19,500,000, with expenses of \$12,500,000, so that after deducting interest, guarantees, deficiencies and provision for all contingencies, the net amount available for dividend was \$4,265,523, which left a 5 per cent. dividend, and paid State tax, and left a balance to the credit of profit and loss of \$535,634. Now these figures show that business has not been so bad for the year following the panic as stated. Here is an enterprise as much affected or more so than any other, earning 10 per cent. since the smash, providing for a very heavy interest debt, covering guaranteed interest on hundreds of millions, and yet putting by a surplus of over a million in the year's business. The London Times is right in American railways being good investments, but that is no reason for Smith to build a new rail mill, which is unfortunately the result when prosperity returns. The local gossip is dull. The Franklin Institute continues to attract visitors, and the committees are preparing their awards of premiums. The National Academy of Science has been in session here for some days, before which numerous papers of a strictly scientific character were read. This was an informal meeting, the law creating the Academy requiring official meetings to be held in Washington. At the Franklin Institute, Prof. Barker, of the University of Pennsylvania, shows what is termed a "thermoscopic paint," which is designed to indicate, by change of color, the presence of "hot boxes" when applied to journals. The peculiarity consists in the paint changing in color at a temperature of 160 degrees, from red to black, and returning to its natural color when cooled. Hence its applicability to journals. A project which will require the investment of large capital and the employment of numbers of mechanics is said to have been fairly organized. This is the construction of extensive docks and warehouses on the Delaware below the city. This

has been made necessary by the rapidly increasing commerce of the city and the lack of dock facilities. The efforts of *The Iron Age* in pointing out additional supplies of ore at low prices are fully appreciated by furnace men, if one can judge from their remarks. I was told to-day that this information was of the first importance; one furnace owner saying that he had to pay in this State \$4 per ton at the mine for a thirty per cent. ore, which was twenty miles from his furnace, and that Bessemer ores were worth from \$9 to \$10 per ton delivered at furnace. This is borne out by the fact that a cargo of Mooka ore, from Bona, Algeria, was lately discharging at our wharves, the freight on which, the captain said, was seventeen shillings per ton. This added to original price of ore and transportation by rail hence to works must bring it quite up to \$9 per ton. With the abundance of iron ores, it really seems sinful to be importing such material. In ore sales I hear of the purchase of some large properties in East Tennessee by English capital, amounting \$130,000, cash, also a large sale in Virginia, likewise for English account, and of the presence of several foreign parties in the field searching for black band ore, zinc ore and fluor spar, with a view to investment.

The Iron Resources of the United States.

PROF. J. S. NEWBERRY.*

(Continued.)

7. Lake Superior Iron Region.—The ores of this district have already been so fully described as to require here no lengthy notice. From the want of mineral fuel on the shores of Lake Superior most of these will go elsewhere to seek the coal; but with the richer ores—which will best bear the cost of transportation—there are found immense quantities of lower grade, that must be smelted, if at all, at home. For the reduction of these ores a limited supply of charcoal can be obtained near at hand; but the iron industry which is destined to grow up here must depend mainly upon the importation of mineral coal brought as ballast by returning ore vessels.

As dependencies on the Lake Superior iron district, we should mention the great number of furnaces and iron works located at Escanaba, Milwaukee and Chicago, on Lake Michigan; Detroit, Cleveland, Erie and Buffalo, on Lake Erie. To these and other points on the shores of the great lakes the ore is floated cheaply, and is manufactured where disembarked, or is distributed through the interior to be brought in still closer proximity to the coal; as at Brazil, Indiana; Columbus, Youngstown, etc., in Ohio. Already a great iron industry has grown up, based on the relations which have been indicated between the ore and coal. Within the last 50 years the increase of population and wealth along the shores of the great lakes has been almost without parallel in the history of the world. The next half century will probably witness even greater changes. To this prospective growth an abundance of iron will be a necessity, and this, from the nature of the case, must be furnished from three points or lines of manufacture; first, near the mines, where a limited quantity of iron will be produced from charcoal and coke or coal brought as return freight; second, along the shores of the lakes, where the ore is transhipped and meets coal from the interior; third, in the vicinity of the coal mines, to which the ore is brought overland by rail. Neither of these points or lines can monopolize the iron manufacture, since return freights must be furnished to empty coal cars as well as empty ore vessels. The preponderance of the lake shores or the interior will be determined mainly by the point to which economy of fuel can be carried in our iron manufacture. One and one-half tons of rich Lake Superior ore will make a ton of iron, while two and a half to three tons of coal are at present consumed in smelting it. Hence it would seem cheaper to carry one and a half tons of ore to the coal than two and a half tons of coal to the ore. But since the lake market is the great market, most of the iron made in the interior will be brought back to the lakes, thus equalizing the inequality, and making the lake shores at the present time as favorable locations for the manufacture of iron as the interior. If, now, it were possible to improve our processes of iron manufacture till we could make, as they do in the Cleveland district, England, a ton of iron from a ton of coke, or from a ton and a half of raw coal, it is easy to see that the lake shores would become the best positions for the manufacture of iron. This result might be attained by improving our processes and increasing the capital employed in the iron business, or, to be more specific, by bringing several furnaces under one enlightened management, and doing the business by wholesale rather than retail, and by adding to the height and capacity of the furnaces and increasing the pressure and temperature of the blast. All these improvements are, in time, sure to be made, and therefore we are safe in predicting that the shores of the lakes will become the chief places of manufacture of the Lake Superior ores.

8. The Far West. Little iron is yet made west of the Mississippi. Good ores abound, however, in many places, as magnetic and specular ores in the Rocky Mountains of Colorado, Utah and New Mexico, and in the Sierra Nevada of California. Clay ironstone of good quality also exists in connection with the Cretaceous lignites of Wyoming and Colorado. On the Chug Water in the Black Hills are heavy beds of magnetite, but these are so much contaminated with titanium as to be valueless. Throughout the Far West, timber, as a general rule, is not abundant, and hard wood timber is almost unknown. Good charcoal is, therefore, out of the question. Hence it is easy to see that the future success of the iron manufacture in that region will depend on the utilization of the Cretaceous and Tertiary lignites as furnace fuels. Though generally unfit for use in the blast furnace, they can undoubtedly be employed with Siemens' regenerator, and by this means the wants of the population can certainly be supplied with iron of home production.

*From *The International Review* for November, A. S. Barnes & Co., New York, publishers.

Cost of Manufacturing.

The following, which we take from the *Iron Molders' Journal*, a pamphlet setting forth the views of the molders' union, is interesting as furnishing a sample of trade union reasoning on matters pertaining to business management:

"Within the past twelve months pig iron has fallen in price from twenty to thirty per cent., according to quality, and in the machinery branch of our trade wages have fallen on an average about ten per cent. What reductions have been made to consumers we have no means of knowing, but feel confident it will not equal the reduction in raw material and wages."

"In the stove branch wages have not fallen, and the only advantage stove manufacturers have is in the reduced cost of pig iron; and if they have lived up to the pledges made by their association there has been no reduction to consumers."

"Pig iron is now sold at a figure which its makers claim does not cover cost, and it is reasonable to suppose that but a small increased demand for it will result in an increase of price until it reaches the prices paid one year ago—an increase over present prices of not less than twenty per cent."

"Mr. John S. Perry, of Albany, calculates that a gross ton of iron will make 2130 pounds of clean castings, which would make seven stoves at 300 pounds each. He further calculates that molding costs \$1.37 per hundred pounds, which would make the cost of a 300-pound stove for molding \$4.12½. No. 1 foundry iron was quoted in New York on September 10th at \$30 per ton, which, at Mr. Perry's figures, would make the iron in a 300-pound stove cost \$4.28, supposing that all No. 1 iron is used."

"Inside of six months it is safe to predict that iron will advance not less than 25 per cent., or \$7.50 per ton—an increased cost to the stove manufacturer on a 300-pound stove of \$1.07. When this increase in cost of pig iron is made we will never hear a word about foundries closing on account of it. They will continue without a protest, without a murmur against this increase in price, although it must sadly knock to pieces price lists, and, perhaps, contemplated profits. Let us however reverse the case. We will suppose that during the coming year the price of pig iron would remain at present figures, and that the molders should, all over the country, demand an increase in wages equal to twenty-five per cent., amounting on the 300-pound stove to \$1.03. What would be the result? It is barely possible that any foundry from Maine to Mexico would pay the advance without a fight, while the probabilities are that there would be an immense strike or lock-out in every foundry in the land. There is no possibility of such a demand being made, but it is possible that the ten per cent. taken off during the panic will be demanded, and we will hear a terrible wall about the injustice of the demand, although it will not, in a machine foundry, amount to an increase in the cost of manufacturing equal to an increase of \$3 per ton on pig iron. What we would like to know is why are such desperate means resorted to to prevent the molder from securing a small advance in wages, which would increase the cost of manufacturing to that extent, when a still greater increase of cost, through enhanced price of pig iron, is consented to without a word—in fact, looked upon as a matter of course? An increase in the cost of manufacture equal to \$3 per ton, by the molder, is an outrage that must be resented by a strike or lock-out for months; but an increase in cost of manufacture equal to three, six, ten or even twenty dollars per ton, by the pig iron manufacturers, is all right—it is business. Our members should carefully study these facts. The refusal of employers to submit question of wages to arbitration is based upon the knowledge and full appreciation of these facts. They dread their presentment to an unbiased person, knowing full well what the result would be, and preferring the arbitration of force, with the hope that such little secrets of the trade may remain locked in their own breasts."

One of the "little secrets of the trade" which the molders find it expedient to keep to themselves, is the fact that their labor is well paid. At a recent general convention of the iron molders' union, the following resolution was adopted:

Resolved, That it is unworthy of a member of this organization to talk in public places about how much money they make, as it works against the trade. 1. If there should be a strike or a lock-out, public opinion will be against us, and will decide in favor of our employers in all localities. 2. That this union, in convention assembled, do enjoin on every member to hold his peace, and it will be beneficial to all in time of strike or lock-out.

Had the gentleman who offered this resolution known enough to "hold his peace," the article above quoted would have appeared to better advantage in the columns of the *Iron Molders' Journal*.

A Substitute for Mica for Stove Lights.

Office of SCRANTON STOVE WORKS, SCRANTON, PA., Nov. 2, 1874.

To the Editor of *The Iron Age*.—DEAR SIR: Since the illuminating principle in stoves has become so thoroughly established, and the consequent demand for mica has become so disproportionate to the supply, it is not possible for some of our chemists to produce some chemical substitute for the same that shall be cheaper and as durable? Illuminating stoves to the household are like pictures on the wall, refining and civilizing in their influence and tendency, and so great a boon to mankind should not be jeopardized by fear of any failure of the supply in an article that possesses the quality of so much pleasure and health giving comfort. Should this suggestion be within the possibilities of chemical combinations, a liberal

reward would be paid by the stove manufacturers of the country. Very respectfully,
J. A. PRICE.

An Outlet for the Iron Trade.

The interesting statistics contained in the communication we recently published on the subject of narrow gauge railroads in America show that the system has made much more rapid progress than had been supposed, that it has been found to be peculiarly adapted, by the cheapness of construction and working, to a country like ours, where costly railways can only be made to pay in densely populated regions, and that the panic, which checked the construction of other lines of the standard gauge, did not interfere with the progress of the narrow gauge. It may be considered something marvelous that in a country where other gauges seemed to have the entire hold upon the public mind so much has been done for the new system. But in these days economy of construction and working is a grand desideratum, since it tells upon the ability of companies to pay interest and dividends, upon the question whether mountainous and sparsely settled regions shall have railways at all, and also upon the cost of freight and passenger transit.

In Pennsylvania this system assumes the character of an auxiliary to the main lines of broader gauge, and from the success it has thus far met with there is reason to believe that in time it will spread generally over the populous Middle States, and to a large extent supersede the use of the common roads. In mountainous regions this will certainly be the case. And if the system can be applied generally in the way we have noted, for local travel and traffic tributary to the main lines, it is obvious that an immense field is thus opened for the investment of American capital. What the horse railway does for local travel in cities the narrow gauge railway must do on a larger scale for local travel and freight in the rural districts. Many important main lines of railway suffer materially in their way business on account of the neglected condition of the common country roads, the effect of which is to diminish the amount of produce seeking shipment. The eminently practical mind of the late President Thomson referred to this in one of the annual reports of the Pennsylvania Railroad, and when the narrow gauge system came up he recognized that here was a practical substitute for the common road.

If we regard the system as applicable to this section merely in this light, it is difficult to tell where its construction would stop, for 10,000 miles of narrow gauge roadway would not more than answer the local needs of such State as Pennsylvania to take the place of the common roads, while New Jersey could easily support 3000 miles, and the peninsula between the Delaware and the Chesapeake the same amount. Here is an outlet for the American iron trade to which sufficient attention has not been paid. For while the building of lines of the standard gauge has stopped, the construction of street railways and narrow-gauge roads goes on uninterruptedly. That our city, and State appreciate the opening more than other seaboard cities and States is seen in the fact that the interest in the system centers here, Pennsylvania having entered largely into it and many of the Western lines being owned here. The Baldwin Locomotive Works promptly commenced the making of narrow gauge engines, and a firm at Wilmington the manufacture of narrow-gauge cars.

In the West the new system has assumed a different character, and is likely to crystallize there into important masses of lines of considerable length, the Denver and Rio Grand line being longer than from Philadelphia to Washington, as already built, and its full project being over eight hundred miles. If this development were limited to Colorado, New Mexico and Utah the utility of the arrangement would be obvious, for there population is very sparse, trade and travel limited, and costly railroads not wanted, while cheap lines are needed for government uses as well as for emigration and the produce trade. But a disposition has been shown to build enormous through lines from Denver to St. Louis and similar enterprises, and these can only injure the business of the existing lines. If the main lines of standard gauge in Missouri and Kansas had a mass of short narrow gauge roads tributary to them all would pay, and the aids to settlement and business would be valuable.

Cheap transportation has now been the cry so long that no means of attaining it should be neglected. Not only is it demanded here, but in Europe also, for the narrow gauge system originated in Wales, and has now become an accepted means of relief from the cost of the standard gauge lines in the British Isles, Sweden and Norway; is making progress in Russia and other countries, and is likely to be introduced in India and Australia. In our own country the general demand for cheap transit has led to tremendous schemes of water lines, for which the national government is asked to appropriate millions of money. To the farmer the question is so serious as to have led to a powerful and extensive secret organization. Well, here, in the new narrow gauge system, we have the means sought for without any government aid being required. Neither land grants nor endorsed bonds are asked, and the cost of construction and rolling stock is so cheap that the lines will pay a profit from the start. Here is an opening for Philadelphia capital, enterprise and industry. The beginning we have made in Pennsylvania, Colorado and Utah shows of what the new system is capable. It can and should be used in such a way as to make all our other railroad investments pay. But let us use the medicine here at home in the Middle States, while times continue so dull as at present.—*North American*.

Western Hardware Association—Minutes of the Convention.

CHICAGO, Oct. 13, 1874.

A convention composed of representatives from the various wholesale hardware houses of the West, met at the Tremont House, Chicago, Tuesday, October 13, 1874, at 11 a. m., for a general consultation as to the state of the trade, and for a better personal acquaintance with each other.

Mr. Seeberger, of Chicago, called the meeting to order, and nominated R. W. Booth, of Cincinnati, as chairman, who was unanimously elected.

JOHN CANTWELL, of A. F. Shapleigh & Co., St. Louis, SOLON PRENTISS, of Prentiss Bros. & Co., Detroit, JOHN NAZRO, of John Nazro & Co., Milwaukee, were elected vice-presidents, and JAS. M. HORTON, of William Blair & Co., Chicago, was elected secretary.

The following delegates were present:

R. W. BOOTH, of R. W. Booth & Co., Cincinnati, Ohio.
C. T. ADAMS, of Howell, Gano & Co., Cincinnati, Ohio.
L. PAPPENHEIMER, of L. Pappenheimer & Co., Cincinnati, Ohio.
A. CLARE, of Dickson, Clark & Co., Cincinnati, Ohio.

WM. A. MCCALL, of W. A. McCall & Co., Cincinnati, Ohio.
JNO. CANTWELL, of A. Shapleigh & Co., St. Louis, Mo.
E. C. SIMMONS, of Simmons Hardware Co., St. Louis, Mo.

ROBERT WILLIAMS, of McLaran, Williams & Co., St. Louis, Mo.
JOHN NAZRO, of John Nazro & Co., Milwaukee, Wis.
E. H. STONE, of R. Raney & Co., Milwaukee, Wis.

C. SHEPARD, of C. Shepard & Co., Milwaukee, Wis.

JOHN FRITZLAFF, of John Fritzlauff & Co., Milwaukee, Wis.

R. H. JORDAN, of W. M. Wyeth & Co., St. Joseph, Mo.

WM. ANDREW, of Andrew & Tredway, Dubuque, Iowa.

G. STEPHENS, of Westfall, Hinds & Co., Dubuque, Iowa.

JAMES FLETCHER, of Ducharme, Fletcher & Co., Detroit, Mich.

T. BULL, of Bull, Ducharme & Co., Detroit, Mich.

SOLON PRENTISS, of Prentiss Bros. & Co., Detroit, Mich.

J. G. STANDAERT, of Standard Bros., Detroit, Mich.

J. WHITAKER, of Whitaker, Phillips & Co., Toledo, Ohio.

D. C. DE LAMATER, of C. B. James & Co., Detroit, Mich.

ROBERT SICKELS, of Sickels & Preston, Davenport, Iowa.

JAMES MORTON, of Nelson & Co., Burlington, Iowa.

C. W. BELDEN, of Brintnall, Terry & Belden, Chicago, Ill.

A. F. SEEBERGER, of Seeberger & Breaker, Chicago, Ill.

JOHN ALLING, of Markley, Alling & Co., Chicago, Ill.

A. R. MILLER, of Miller Bros. & Keep, Chicago, Ill.

A. C. BARTLETT, of Hibbard, Spencer & Co., Chicago, Ill.

JAS. M. HORTON, of Wm. Blair & Co., Chicago, Ill.

MR. CAREY, of Layman, Carey & Co., Indianapolis, Ind.

Mr. Seeberger moved the appointment of a committee, consisting of one from each locality represented, to report on Wednesday morning the form for a permanent organization. Adopted.

The Chair appointed: Cantwell, St. Louis, Mo.; Whitaker, Toledo, Ohio; Prentiss, Detroit, Mich.; Adams, Cincinnati, Ohio; Jordan, St. Joseph, Mo.; Morton, Burlington, Iowa; Sickels, Davenport, Iowa; Andrew, Dubuque, Iowa; Stone, Milwaukee, Wis.; Bartlett, Chicago, Ill.

Adjourned to 3 p. m.

Convention re-assembled at the appointed hour, the president in the chair.

A resolution, offered by Mr. Nazro, referring to traveling salesmen, was referred to a committee of five.

Chair appointed: Nazro, Seeberger, Williams, Clark and Standart.

Mr. Pappenheimer presented a resolution in reference to price lists, which, with other papers of a similar character, was referred to the following committee: Pappenheimer, Alling, Simmons, Stephens and Shepard.

Messrs. Belden, Fletcher, Prentiss, Standart and McCall were appointed a Committee on by-laws.

The remainder of the session was devoted to a free and informal discussion of subjects of general interest to the convention.

Adjourned to meet on Wednesday at 9 a. m.

The convention re-assembled at the appointed hour, and was called to order by the president at 9:30.

Minutes read and approved.

Mr. Cantwell, chairman of the committee on permanent organization, made a report, which was accepted, and acted upon by sections.

The preamble and constitution were discussed, amended and adopted, and the committee discharged.

Adjourned at 1 p. m. to meet on Thursday, 9 a. m.

The association re-assembled at the appointed time, the president in the chair.

Reading the minutes dispensed with.

The committee on by-laws made a report, which was accepted and adopted, and the constitution and by-laws were signed by all the firms constituting the Western Hardware Association.

On motion, it was ordered to prepare ballots for the election of officers for the ensuing year.

Bartlett and McCall were appointed tellers.

R. W. Booth, of Cincinnati, having received a majority of all the votes cast for president, was declared duly elected.

John Nazro, of Milwaukee, having received a majority of all the votes cast for vice president, was declared elected.

James M. Horton, of Chicago, having re-

ceived a majority of all the votes cast for secretary and treasurer, was declared elected.

On motion, the elections were declared unanimous.

The committee on price lists made a report, which was amended and adopted in the following form:

Resolved, That it is the sense of this association that the secretary of the Western Hardware Association be instructed to issue a circular, signed by all the houses here represented, to the American manufacturers of hardware, requesting them to discontinue, as far as practicable, the use of all lists and discounts and printed quotations, either by circular or publication in papers.

Resolved, That we will give preference to these manufacturers who comply with the above request.

Resolved, That we, as jobbers, hereby agree to discontinue issuing printed prices, or any printed or written list with net prices or discounts attached, except such goods as have prices made for the retail trade by the manufacturers.

Resolved, That we will discontinue the selling or invoicing goods by discount as soon as we receive the co-operation of the respective manufacturers.

Resolved, That any person or firm sending out a circular shall mail a copy of each issue to each firm belonging to this association.

Resolved, That the thanks of this association be tendered to those manufacturers who have already adopted the system of selling their goods at net prices.

Mr. Nazro offered the following, which was unanimously adopted:

Resolved, That in the opinion of this convention, when prices of goods are established by the manufacturers, any deviation from the price and terms, in an indirect manner, by a credit or merchandise, or reduction in price of any other article, or any drawback to cover such indirect allowances, should and ought to be condemned as unmercantile and productive of demoralization, and we pledge ourselves to discountenance the practice.

Adjourned for half an hour to lunch.

The association reassembled promptly at 2 p. m.

Mr. Miller having announced the death of Edwin Hunt, of Chicago, moved the appointment of a committee to draft resolutions expressive of the sentiments of this association. Adopted.

The Chair appointed Miller, Bartlett and Seeberger, who reported the following resolutions:

WHEREAS, Edwin Hunt, one of the Fathers of the Western Hardware Trade, has been suddenly stricken from our ranks by the hand of death; be it

Resolved, That we deeply deplore the loss of one whose sterling integrity has made him an honor to the trade, and whose close attention to business and untiring industry in its transaction is an example worthy of our imitation.

Resolved, That our heartfelt sympathy is due, and is hereby tendered, to the relatives and friends of the deceased.

Resolved, That a copy of these resolutions be transmitted to the afflicted family.

Impressive and appropriate remarks were made by the president and Mr. Seeberger, when the resolutions were adopted unanimously.

The committee to whom was referred the resolution relating to traveling salesmen, presented the following report, which was adopted as a suggestion:

While your committee are of opinion that the traveling system, as it now exists, in its relation to business, its great expense, the unanimous opinion of its unprofitableness, a burden to the jobber, and productive of demoralization both to the buyer and seller, and in a measure tending to destroy the independence of the jobber, they believe it cannot be discontinued by us without a general breaking up of the system throughout the whole country.

Travelers ought to be brought more under the control of their principals, and some action should be taken by this association looking to improvement in the system. Should any such action be taken, generally observed and carried out, the evils now existing might be to a great extent lessened. In view of these facts, we respectfully make the following suggestions:

That traveling salesmen be not furnished with the cost of goods, as a general rule. Each merchant to use his own discretion, but exercise it with great care.

That the salesman should not under any circumstances vary the price or terms of any goods given him by the house he represents, without first communicating all the facts in the case to his principals, and getting their authority to change.

That all travelers be held to a strict and detailed account of their expenses, and before accepting the services of a traveler from another house in the same line of business, a reference should be required from his last employer, if a member of this association.

That the system of what is termed "baiting" be discontinued both by the travelers and the jobbers, as well in its tendencies and another cause of demoralization.

That no salesman be permitted to quote prices when he knows a competitor who is a member of this association has already sold the party, for the purpose of making the customer dissatisfied with the purchase recently made.

Mr. Adams offered the following, which was unanimously adopted:

Resolved, That this association approves the present system of prices and discounts adopted by the various manufacturers of horse nails, and recommends a continuance of the same.

Mr. Seeberger offered a resolution, which was adopted as follows:

Resolved, That the manufacturers of steel and wood farming implements be notified that it is the wish of this association that they make such prices and terms for the season of 1875 as will insure a gross profit of 10 per cent. to the wholesale dealer, to be allowed at the end of the season; provided, the party claiming the allowance has not sold these goods at less than the manufacturer's published price.

Mr. Pappenheimer offered the following:

Resolved, That the thanks of the visiting delegates to the first Convention of the Western Hardware Association be due in a high degree to our hardware brethren of Chicago for the warm welcome and generous hospitality which has made us, strangers in a strange city, feel as if we were enjoying the familiar society and comforts of home. Unanimously adopted.

It was decided by ballot that the next annual meeting should be held in Cincinnati, Ohio.

The association then adjourned, to meet in Chicago on the 13th day of January, 1875.

The Pennsylvania Steel Company commenced building their works in 1866, and, having made their first steel in the early part of 1867, have been in steady operation ever since, and each year steadily increasing the quantity and im-

proving the quality of their products. The improvements completed during the past year enable the company to turn out over 100 tons of steel rails per day, and they frequently now roll up to 115 tons per day, a result that they are to be congratulated upon, since a few years ago 50 tons per day was the average daily product of the different Bessemer steel works. Steel rails are now sold at the prices asked for good iron rails two years ago, so that there cannot be any question as to the great economy of using steel on all roads of any considerable traffic. Most of the leading roads of the country have already announced their determination to lay only steel rails in future. Of all the branches of the iron industry the Bessemer steel industry seems now to be the most active. The American works are now able to supply the entire home demand, and are determined to do so regardless of foreign competition, and are even looking toward South America and Russia for their future markets.

A Wooden Railroad in Michigan.—The tram road of Van Etten, Kaiser & Co., manufacturers of rough and dressed pine lumber and lath, at Pinconning, Bay county, Michigan, is 11 miles long, and is thus described by the above firm in a communication to the Chicago Railroad Gazette: There are first logs laid crossways about five or six feet apart. The logs are from 12 to 16 feet in length. Then gains are cut in the logs and flatted timber laid in these gains; this prevents the road from spreading. Our rails are of hard maple. Before spiking the rails down we put ties across the stringers, noting the stringer enough to let the tie down even with the top of stringer and spike the tie fast before the rail is laid on. The ties are of 2-inch hemlock plank from 6 to 12 inches wide; this prevents the stringer from rolling. We would recommend any one who wishes to build a road on the above system to build it as straight as possible. We have some curves in our road, and we have been obliged to dispense with wooden rails on the curves and lay down iron. We operate our road with locomotive power. Cost of building without rolling stock is about \$2000 per mile. The stringers are made from elm, oak, pine and ash, and are flatted on two sides to 10 inches in thickness.

Special Notices.

RAILROAD PICKS.
With U. S. Polish Points, 6 1/2 to 7 1/2 lb., Warranted, at \$5 00 per dozen.

Railroad Barrows "Packed,"
\$15 50 per dozen.

For Sale by
FUGLEY & CHAPMAN,
6 Gold St., N. Y.

Manufacturers and Dealers in Hardware, &c.

A Strike in Southington Rolling Mill.
This is to give notice to all the rolling mill men in general that we rolling mill men are firmly resolved not to go to work on account of three black sheep in our flock until their final discharge. All men will take notice accordingly that we intend to afford them no excuse for coming here for work.

TOBIAS ANDREWS, President.

Situation wanted by a young man 25 years of age, who has had several years' experience in the Hardware and Cutlery Trade, particularly in buying. Salary is an object, but will accept a small one until business improves. Best of references. Address,
O. E. Box 3064, N. Y. P. O.

Merchant Iron or Nails
Wanted in exchange for 300 tons No. 1 Wrought Scrap Iron.

GILCHRIST & GRIFFITH,
Mount Pleasant, Iowa.

A young man of twelve years' business experience, wishes to engage in

JOBBER OR MANUFACTURING
business. Can invest \$20,000.

Address,
C. E.,
Office of **THE IRON AGE**, 10 Warren St., N. Y.

Danville, Illinois.
Offers capitalists, manufacturers and skilled mechanics facilities for industrial purposes. He excelled if equaled by any other point in the West. Coal, wood, stone, timber, clay, water, and close railroad communication with every important commercial city in the Union. For circulars and particulars, address,
R. A. SHORP,
Secretary Improvement Association of
Danville, Illinois.

A young man, who can furnish good recommendations, and is a fair draughtsman, would like to make himself useful in and learn the business of some iron manufacture.

Address,
WILLING,
Office of **The Iron Age**, 10 Warren St., N. Y.

A mechanical engineer, experienced in propeller and general Marine work, Locomotives and Corporation Pumping Engines, &c., &c., would like an engagement after January 1st to take charge of a drawing room, or act as a general superintendent.

Address for references,
A. E. W.,
114 Fulton Street, New York.

Wanted.
A purchaser for a part interest in my

Patents for the Manufacture of Iron and Steel,
From which large returns may be had, either to manufacture or to license others to. Reference will be given to parties where the processes have been thoroughly tested and proved to be economical for the manufacture of superior qualities of wrought iron which are not now made in this country, and are imported from Sweden. Any inferior Cold Short Pig Iron makes Wrought Iron by these processes that is equal to the Best Charcoal Bloom Iron, and at \$20 to \$30 per ton less cost. Address,
JAMES HENDERSON,
30 Broadway, N. Y.

THE
CANADIAN BANK OF
COMMERCE.

Capital - - \$6,000,000, Gold.
Surplus - - \$1,800,000, Gold.

The New York Agency, No. 50 Wall Street, buys and sells Sterling Exchange, makes Cable Transfers, grants Commercial Credits, and transacts other Banking Business.

J. G. HARPER,
J. H. GOLDBY, Agents.

Special Notices.

A RARE CHANCE.

The proprietor of a fine hardware store desires to engage in manufacturing, and will sell his stock (about \$7000) at a sacrifice. Store to sell or lease. About 300 miles from New York, in the most beautiful and enterprising town in the State. This is the best chance offered for years. Parties desirous of examining the property can do so by addressing
S. J. J.,
Office of **The Iron Age**, 10 Warren St., N. Y.

A PARTNER WANTED

by the 1st of January, 1875, in an established Hardware business, who can put in from \$20,000 to \$25,000, either cash, or stock suitable for jobbing trade.

For particulars, address, **B.,**
Office of **The Iron Age**, 10 Warren St., N. Y.

HARDWARE.

FOR SALE in the best business part of Jersey City, a first-class **Tool and Hardware** business. Established about 25 years, and doing a fair business.

Apply to
H. LUTIGEN,
57 Montgomery St., Jersey City.

EUGENE BISSELL, AUCTIONEER.
By BISSELL & CO.,
Successors to R. T. HAZELL & Co.,
Store No. 94 Reade Street.

Our REGULAR SALES of HARDWARE, CUTLERY, FANCY GOODS, &c., will be held on TUESDAYS and FRIDAYS throughout the season. CASH ADVANCES made on CONSIGNMENTS without additional charge.

TO INVENTORS.
Patents secured in the United States and Europe, on the lowest terms and very

PROMPTLY,
by **A. V. BRIESEN**, Solicitor of Patents and Attorney at Law in Patent Cases.
258 Broadway, N. Y., cor. Warren St.

SPECIAL NOTICE.
I have three patents for Dies, Machinery, and Tools for making Augers and Bits, each running seventeen years; dated as follows: Dec. 19, 1865; January 31, 1866, and July 3, 1866. There is a special claim on each of the Dies. All persons infringing on said patents will be held responsible to the extent of the law. **Russell Jennings.**
DEEP RIVER, Conn., Sept. 7, 1874.

MANUFACTURERS
desirous of introducing their goods to the British and Continental Markets, are advised to insert advertisements in the newspaper "THE IRON AGE," published every Saturday, at 99 Cannon Street, London, E. C.

Scale: First 3 lines, 3/4; every additional line, 10d. Price, 6d. per Copy, or 30/ per annum, inclusive of postage to the United States.

Wanted.
A situation as bookkeeper or cashier of an iron works, a hardware business, or in the coal trade, which the advertiser understands in all its branches. Highest references of character, capacity, &c.

Address,
H. D.,
Office of **The Iron Age**, 10 Warren St., N. Y.

THE
Fletcherville Blast Furnace Co.,
Manufacture

CHARCOAL PIG IRON.
Exclusively from New Bed Pure Magnetic Ore, suitable for Bessemer, Malleable and Car Wheel purposes, or for foundry use where very soft and strong iron is required.

Analysis of Average New Bed Pure Ore.
Metallic iron.....68.340
Oxygen with iron.....30.010
Water......380
Insoluble silicious matter.....4.330
Sulphur, practically none......048
Phosphorus......068
Alumina......280
Lime......140
Undetermined matter and loss......592

Analysis of No. 1 Bessemer Pig.
Undetermined matter and loss.....154
Silicon......1019
Carbon......3.821
Phosphorus......048
Sulphur, practically none......140
Metallic iron.....94.588

100,000
100,000

Witherbees & Fletcher,
Port Henry, Essex Co., N. Y.
Furnace at FLETCHERVILLE, near Mineville, N. Y.

J. M. WHITE,
Architect and Constructor of Charcoal Blast Furnaces. Plans, Specifications and Estimates of construction furnished upon application.

Office address,
PON DU LAC, WIS.

A. PURVES & SON,
Corner South & Penn Streets, Phila.,
Dealers in

Scrap Iron and Metals, Machinery, Tools, Shafting & Pulleys, Steam Engines, Pumps & Boilers, Copper, Brass, Tin, Rabbit Metals, Foundry Facings. Best Quality Ingot Brass. Cash paid for all kinds of Metals and Tools.

THE
McHaffie Direct Steel Castings Co.
STEEL CASTINGS.
Sold and Homogeneous, guaranteed to stand a Tensile Strain of 25 tons per square inch. An invaluable substitute for expensive WROUGHT IRON FORGINGS or for Iron Castings, where great strength is required. Office, cor. Fellman and Leavitt Sts., PHILADELPHIA.
Send for Circular and Price List.

WHITE & ERLING,
Manufacturers of

Pressed and Japanned
TIN WARE,
Milwaukee, - - Wis.

Solicit correspondence from parties having **Tinners' Specialties and Goods** in our line of manufacture to sell. A large acquaintance with the trade of the Northwest makes us desirable mediums for manufacturers and inventors for introducing and selling their goods in connection with our own.

Special Notices.

WM. E. TANNER & CO., Metropolitan Works.

Manufacturers of
Steam Engines, Boilers and other
MACHINERY,
Canal St., from 6th to 7th, Richmond, Va.

In addition to a full line of new engines, boilers, saw mills, and other machinery of our own manufacture, we have now on hand and will sell at very moderate rates, the following lot of second-hand machinery, viz:

3 Portable Hoisting Engines, suitable for mining, tunneling or other purposes. Each of these engines has two cylinders, 7 1/2 in. diam. by 18 in. stroke; two drums, 4 ft. diam. by 4 ft. long; geared to engine in proportion of 8 to 1, and are provided with disconnecting gear and friction brakes.

One 150 Horse-Power Stationary Engine, with heavy fly wheel, all complete, and nearly as good as new.

Three Return Tubing Boilers, (70 three inch tubes each), 15 feet long, complete with steam drums, frames, valves, grates, &c., suitable for the above engine.

One 10 Horse-Power Portable Engine of our own make, complete, with two driving pulleys, "Judson" governor, &c., nearly new, and in excellent order.

One 30 Horse-Power Stationary Engine, with circular saw mill, saw and belt complete, in first rate order.

Three 4 Horse-Power Stationary Engines. Cylinder, 4 in. by 10 in.

One 30 Horse-Power Stationary Engine, as good as new, complete, with "Judson" governor, fly wheel, &c.

One 30 Horse-Power Stationary Engine, in good running order, but not as new as the above.

One 10 Horse-Power Stationary Engine, with new vertical boiler.

One Otto Hoisting Engine, in good order.

Two 14 in. Boilers, 26 ft. long, 42 in. diam., each with two 14 in. flues, iron front, grates, &c., in good order.

One Fine boiler, 34 ft. long, 48 in. diam. with two 14 in. flues, about as good as new.

One 7 Horse-Power Portable Engine, of our own make, used only a few months, and in perfect order.

Two No. 6 Sturtevant Blowers. Two No. 4 McKee Blowers. One No. 6 & 8, screw's Centrifugal in group. One No. 6 Turbine Centrifugal Pump. Three No. 0 Cameron Pumps. One No. 2 Cameron Pump. One Knowl's Pump. One Earle Pump.

Thirty Brass Tubes, 1 1/2 diam., 13 1/2 ft. long. Send for illustrated catalogue and Price Lists.

Trade Report.

Office of THE IRON AGE.
WEDNESDAY EVENING, NOV. 12, 1874.
The past week has witnessed considerable activity in Wall street, and, as a rule, the prices of securities have advanced. In the general markets a better feeling is reported, and trade is somewhat more active than last week. The money market continues easy to borrowers on call, who are freely accommodated at 2½ @ 3½ per cent. The discount rate on commercial paper is 5½ @ 7 per cent. for prime double endorsed, and 8 @ 12 per cent. for single names. The following is a comparison of the bank averages for the past two weeks:

	Oct. 31.	Nov. 7.	Differences.
Loans.....	\$381,938,500	\$385,066,500 Inc.	\$3,128,000
Deposits.....	19,081,100	19,574,800 Inc.	493,700
Res. Fund.....	20,821,600	21,451,700 Inc.	630,100
Capital.....	235,823,700	236,738,900 Inc.	915,200
Circulation.....	20,057,000	20,082,400 Inc.	25,400

The gold market has been very steady, the premium fluctuating between 110 and 110½. Cash gold has been borrowed on easier terms than last week. The following shows the highest and lowest daily quotations:

	Highest.	Lowest.
Thursday.....	110½	110
Friday.....	110½	110
Saturday.....	110½	110
Sunday.....	110½	110
Monday.....	110½	110
Tuesday.....	110½	110
Wednesday.....	110½	110

In the stock market there has been considerable activity, and the tendency of speculative shares has been decidedly upward. The principal transactions have been in Lake Shore, Western Union, Union Pacific, Ohio, Pacific Mail, Erie and Wabash. The highest and lowest of to-day's prices of active shares are given below.

Government bonds have been steady at home and abroad, with foreign prices enough below those quoted in this market to make their importation profitable. Southern States bonds have acquired a decidedly better tone since the election, Northern bonds continue strong, and railway mortgages are advancing on a better demand for investment shares. We give below the closing prices of governments.

The following tables show the movements in foreign trade for the week:

	1874.	1873.	1872.
Total for week.....	\$3,697,573	\$3,022,754	\$7,771,098
Prev. reported.....	\$69,078,729	\$38,466,015	\$32,185,727
Since Jan. 1.....	\$377,776,303	\$341,488,769	\$339,936,879

Included in the imports of general merchandise for the week are:

	1874.	1873.	1872.
For the week.....	\$5,227,617	\$7,439,773	\$5,161,341
Prev. reported.....	\$19,540,008	\$20,369,474	\$45,651,598
Since Jan. 1.....	\$199,767,701	\$357,539,347	\$250,792,539

Total for the week..... \$23,453,712
Previously reported..... \$44,034,712

Total since January 1, 1874..... \$44,363,197
Same time in 1873..... \$41,335,543
Same time in 1872..... \$68,449,464

Government bonds close as follows:

	1874.	1873.	1872.
U. S. Currency 5's.....	115½	115½	115½
U. S. 6's 1881, reg.....	115½	115½	115½
U. S. 6's 1881, con.....	115½	115½	115½
U. S. 6's 1881, 30 reg.....	115½	115½	115½
U. S. 6's 1881, 30 con.....	115½	115½	115½
U. S. 6's 1881, 30 reg.....	115½	115½	115½
U. S. 6's 1881, 30 con.....	115½	115½	115½
U. S. 6's 1881, 30 reg.....	115½	115½	115½
U. S. 6's 1881, 30 con.....	115½	115½	115½
U. S. 6's 1881, 30 reg.....	115½	115½	115½
U. S. 6's 1881, 30 con.....	115½	115½	115½

The following were the highest and lowest prices of stocks to-day:

	Highest.	Lowest.
N. Y. Cen. & Hudson Consolidated.....	103½	103
Lake Shore.....	81½	81
Rock Island.....	99	98½
New Jersey Central.....	106½	106
Del. & Lack. and Western.....	100½	100
Wabash.....	31½	31
Canton Land Co.....	55½	55
Western Union Telegraph.....	79½	79
Atlantic and Pacific Telegraph.....	104	103½
Northwestern.....	30	29½
Ill. Cent. & St. Paul.....	34½	34
Pacific Mail.....	45	44½
Erie.....	29½	29
Ohio & Michigan.....	35	34½
Union Pacific.....	36	35½
C. & Ind. Central.....	11½	11
Hannibal and St. Joseph.....	26½	26
Quincy.....	32½	32
Adams Express.....	117½	117
Wells, Fargo & Co. Express.....	79½	79
United States Express.....	64	63½

GENERAL HARDWARE.

Trade continues in much the same condition noticed last week. Some houses report increased activity, while, on the other hand, many complain of dullness.

We print on the opposite page the minutes of the late convention of jobbers in Chicago. The resolutions in regard to price lists we published before, and this is the only action that has any general importance. As to travelers, they seem to have been very loose in their practice hitherto, or they would not have seen the necessity of adopting such "suggestions" as they did; and this one thing shows how

much of the difficulty of their present situation is due to their own reckless competition. It will be worth while for our readers to read very carefully these suggestions about travelers as well as the resolutions about price lists; and they can then form their own opinion of the wisdom of the persons assembled in this convention, and the amount of good that will probably result therefrom.

When we first published the resolutions about price lists, we stated that their request would not and could not be complied with, and the time that has since elapsed has fully confirmed what we said. With the exception of one manufacturing concern that issued a circular before the meeting of this convention, stating that at present they would not publish any changes in price, but might be depended on to meet competition, we do not know of a single instance in which a manufacturer has made any change in his method of doing business, and even if some should do so, it is pretty certain that there will be enough left who are very ready to quote prices, and if the general knowledge of manufacturers' prices is incompatible with the success of the jobbing trade, they must modify their business or take the consequences. We should be sorry to see an influential and worthy trade come to grief, but changes in the methods of doing business are always going on, and if it is more advantageous for the small trade to buy of jobbers than of manufacturers direct, they will do so; if not, they will buy of the manufacturers, and nothing that either party can do will prevent it. Whatever happens as to the larger retail trade, there is a class of small dealers that the manufacturers and the large New York houses do not care to sell to, and who will naturally buy of some dealer near home. These are the legitimate customers of the local jobber, who must be paid for his capital and labor, and cannot afford to sell such a customer as cheap as a larger house could buy. If such a customer receives printed prices lower than the jobber can afford to sell at, the jobber must have backbone enough to insist on living rates or do a losing business.

We have received the following letter for publication:

HARDWARE JOBBERS AND PRICE LISTS.

Referring to the recent deliberations of a respectable portion of the Great American Hardware Family, at Chicago, with the charitable design of prescribing for the family's aches and pains, and promoting the general health and happiness, it seems clear to some interested and intelligent minds that an egregious failure has been made in the two vital necessities of the case, namely—in stating the real trouble and in prescribing the proper remedy. It is true that the jobbers, as a class, have been discouraged by many seasons of trade without profit, and that the present outlook is not such as to encourage them in expecting very speedy improvement. But while they are entitled to consideration and sympathy in the burdens they are bearing, they justly stand accused, before the whole hardware interest of the country, of an utterly narrow and *ex-parte* view of affairs, and of a selfish provision for their own interests manifestly at the expense of all other parties concerned.

The general aspect of business is one of demoralization both of prices and the well established methods of trade, equally unsatisfactory to the different classes interested, namely—the manufacturer, merchant and consumer—for while there are no profits to the former, by reason of excessive competition, there remains only exorbitant prices for the latter occasioned by passage through many hands. Each is expensive and extravagant in his way. There are too many manufacturers, too many dealers and classes of dealers; there is an unhealthy and unnecessary competition between them; the proper relations of supply and demand do not exist—and in addition to all there is a revolution in the way of doing business toward completion going hand in hand with the development of this country and the world, which enters as an important element in that interesting solution called "the condition of trade."

If this is a true statement of the case, it logically follows that the promises and conclusions of the Western Hardware Association rival each other in being narrow, selfish and unsatisfactory. They are the only parties agreed, and the remedy applied must be such as to fit their case only. Price lists and market reports are the whole cause of the trouble—therefore the abolition of price lists and market reports is the natural remedy. They are ordered discontinued. The decree is pronounced and the penalty is affixed. Now do you in New York, or you yourselves—ye Western jobbers in convention assembled—do you really believe that price lists and market reports are going to be discontinued? Would that be the way the 19th century does things? Allow that one or two manufacturers, for reasons we presume known to themselves, have done it, do you suppose that it can ever become general? I would respectfully, but seriously, doubt whether the jobbers themselves will adhere for any length of time to their own rule. In fact, if things were pressed, I think I might be persuaded to mention to the law where the law has already been broken by its makers. However, please don't "press things." The abolition of price lists would immediately result in a damage to the interests of what the writer would respectfully but confidently assert to be the two and only necessary and proper constituent parts of the hardware trade of the United States—namely, the manufacturer, or his representative in the general markets, and the retail dealer acting directly with the consumer. It would involve the manufacturer in largely increased expense in bringing himself and his product before the retailer, his only legitimate customer, and it would entail on the consumer a line of exorbitant prices entirely unnecessary, nor would it in any way tend to secure the ends required by the very merchants who make the request. As before intimated, the class of dealers known as exclusive jobbers are not in any sense a necessary or desirable part of the general hardware interest of the country. The existence of such a class involves an unhealthy and unmanageable competition with the manufacturer, absolutely, in many cases, so placing the latter that he cannot meet the market on his own goods. It presents a kind of dealers who speculate on prospective values, and then demoralize trade by slashing prices when necessary to unload—a kind who are of no assistance in introducing new articles, but of characteristic avarice in speculating on them when introduced. In most of the large commercial cities of the world this class of dealers is nearly or quite extinct, and in their place we find the office of the manufacturer, or the agent who represents two or more manufacturers, through whom the product can be disposed of with more profit than to be dependent upon the jobber, who will not invest in

new brands of goods, but only such as are already in constant demand.

The natural solution of the whole matter is, first, the resumption of the proper and healthy relations between supply and demand; a stiffening up of the sound rules of credit, which will weed out a large class of irresponsible dealers; the now aggrieved class of exclusive jobbers assuming the proper position of dealers direct with the consumer, in other words, of retailers; then the habitual purchase of goods in such quantities as can be paid for at maturity, and with a reasonable prospect of their sale in the proper season at fair profits, each one having his own standard of prices, and not making them by those of a competitor. When such a state of affairs arrives, and not until then, there will be profit in trade, and the family will be prosperous and happy.

TRAVELER.

St. Louis, Nov. 3, 1874.

A prominent jobbing house in Philadelphia sends us the following letter, which fully explains itself:

To the Editor of The Iron Age: In communication signed "Coffee Mill," in your issue of Oct. 29th, we notice a remark which we suppose refers to us, viz.: "There is in Philadelphia today a hardware jobbing concern that do an immense business and yet make no money, and what is more, won't let any one else make any." Now, we don't know who "Coffee Mill" is, or what he manufactures, but have to take your word for it that he is one of the largest and best known in his line of business; just what that business is, or how many others are in the same line, remains in the dark.

Assuming above remark refers to us, would say we are doing an immense business, but have never yet seen the year we did not make money, and might here add that we are not in business for glory; and when the time comes that we cannot make money by our way of doing it (which is to sell a large quantity of goods, at reasonable profits, make short credits and cash purchases), we will not continue. We think others that do business on the above basis will agree with us that there are no other ways of doing it, and that the hardware business, and that in the jobbing Hardware business, they can do their business much cheaper through such houses than by going direct to the small trade, which, instead of being a detriment to the consumer, is really a benefit, by placing the goods to him in the cheapest manner.

If we knew who Coffee Mill was, we might throw some light on his apparent enmity to us. We can imagine no reason, without it is that he can afford to give the jobber so little margin that we cannot afford to handle his goods, therefore he cannot see how we can make any money.

It appears from another remark of his, about having to "compromise at 50 per cent., or extend one, two or three years without security or interest," that he has not been in the habit of selling goods to the jobber so cheaply as he is now, therefore his evidence is hardly admissible as to the profit in a manufacturer selling to such classes of houses.

His own remarks about his having to meet the jobber's prices on his own goods are arguments that jobbers can sell goods to the smaller trade lower than the manufacturer, and as we can see money in it, think our customers will not object to paying less than they would by buying direct, and we still expect to give the benefit of our cash purchases to those buying the same way from us.

Sargent & Co. report having made the following changes since issuing their bulletin of September 25. All these prices are subject to their extra discount of 10 per cent. for prompt cash:

386 1/2,	No. 374, Bronze Metal Butts.....	dis. 60
387,	" "	

(Borehaven) — **HAMBURG, Oct. 29, 1874.**—*Metals*.—Copper.—Not much can be said about the copper market in the German Copper markets for the week under review. The general run of business has been quiet, but prices have not been well sustained. We have on sale at Hamburg 100,000 lb. of Swedish metal, which is the only quantity being held too high, it has been impossible to offer any portion thereof worth recording. Swedish copper here commands no more than 25 to 26 shillings. Both Berlin and Stettin are inactive. A decline has to be reported in the prices of the metals of the Rhine, and in the Netherlands, and we remain at the reduced quotation of 25 shillings for the best quality of Swedish metal. In the Netherlands and England the market is confined to Stettin and Stettin present no new feature in this particular metal. Lead is as firm as usual; Spanish at Stettin is bringing 7 to 8 shillings, and the best quality of English at 6 shillings 6 pence and Spanish at 25 to 25 50. *Spelter* continues to look up,

especially at Breslau, which quotes C. G. H. and F. H. 7½ thalers, and W. H. 7½. Stettin is well supported at 8 to 8½ thalers. We have released into quietude here, and prices are nominal, without any official alteration.

HOLLAND.

ROTTERDAM, Oct. 24, 1874.—Tin.—Early during the week the market was firm, and Banca spot, sold at 57½ to 57¾ guineas, and delivery from the November sale at 57½ to 57¾. But by degrees a duller feeling manifested itself, Banca now being offered at 57½ on the spot, and at 57¾ for November auction delivery.

EAST INDIES.

GALLE, Ceylon, Sept. 16, 1874.—Plumbago.—We scarcely hear of any transactions; there is little offering for sale, and, on the other hand, the demand is very slack. Without an advance in present quotations it would seem there is really, as has been frequently remarked, no inducement for diggers to operate.

COLOMBO (Ceylon), Sept. 19, 1874.—Plumbago.—

Without change. Better prices have lately been fetched in London for good, bright qualities, and as the large stocks on hand are reported mostly of very inferior quality, we shall not be surprised to see some inquiry from home quarters set in, before very long. P. 8, 20th.—There is a little better inquiry from London; prices steady. Market is kept by dealers very bare of supplies. We quote, free on board with commission, exchange at par: Lump, 380 per ton; Chips, 190/6; and Dust, 115/6. Season's export to England, 117,155 cwt.; to the United States, 87,698, and to other countries, 329; together, 137,267 against 168,627 in 1873; 139,910 in 1874, and 82,285 in 1871. Exchange firm at 1/10½.

BATAVIA, Java, Sept. 12, 1874.—Tin.—

Billiton. The next sale will be held on October 12, and will comprise about 9000 cwt. In the weekly sales have been made at a concession on last prices. English Bars have also been placed at a decline; in other descriptions there is little doing. Copper Sheathing is in limited request, but holders are firm. Coal.—Several cargoes of both English and Australian are offered afloat, but no transactions are reported. Exchange fairly active at 11¼ guilders the pound sterling, 6 months, London.

Our English Letter.

Review of the British Iron, Steel, Metal and Hardware Trades.

(From our Regular Correspondent.)

SHEFFIELD, Eng., Oct. 23, 1874.

THE STATE OF TRADE

generally is tolerably steady, and there is more firmness in several branches than has been observable of late. There is, nevertheless, one notable exception to this otherwise pleasing state of things, and that is the rail trade, which remains sluggish. For iron rails, in particular, the inquiry is almost wholly confined to small orders for light sections suitable for colliery or street purposes. The Welsh works, by taking contracts as low even as £7. 2/6 per ton, are doing a limited business for South American and Turkish undertakings, there having been last month about 18,000 tons shipped from all the Welsh ports of all classes of iron. Of that total Cardiff contributed 8000 tons, and Newport 8700 tons, the balance being made up at the other ports. 18,000 tons of iron is a wretched production for the whole of the great establishments which rear their giant heads in the valleys of the little principality, hence we need not manifest much surprise at learning that the whole of the ironworkers have received notice of a further drop of 10 per cent. in wages. The plate trade, whether taken as the ordinary plate or tin plate departments, is not pressed with orders, albeit it is mentioned that a good Shropshire house is very busy. Hoops and sheets are sought after, there being an especially vivacious inquiry for Baldwin's "Wilden," Knight's "Cookley," "the Regents Grove" and the "Trident" brands. It is even stated that the producers of these best sheets have commissions on hand which will take them several months to execute. A statement of this kind would have had a "fishy" appearance a week or two back, but there is now some reason for supposing it to be well founded. Indeed, it appears very probable that with the exception of South Wales, and, to a certain and smaller extent, the Cleveland district, the now rapidly approaching winter will be tidied over by the British iron trade in a contented manner, a content which may probably widen into a certain proportion of activity in the cases of the leading firms in any given industry.

TOUCHING POLITICS.

It is again asserted in well informed circles at Berlin that Germany is organizing her army and means war. In that direction, indeed, the bellicose propensities will first be directed yet remain to be seen, but it is whispered that a sort of paternal inquiry will be set on foot in both Belgium and Switzerland in order to ascertain whether those two countries are able to defend their neutrality. The ostensible pretense for making this inquiry will be that either Belgian or Swiss territory might very well serve for the *via media* for a French army to issue forth from on a warlike expedition to the Fatherland, and that as the neutrality of Switzerland has been acknowledged, and that of Belgium guaranteed by Germany, she has the right to inquire into their capabilities on this head. "So far so good," we English may very well exclaim, with the mental reservation that we also have guaranteed Belgium, and that we have a far greater interest than any other country in the preservation of their autonomy by these little States. With the domain of politics proper we of this publication have little to do, but seeing that politics influence and direct commerce, it behooves us to keep a keen outlook for contingencies of all kinds. The late German-French war, without doubt, was the prime cause of the recent abnormal activity of our iron trades, and it is a well understood axiom that whatever tends to transfer the German population from peaceful to warlike occupations redounds to our advantage, inasmuch as it not only withdraws a formidable phalanx of competitors from the trade, but also (at the close of the fighting) creates an enormous demand for iron to replace that destroyed in structural and other appliances. This is, no doubt, a very low view of the horrors and destruction incidental to war in any case and under any circumstances. It is, nevertheless, an indisputable fact and one which men of business cannot well fail to bear in mind in weighing up the probabilities of the trade outlook. There may, it is quite true, be any rupture for a long time. Peace may prevail and commerce be ruled by its ordinary conditions. Still, appearances are ominous, and all the intelligence we are

able to gather points to a disturbance of the peace of Europe.

SCOTCH PIG IRON.

Since I last wrote there has been a considerable depression in the prices of special brands of Scotch pig iron, partly owing to a reduced demand, and partly by reason of a steadier production. The stock in Connal's stores is very little in excess of 17,000 tons, a total which has not been greatly exceeded of late, so that it would appear that although the production is quite ample enough to supply the current demand, it is not so greatly in excess of it that iron has of necessity to be sent into store. There are now 119 furnaces in blast out of a total of 157. Writing on October 23d, of last week, Messrs. James Watson & Co. report thus: "We have to report a comparatively steady market for Scotch pig iron, price of war fluctuating between 83 and 81/8, closing to-day firm at 82/6, cash, rather buyers; it will be noted that quotations for principal shipping brands have been further reduced. Shipments last week were 10,140 tons, against 12,689 tons in the corresponding week of 1873. We quote:

	No. 1.	No. 2.
G. M. B., at Glasgow	89/	79/
Gartsherrie, "	102/6	82/6
Coltness, "	102/6	82/6
Summerlee, "	98/6	80/6
Langloan, "	102/6	82/6
Carnbroe, "	94/6	80/6
Calder, at Port Dundas	105/	82/6
Gleangarnock, at Ardrossan	96/	81/
Eglington, "	87/	79/
Dalmellington, "	88/	79/
Shotts, at Leith	102/6	82/6
Kinnell, at Bo'ness	98/6	80/

	No. 1.	No. 2.
G. M. B., at Glasgow	89/	79/
Gartsherrie, "	102/6	82/6
Coltness, "	102/6	82/6
Summerlee, "	98/6	80/6
Carnbroe, "	94/6	80/6
Calder, at Port Dundas	105/	82/6
Gleangarnock, at Ardrossan	96/	81/
Eglington, "	87/	79/
Dalmellington, "	88/	79/
Shotts, at Leith	102/6	82/6
Kinnell, at Bo'ness	98/6	80/
Naill Rods	10	

	Tons.
Week ending 24th October, 1874	10,324
" 23rd October, 1873	11,435
Decrease	1,111
Total decrease since 25th December, 1873	154,342

THE CLEVELAND DISTRICT

is fairly well off for orders of puddled bars, for pig iron on Dutch, Belgian and French account, as also for ship plates and other shipbuilding iron, but the district rail mills are by no means well employed. There have been about a dozen failures on the Tyne side within the past week. A local paper thus alludes to these break downs: "The failures which occurred on Tyne side last week were the source of a good deal of excitement and anxiety in business circles. But the fact was they had little to do with what may be called the legitimate business of that river. As before pointed out, several new houses came into existence during the time of high prices. Some of them, in the language of the turf, 'plunged' a great deal, and bought heavily. Business took another turn, and some establishments found themselves with a good amount of stock on hand which they could not realize except at a loss, and the rest may be quite understood. The failure of Messrs. John Softer & Co., iron shipbuilders, of North Shields, is likely to involve several establishments in loss, though the indebtedness is understood to be a good deal scattered. It is said their liabilities are about £25,000. The firm is stated to have taken their orders too low, and it is said that the liquidation will be unfavorable to the creditors."

THE TRADES OF SHEFFIELD.

In some branches of industry it is beginning to be apparent that, although they may not be subjected to any unusual pressure of orders, there will be a tolerably steady amount of employment throughout the coming winter months. To the majority of the manufacturers concerned, such a state of affairs will be far more satisfactory than an abnormal activity inducing the refusal of some commissions, the cancelling of others, and the generation of a state of rebellious independence on the part of the workmen. With a good inquiry for the leading articles of their manufacture, even if orders have to be accepted at an unusually low rate of profit, producers will not fail to tide over the cold period of the year with satisfaction to themselves and their customers. So far as we can at present ascertain there is not much probability of the price of fuel being enhanced beyond a merely nominal increase, there being a greatly augmented output from the local and district collieries, together with a closer competition owing to the large number of new pits recently opened out. This main source of anxiety being to that extent disposed of satisfactorily, it appears highly probable that the engineering, tool, foundry, brass and some few other departments will have an average amount of employment for the next six months.

The erection of new iron and steel works, the extension of those already in operation, the sinking of new collieries and other collateral undertakings have been, and are still being, the means of providing the foundries and engineering works with a great deal of work. Much of this is still in hand on account of orders received some time ago, and there are yet others of fair proportions on the books of several local establishments. Renewals of worn out and broken machinery are also a constant source of demand, particularly in the very heavy trades carried on in the eastern portions of this town. In this respect some powerful engines for rolling mills and other machinery have lately been fitted up as well as constructed by at least one local concern.

Machine tools are being freely produced, and edge tools are now in even better request than I stated last week. I learn that almost all the houses in this branch are doing a heavy business, and that the leading firms are in receipt of more orders than they can well get out of hand in a reasonable period. Workmen are scarce, but those obtainable in these instances have instructions to make as much time and turn out as much work as they like up to Christmas, at any rate, and possibly for much longer.

There is not much alteration in the demand for, or the prices of, ores and other raw materials. Spanish ores are nominally quoted at about 17 to 19 per ton at British ports, but there is not at present any quantity on offer, consequently no transactions of moment are recorded. So far as British hematites, which come chiefly from the West Lancashire and Cumberland districts, are concerned, I feel bound to correct a statement which has obtained currency to the effect that such ores are

being offered at about 16 to 17 per ton. Such is not the fact. British red ores are being quoted at about 25 to 29 per ton at the mines. Many descriptions of these ores—such as those mined at Eskat Park, Baiter and elsewhere in the Whitehaven locality—are not officially quoted just now, but are in each instance specially negotiated for. Ordinary ironstones of the "clay" quality is, however, being pretty freely bought at figures which are widely divergent, ranging from 14/6 to 23/ per ton, spot. Oolitic ores, which are much used by our blast furnaces, can be obtained at 9/6 to 12/6 per ton, or at somewhat easier quotations when a heavy consignment is in question.

Pig irons are well maintained in value, as a rule, although instances are cited in which list figures are being "shaded" in favor of regular and large buyers. The Middleborough agents here are doing pretty well in foundry pig. They hold No. 1, at 71; No. 2, 68/6; and No. 3, at 66/ per ton. Forge qualities range from 55 to 53. Hematite pigs are not greatly changed. Maryport hematites, Nos. 1 and 2, are 95; No. 4, 90; No. 5, M and W, 90; Bessemer, No. 1, 100; No. 2, 97/6; and No. 3, 95 per ton, with the usual discount for prompt cash. Millon and similar productions are quoted: Bessemer, No. 1, 95; No. 2, 92/6; No. 3, 90; ordinary No. 3, 90; No. 4, 87/6; No. 5, 87/6; M and W, 100; on the customary 4 months' terms.

The cast steel trade is only indifferently employed, taking it as a whole. Some of the largest works are still running short time, there being little work for the commoner qualities of steel. Mr. Mark Firth, of the firm of Thos. Firth & Sons, has consented to be elected Mayor, although he is not a member of the Town Council.

The statement, widely circulated on the authority of the Sheffield Independent of last Saturday, that Messrs. Charles Cammell & Co., limited, had abandoned the steel rail trade and discharged their men, is entirely untrue. The rail department of the Cyclops is, on the contrary, very actively engaged at present.

Foreign bar iron is in steady request at enhanced prices. Swedish ranges from £19 to £21, and Russian from £19 to £23. 10 per ton. I hear of a large American order for these irons having been placed with a substantial Sheffield firm within the past week or two, but the exact price has not publicly transpired.

During September the great Northern line took a considerably greater quantity of coal from South Yorkshire. Of Silketones, 15,500 tons were taken as against 7900 tons in August, and of the Barmley thick coal a much larger tonnage was conveyed to the metropolis. The coal trade generally is at present in a fairly brisk condition, especially for house coal. The manufacturers of silver and electro-plated ware, both at Sheffield and Birmingham, are in the enjoyment of a real period of prosperity, and are only prevented from clearing very heavy profits by the high price at which nickel is still quoted. A leading manufacturer of these goods informed me the other day that they had plenty of work on hand for all this year out, even if they did not receive another order up to Christmas. There is no appreciable change in cutlery, files or saws.

STEEL DIRECT FROM THE ORE.

La Metallurgie gives some account of the Ponsard system of producing steel direct from iron ore in a reverberatory furnace. This French journal gives a very glowing report of the result, and a somewhat vague description of the apparatus used for effecting the marvelous transformation. La Metallurgie says: "On the 27th of September, at the forge of the Verrières, at Vienne, France, the first production of pig iron by the direct treatment of the ore in the gas reverberatory furnace, system Ponsard, took place under the superintendence of the inventor, with the assistance of M. S. Fesche, director of the General Metallurgical Society of Paris."

"The apparatus, which has formerly been described, consists principally of a gaseous, which transforms the fuel into a series of large chambers, and of an apparatus in brick, called the recuperator of heat, which receives the flames from the furnace, and restores the calorific in the form of hot air. The comparative merits of the chamber are very successfully demonstrated by the reduction of the ore, for the reactions which are effected, and, finally, for the fusion of the whole charge in such a manner that the separation of the component parts is effected by the difference of density. These various phases of the operation require very different temperatures, and the production of these is the special object of the apparatus. On the side of the furnace doors the temperature is over that of red heat, while beyond the heat is so great that the eye is unable to support the intensity of the glow. This extraordinary heat is estimated at 2000° Cent."

"The success of the experiment is reported to have surpassed all expectation, and the result obtained is considered to demonstrate the possibility of producing steel direct from the apparatus without any of the transformations necessary under existing systems."

Iron very truly says that if the system justifies the report, it is, indeed, a revolution in metallurgical industry. Whatever may be the result of this French experiment, I can avow that

CAN NOW BE MADE AT SHEFFIELD. I cannot in this communication enter into any details of the invention, or of the mode employed by the inventor, but I am assured by a shrewd, practical man that it is a perfect theoretical and practical success, and only requires putting before the world to be a great commercial one. He informs me that the thing has been done in a thorough manner; that it is a perfect cast steel produced at once and direct from the simple pig iron, and that a company will shortly be formed for the purpose of working it on a large scale. The cost of the cast steel so produced is said to be about half of that made in the present manner. I don't usually incline to the extravagant claims of inventors, but I happen to know, in this instance, that the inventor is a thoroughly practical man. He has the management of a large concern here, and should know what he is about.

THE DARLSTON STEEL AND IRON COMPANY.

The report of the Darlston Steel and Iron Company is scarcely satisfactory to the shareholders. The gross profits on the half year ending June 30, 1874, have amounted to £7152. 18/8. The general charges and interest on mortgages and debentures have amounted to £13,606. 12/11, leaving a debit balance on the half year's working amounting to £6543. 14/3. This deficiency is occasioned, so states the report, mainly by the colliers' strike, during which the production of the forge was greatly diminished, by the scarcity of coal, and serious loss was occasioned by the necessity of purchasing fuel at high prices to enable the company to fulfill its engagements and maintain its connections. In addition to these causes, a heavy fall has occurred in the value of iron.

STAFFORDSHIRE AND BIRMINGHAM.

There has been more doing in finished iron since the quarter days, and there seems some prospect of a large business being done very shortly in engineering and constructive iron. There is a good inquiry for rolls, and at the following figures: Chilled rolls of from 18 in. to 22 in. diameter are now £18. 10 per ton, and the quotations run up from that figure to £24.

10 for rolls of 6 and 7 inch diameter. Part-chilled and soft chilled rolls are £16 per ton for the larger, and £19 for the smaller sizes just mentioned. Grained rolls of 12 inch and upward are £10. 10; grooved rolls of the same size are £11; pinions, £11. 10; and housings, checks, &c., for 12 inch trains and upward, £10. 10. For guide roll housings £3 more is required. Hammers and anvils are £10; helices (open sand), £11; and bed plates (plain open sand), £20. 10. Shafts, cast in the ordinary manner may now be bought at £11; and at £12 per ton those may be obtained which have been cast vertically. There are also reductions in the following articles: Axes, axes, blacksmiths' tongs, chains, all kinds of heavy hammers, shoe heels, horse shoes, boiler and other rivets and common vices. Best vices are firm. Lyndon's shovels, spades, etc., of the "best hammered" and "patent" kinds, are easier in consequence of the recent fall in B B H iron. Patent hinges have been dropped by an addition of 2½ per cent. per cwt. in the discount. Heavy washers are further declared down by 1 per cwt., and light washers are 2½ per cent. more discount. There is a very strong inquiry for knees, locks, hinges, tin plate ware and pens. The American demand for pens has, however, fallen off by fully one-third—partly by reason of your own growing production and partly owing to the heavy impost under which English pens are laid by the duty of 10 cents per gross and 30 per cent. *ad valorem*. The Birmingham people grumble a good deal—and manage to do pretty well. I shall not deal at any length with the iron trade, but merely record that sheets are in active request at £13 to £17, marked bars at £10. 15 to £11. 5; common bars, £9. 10 to £10. 10; hoops at £11. 15 to £12. 10, and rods at £10. 10 to £11. 10.

THE SOUTH WALES DISTRICT.

The whole of the associated iron masters of South Wales have given notice of the termination of all existing contracts with their men, and of a reduction in the iron workers' wages of 10 per cent., to come into effect about Nov. 15. The men are taken by surprise, and have not as yet given any reliable indication of the course they will take. The associated coal masters of South Wales and Monmouthshire have determined to put their new contract rules into operation almost immediately. These rules will almost revolutionize the mode of living (and working) of the Welsh colliers, who have no rules whatever but their own sweet inclinations. These rules will fix his time for beginning and leaving work; state that he must not be absent from work without permission, with several minor regulations. The district coal trade is good, but the iron works, with about two exceptions, are not enjoying any material amount of prosperity.

THE METAL MARKETS.

There was not much business doing in copper during last week, but tin has closed hands with average freedom, and several good sales of lead are reported as having taken place. Messrs. Von Dadelzon & North say that the price of Chili bars has declined to £81. 10 for g. o. b., but late yesterday there appeared a firmer tone, and business reported at £82, cash. In Australian hardly any transactions reported. Wallaroo nominally £32. 10, Burra, £21. English without change. Tin.—An average amount of business reported, chiefly in Australian, from £91 down to £90, which was the last price paid. Straits, on the spot, £92 to £93. 10, and £91 to arrive. English tin firm; blocks and ingots, £97 to £98. The Dutch market is quiet; Banca, 57½; Billiton, 57½. Tin plates continue in moderate demand, but there is no change in price. Lead has fully maintained the late advance—£23. 15 to £23 now asked for good soft English pig. Spelter.—The market is firm, but no business reported; imports ask £24 for Silesian in warehouse here, Quicksilver, £23. 17/6 per bottle.

Messrs. French & Smith's circular says: "The past week metal was very quiet. Iron.—Staffordshire is in moderate demand. Rails are not much inquired for. Pig iron, of all sorts, is firm. Copper.—Chili bars, after being very strong at £83, have given away a little, and small sales are reported at £81. 10; this afternoon there is a better feeling, and prices are quoted higher. Tin.—We have had some large sales of Australian, spot and just due, at £90. Straits is £92 and £93. 10; spot, for arrival, £91. 10. There is no alteration in Dutch prices of Banca or Billiton. The consumption is good. Tin plates are not quite so firm. Lead maintains its value, and continues scarce."

Messrs. Vivian, Younger & Bond say: "Prices generally are rather easier for the week, the apprehension of dearer money producing some uncertainty, though no advance in the bank rate took place yesterday as was expected. At the Swansea copper ticketing on Tuesday last, 1747 tons British and foreign ores sold at an average of 15/10 per unit, for an average produce of 14½ per cent., Cape ores of 28 per cent. realizing 16/3 per unit. Chili bars have been neglected, and prices are 20/30 easier, with sales down to £81. 5 for good ordinary brands, and £83. 10 to £82. 10 for picked. In fine foreign very little passing, some sales of Wallaroo at £91. 2/6 to £91. 10 for cake and ingot. Burra rather scarce at £90 to £90. 10. English manufactured only in very moderate demand, £95 for sheets. Yellow metal at 8d. to 8½d. Tough and selected £83 to £89, and £90 to £90. 10 respectively. The improvement in tin, noticed in our last issue, has been partially lost under the influence of further arrivals of Australian slabs, which have sold at from 90/8 to 90/10, both spot, landing, and for arrival in fair quantity. Straits has commanded 93/ for a few parcels on the spot, but is now 20/ lower, and for arrival 91/6. At the ticketing of Australian ores on Tuesday, 66 tons fine sold at £50. 10 to £56. 5, eight tons good at £38. 10, and four tons inferior at £15. 10. Seven tons Peruvian anils at £27. 10 to £28. Since the advance in English to £90 for common ingot the demand has been rather slack. Tin plates in fair request. Iron dull, and prices rather irregular. Spelter.—For English delivered £24. 10/ paid, and £23. 5/ to £23. 10/ spot and to arrive, for Silesian, according to brand. Lead.—Ordinary English shipping brands sold at £22. 12/6 to £22. 15/ with a fair business doing."

Messrs. Warner & Waldeck's prices current (London, Oct. 23): "Pig Iron.—Scotch, from £4. 17 to £5. 14, ex-steam in Thames; north of England, £3. 2/6 to £3. 10/ (at works); hematite, £4. 10 to £5 (at works). General castings, from 26 per ton (at works). Bar Iron.—Staffordshire "Champion" bars, £10. 10; hoops, £11; sheets, £13; strip, £10; charcoal bars, £21; hoops, £22; sheets, £24; strip, £24 per ton (at works). North of England bars, £9. Bank plates, £11 (at works). Bolts and nuts, from £17. 5 per ton. Spikes and rivets, from £12. 10 per ton in London. Tin Plates—"Hendy" charcoal, extra fine quality, 38/ per box; "Gower" charcoal, 35/; "Rhos" coke, 30/6 per box; common coke plates, from 27 per box. Rolled bars, 9½d. per lb.; brass tubes, 13d. per lb.; copper tubes, 12½d. per lb.; brass wire, 9½d. per lb.; copper wire, 12d. per lb.; telegraph wire, 12½d. per lb."

Messrs. J. H. Austin & Co.'s circular: "Rail.—American rails, 50 to 60 lbs. per yard, £7. 10 to £8. f.o.b. Wales; ditto, Tyne or Tees; Russian and similar, 66 to 75 lbs. per yard, £7. 15, £8. 5, f.o.b. Wales; ditto, Tyne or Tees; street rails, £3. 10 to £9. 10, Tyne or Tees; steel rails, £10. 10 to £11, Liverpool; and £10 to £10. 10, Wales."

LATEST LIVERPOOL PRICES.

Iron: f. o. b. in Liverpool, per ton.

	£ s. d.	£ s. d.
Merchant bar, in Wales	9 7 6 to 9 10 0	
Merchant bar, in Wales	9 7 6 to 9 10 0	
Staffordshire	9 5 0 to 9 8 0	
Hoops	11 10 0 to 12 10 0	
Sheet	13 0 0 to 14 0 0	
Nail rod	10 5 0 to 10 15 0	
Bar, best crown	10 5 0 to 10 10 0	
Boiler plates	19 5 0 to 13 5 0	

Tin Plates: f. o. b. in Liverpool, per box.

	£ s. d.	£ s. d.
Charcoal, I. C.	1 16 0 to 1 19 0	
Coke, I. C.	1 7 0 to 1 10 0	

Copper: Delivered in Liverpool, per ton.

	£ s. d.	£ s. d.
Rail and Sheathing	£36	
Tie	88	
Tough coke	88	
Best selected	90	

LATEST LONDON METAL MARKET.

Copper.—Business limited, owing to absence of sellers. Chili, £82. 10 to £82, cash, £83. 10/ three months. Australian unchanged. Tin, more business. Straits, £91. 10 to £92 spot, £90. 10 to arrive; Australian, £90. 10 spot and to arrive. Spelter, unchanged. Lead, £23.

The Iron Interests of the James River Valley.

Although so little importance has heretofore been attached to the iron interests of this valley, the day is near at hand when it will be recognized as far beyond all others. All that is now required to assure this result is cheap coal, which the connections of the canal with the Chesapeake and Ohio Railroad will furnish. The abundant supply of rich iron ores in the James River Valley is no longer a question. It is a fact, and capable of indisputable proof. These ores are of several varieties, the most abundant of which are the specular or peroxide, including red and brown hematite; limonite, or hydrous peroxide; and black or magnetic oxide. Specimens from a number of large deposits have been carefully analyzed, and yield from 45 to 67 per cent. of pure metallic iron. These specimens were selected with due reference to a working average.

Parties are engaged in mining at several points in this belt, and openings have been made at many other places with the view of ascertaining the extent and character of the deposits. The geological formation is a regular stratification, generally nearly vertical, with a few feet of soil on the surface. The veins are from ten to twenty feet in width, and in many cases very much wider, some of them being forty or fifty feet wide. These ores are easily reduced in the blast furnace, and are remarkably free from sulphur, phosphorus, and other injurious substances. The analysis has shown some of them to be absolutely neutral, which gives them special value for the manufacture of Bessemer steel. The quality of the iron which has been made from these ores is not a matter of speculation. Wherever known it is held in the highest estimation, and commands the very best prices. At a recent test made at Providence, R. I., with the government machine for testing gun metal, the following was the result: The Thomas, Pa., iron stood 18,000 pounds strain to the square inch; Cold Spring, N. Y., 17,000 pounds to the square inch; Poughkeepsie, N. Y., stood 19,000 pounds to the square inch; Powhatan, Va., stood 30,000 pounds to the square inch. Thus demonstrating the Virginia iron to be of superior strength to either of the other famous brands with which it was brought in comparison.

The face of the country for a considerable distance along the river is broken by a succession of bold mountain ridges running parallel with the river. These ridges are at intervals cut across by streams flowing into the river, greatly increasing the facilities for mining, and at many points furnishing good water-power.

Chap ore is also a desideratum, whether for shipping or working. Experience proves that the different varieties of ores for mixing in the furnace can be collected here by contract for \$3 a ton or less; if mined by the manufacturer they should not cost more than one-half that sum. These ores can be mined and put down on tide water at a cost of about \$2.50 per ton; delivered in Philadelphia, the cost should not be more than \$4 a ton for mining and transportation. While these ores offer a handsome profit to the shipper, it is to the establishment of iron works here that we look for the greatest benefit. With Kanawha coal at from \$3 to \$4 a ton we can defy all competition from whatever quarter. In confirmation of this statement, we have the authority of General Anderson, [of the Tredegar Works] for saying: "That while a ton of iron would cost from \$28 to \$30 when made in the Lehigh region of Pennsylvania, a ton of iron could be made in Virginia for \$16." This calculation of General Anderson had reference to the use of the Kanawha coal along the line of the Chesapeake and Ohio Railroad. With the completion of the connection between the canal and that road, the James River Valley would possess advantages for iron manufactures not equalled by any other section of the United States.

At this time the manufacture of charcoal iron in this valley might be extensively carried on with great profit. There are thousands of acres of wood land convenient to canal or railroad transportation, which can be bought for \$1.50 to \$3 an acre, in bodies of 3000 to 6000 acres. If desired, contracts could be made for wood delivered on the canal at such prices as would furnish the best quality of charcoal at from 5 to 6 cents a bushel.—Virginia Farm Journal.

The Pequest Iron Works.

We take the following from the Washington (N. J.) Star of the 30th ult.:

About five years ago a number of gentlemen of this State organized the Pequest Iron, Mining and Manufacturing Company, for the purpose of mining iron ore and manufacturing iron. To carry out their project, they purchased a farm of 135 acres of Archibald Davidson, paying for the same the sum of \$35,000. This farm was located in Oxford township, on the Pequest River and Delaware, Lackawanna & Western Railroad, about two miles from the Oxford Iron Works. They proceeded to explore for ore and

season for the metal being over, nor has anything been done in foreign for the past fortnight. We quote the latter 6½¢, gold. The accounts to hand from Europe are uniformly favorable, and when the last mail left, dated October 25, they were apparently on the eve of another rise. Hardly any supplies were being received from the Peninsula. Telegrams were to hand from China, reporting scarcity and an advancing market. That remote country is an extensive consumer of Lead for tea box lining and other purposes, and as the same produces less of it than it consumes, a certain amount is shipped thither from Europe, and has been sent at intervals from New York and Boston, as well as from San Francisco. The latter place is the handiest one for the Chinese, and we have no doubt as to California's future in this respect. San Francisco now ships Lead to New York, and may eventually supply the Asiatic markets. Manufactured Lead is well supported at 8½¢ for Bar, Pipe and Sheet, less 10 per cent. to the trade.

Spelter and Zinc.—Domestic Spelter has been selling to a moderate extent, say some 80,000 pounds during the week, at 6½¢ @ 6¾¢, currency. In foreign absolutely nothing has transpired, either on the spot or to arrive, from first hands; we therefore repeat our quotations: W. H., 7½¢, gold; C. G. H., 7c., do., and Silesian Union, 6½¢, do., the range for Silesian thus remains 6½¢ @ 7½¢, gold. Continental consumers have been buying English Spelter in England, compelling the English in their turn to get what they require in Silesia. This demand, together with the Continental French purchases, has strengthened the views of producers in the Silesian mountains; hence the metal, with moderate stocks everywhere, has remained quiet firm in most of the metal centers. Sheet Zinc is quiet and firm at 8½¢ @ 9c., gold.

Antimony remains steady at the rates lately established of 11½¢ @ 12c., gold.

OLD METALS, PAPER STOCK, &c.

Business in this market still continues very dull, and quotations remain without change. The market for Old Lead is still very active, and prices are strengthening, but not sufficiently so to alter quotations. The Rag and Paper Stock markets are unchanged, the demand being light and stocks are abundant. In other articles we have no improvement to report, and prices display weakness. We notice that some dealers have disposed of their accumulations of Wadding at 4 cents a pound, which is a low figure, considering the prices obtained heretofore. We quote the following as the current purchasing rates:

Old Metals.—Copper, 16c. @ 17c. per lb.; Yellow Metal, 11c.; Brass, 10c. @ 12c.; Composition, heavy, 13c. @ 14c.; Lead, solid, 5c.; Tin Lead, 4c.; Zinc, 4½¢ @ 5c.; Pewter, No. 1, 19c.; do., No. 2, 18c.; do., No. 3, 17c.; do., No. 4, 16c.; do., No. 5, 15c.; do., No. 6, 14c.; do., No. 7, 13c.; do., No. 8, 12c.; do., No. 9, 11c.; do., No. 10, 10c.; do., No. 11, 9c.; do., No. 12, 8c.; do., No. 13, 7c.; do., No. 14, 6c.; do., No. 15, 5c.; do., No. 16, 4c.; do., No. 17, 3c.; do., No. 18, 2c.; do., No. 19, 1c.; do., No. 20, ½c.; do., No. 21, ¼c.; do., No. 22, ⅓c.; do., No. 23, ⅔c.; do., No. 24, ⅑c.; do., No. 25, ⅒c.; do., No. 26, ⅓c.; do., No. 27, ⅔c.; do., No. 28, ⅑c.; do., No. 29, ⅒c.; do., No. 30, ⅓c.; do., No. 31, ⅔c.; do., No. 32, ⅑c.; do., No. 33, ⅒c.; do., No. 34, ⅓c.; do., No. 35, ⅔c.; do., No. 36, ⅑c.; do., No. 37, ⅒c.; do., No. 38, ⅓c.; do., No. 39, ⅔c.; do., No. 40, ⅑c.; do., No. 41, ⅒c.; do., No. 42, ⅓c.; do., No. 43, ⅔c.; do., No. 44, ⅑c.; do., No. 45, ⅒c.; do., No. 46, ⅓c.; do., No. 47, ⅔c.; do., No. 48, ⅑c.; do., No. 49, ⅒c.; do., No. 50, ⅓c.; do., No. 51, ⅔c.; do., No. 52, ⅑c.; do., No. 53, ⅒c.; do., No. 54, ⅓c.; do., No. 55, ⅔c.; do., No. 56, ⅑c.; do., No. 57, ⅒c.; do., No. 58, ⅓c.; do., No. 59, ⅔c.; do., No. 60, ⅑c.; do., No. 61, ⅒c.; do., No. 62, ⅓c.; do., No. 63, ⅔c.; do., No. 64, ⅑c.; do., No. 65, ⅒c.; do., No. 66, ⅓c.; do., No. 67, ⅔c.; do., No. 68, ⅑c.; do., No. 69, ⅒c.; do., No. 70, ⅓c.; do., No. 71, ⅔c.; do., No. 72, ⅑c.; do., No. 73, ⅒c.; do., No. 74, ⅓c.; do., No. 75, ⅔c.; do., No. 76, ⅑c.; do., No. 77, ⅒c.; do., No. 78, ⅓c.; do., No. 79, ⅔c.; do., No. 80, ⅑c.; do., No. 81, ⅒c.; do., No. 82, ⅓c.; do., No. 83, ⅔c.; do., No. 84, ⅑c.; do., No. 85, ⅒c.; do., No. 86, ⅓c.; do., No. 87, ⅔c.; do., No. 88, ⅑c.; do., No. 89, ⅒c.; do., No. 90, ⅓c.; do., No. 91, ⅔c.; do., No. 92, ⅑c.; do., No. 93, ⅒c.; do., No. 94, ⅓c.; do., No. 95, ⅔c.; do., No. 96, ⅑c.; do., No. 97, ⅒c.; do., No. 98, ⅓c.; do., No. 99, ⅔c.; do., No. 100, ⅑c.; do., No. 101, ⅒c.; do., No. 102, ⅓c.; do., No. 103, ⅔c.; do., No. 104, ⅑c.; do., No. 105, ⅒c.; do., No. 106, ⅓c.; do., No. 107, ⅔c.; do., No. 108, ⅑c.; do., No. 109, ⅒c.; do., No. 110, ⅓c.; do., No. 111, ⅔c.; do., No. 112, ⅑c.; do., No. 113, ⅒c.; do., No. 114, ⅓c.; do., No. 115, ⅔c.; do., No. 116, ⅑c.; do., No. 117, ⅒c.; do., No. 118, ⅓c.; do., No. 119, ⅔c.; do., No. 120, ⅑c.; do., No. 121, ⅒c.; do., No. 122, ⅓c.; do., No. 123, ⅔c.; do., No. 124, ⅑c.; do., No. 125, ⅒c.; do., No. 126, ⅓c.; do., No. 127, ⅔c.; do., No. 128, ⅑c.; do., No. 129, ⅒c.; do., No. 130, ⅓c.; do., No. 131, ⅔c.; do., No. 132, ⅑c.; do., No. 133, ⅒c.; do., No. 134, ⅓c.; do., No. 135, ⅔c.; do., No. 136, ⅑c.; do., No. 137, ⅒c.; do., No. 138, ⅓c.; do., No. 139, ⅔c.; do., No. 140, ⅑c.; do., No. 141, ⅒c.; do., No. 142, ⅓c.; do., No. 143, ⅔c.; do., No. 144, ⅑c.; do., No. 145, ⅒c.; do., No. 146, ⅓c.; do., No. 147, ⅔c.; do., No. 148, ⅑c.; do., No. 149, ⅒c.; do., No. 150, ⅓c.; do., No. 151, ⅔c.; do., No. 152, ⅑c.; do., No. 153, ⅒c.; do., No. 154, ⅓c.; do., No. 155, ⅔c.; do., No. 156, ⅑c.; do., No. 157, ⅒c.; do., No. 158, ⅓c.; do., No. 159, ⅔c.; do., No. 160, ⅑c.; do., No. 161, ⅒c.; do., No. 162, ⅓c.; do., No. 163, ⅔c.; do., No. 164, ⅑c.; do., No. 165, ⅒c.; do., No. 166, ⅓c.; do., No. 167, ⅔c.; do., No. 168, ⅑c.; do., No. 169, ⅒c.; do., No. 170, ⅓c.; do., No. 171, ⅔c.; do., No. 172, ⅑c.; do., No. 173, ⅒c.; do., No. 174, ⅓c.; do., No. 175, ⅔c.; do., No. 176, ⅑c.; do., No. 177, ⅒c.; do., No. 178, ⅓c.; do., No. 179, ⅔c.; do., No. 180, ⅑c.; do., No. 181, ⅒c.; do., No. 182, ⅓c.; do., No. 183, ⅔c.; do., No. 184, ⅑c.; do., No. 185, ⅒c.; do., No. 186, ⅓c.; do., No. 187, ⅔c.; do., No. 188, ⅑c.; do., No. 189, ⅒c.; do., No. 190, ⅓c.; do., No. 191, ⅔c.; do., No. 192, ⅑c.; do., No. 193, ⅒c.; do., No. 194, ⅓c.; do., No. 195, ⅔c.; do., No. 196, ⅑c.; do., No. 197, ⅒c.; do., No. 198, ⅓c.; do., No. 199, ⅔c.; do., No. 200, ⅑c.; do., No. 201, ⅒c.; do., No. 202, ⅓c.; do., No. 203, ⅔c.; do., No. 204, ⅑c.; do., No. 205, ⅒c.; do., No. 206, ⅓c.; do., No. 207, ⅔c.; do., No. 208, ⅑c.; do., No. 209, ⅒c.; do., No. 210, ⅓c.; do., No. 211, ⅔c.; do., No. 212, ⅑c.; do., No. 213, ⅒c.; do., No. 214, ⅓c.; do., No. 215, ⅔c.; do., No. 216, ⅑c.; do., No. 217, ⅒c.; do., No. 218, ⅓c.; do., No. 219, ⅔c.; do., No. 220, ⅑c.; do., No. 221, ⅒c.; do., No. 222, ⅓c.; do., No. 223, ⅔c.; do., No. 224, ⅑c.; do., No. 225, ⅒c.; do., No. 226, ⅓c.; do., No. 227, ⅔c.; do., No. 228, ⅑c.; do., No. 229, ⅒c.; do., No. 230, ⅓c.; do., No. 231, ⅔c.; do., No. 232, ⅑c.; do., No. 233, ⅒c.; do., No. 234, ⅓c.; do., No. 235, ⅔c.; do., No. 236, ⅑c.; do., No. 237, ⅒c.; do., No. 238, ⅓c.; do., No. 239, ⅔c.; do., No. 240, ⅑c.; do., No. 241, ⅒c.; do., No. 242, ⅓c.; do., No. 243, ⅔c.; do., No. 244, ⅑c.; do., No. 245, ⅒c.; do., No. 246, ⅓c.; do., No. 247, ⅔c.; do., No. 248, ⅑c.; do., No. 249, ⅒c.; do., No. 250, ⅓c.; do., No. 251, ⅔c.; do., No. 252, ⅑c.; do., No. 253, ⅒c.; do., No. 254, ⅓c.; do., No. 255, ⅔c.; do., No. 256, ⅑c.; do., No. 257, ⅒c.; do., No. 258, ⅓c.; do., No. 259, ⅔c.; do., No. 260, ⅑c.; do., No. 261, ⅒c.; do., No. 262, ⅓c.; do., No. 263, ⅔c.; do., No. 264, ⅑c.; do., No. 265, ⅒c.; do., No. 266, ⅓c.; do., No. 267, ⅔c.; do., No. 268, ⅑c.; do., No. 269, ⅒c.; do., No. 270, ⅓c.; do., No. 271, ⅔c.; do., No. 272, ⅑c.; do., No. 273, ⅒c.; do., No. 274, ⅓c.; do., No. 275, ⅔c.; do., No. 276, ⅑c.; do., No. 277, ⅒c.; do., No. 278, ⅓c.; do., No. 279, ⅔c.; do., No. 280, ⅑c.; do., No. 281, ⅒c.; do., No. 282, ⅓c.; do., No. 283, ⅔c.; do., No. 284, ⅑c.; do., No. 285, ⅒c.; do., No. 286, ⅓c.; do., No. 287, ⅔c.; do., No. 288, ⅑c.; do., No. 289, ⅒c.; do., No. 290, ⅓c.; do., No. 291, ⅔c.; do., No. 292, ⅑c.; do., No. 293, ⅒c.; do., No. 294, ⅓c.; do., No. 295, ⅔c.; do., No. 296, ⅑c.; do., No. 297, ⅒c.; do., No. 298, ⅓c.; do., No. 299, ⅔c.; do., No. 300, ⅑c.; do., No. 301, ⅒c.; do., No. 302, ⅓c.; do., No. 303, ⅔c.; do., No. 304, ⅑c.; do., No. 305, ⅒c.; do., No. 306, ⅓c.; do., No. 307, ⅔c.; do., No. 308, ⅑c.; do., No. 309, ⅒c.; do., No. 310, ⅓c.; do., No. 311, ⅔c.; do., No. 312, ⅑c.; do., No. 313, ⅒c.; do., No. 314, ⅓c.; do., No. 315, ⅔c.; do., No. 316, ⅑c.; do., No. 317, ⅒c.; do., No. 318, ⅓c.; do., No. 319, ⅔c.; do., No. 320, ⅑c.; do., No. 321, ⅒c.; do., No. 322, ⅓c.; do., No. 323, ⅔c.; do., No. 324, ⅑c.; do., No. 325, ⅒c.; do., No. 326, ⅓c.; do., No. 327, ⅔c.; do., No. 328, ⅑c.; do., No. 329, ⅒c.; do., No. 330, ⅓c.; do., No. 331, ⅔c.; do., No. 332, ⅑c.; do., No. 333, ⅒c.; do., No. 334, ⅓c.; do., No. 335, ⅔c.; do., No. 336, ⅑c.; do., No. 337, ⅒c.; do., No. 338, ⅓c.; do., No. 339, ⅔c.; do., No. 340, ⅑c.; do., No. 341, ⅒c.; do., No. 342, ⅓c.; do., No. 343, ⅔c.; do., No. 344, ⅑c.; do., No. 345, ⅒c.; do., No. 346, ⅓c.; do., No. 347, ⅔c.; do., No. 348, ⅑c.; do., No. 349, ⅒c.; do., No. 350, ⅓c.; do., No. 351, ⅔c.; do., No. 352, ⅑c.; do., No. 353, ⅒c.; do., No. 354, ⅓c.; do., No. 355, ⅔c.; do., No. 356, ⅑c.; do., No. 357, ⅒c.; do., No. 358, ⅓c.; do., No. 359, ⅔c.; do., No. 360, ⅑c.; do., No. 361, ⅒c.; do., No. 362, ⅓c.; do., No. 363, ⅔c.; do., No. 364, ⅑c.; do., No. 365, ⅒c.; do., No. 366, ⅓c.; do., No. 367, ⅔c.; do., No. 368, ⅑c.; do., No. 369, ⅒c.; do., No. 370, ⅓c.; do., No. 371, ⅔c.; do., No. 372, ⅑c.; do., No. 373, ⅒c.; do., No. 374, ⅓c.; do., No. 375, ⅔c.; do., No. 376, ⅑c.; do., No. 377, ⅒c.; do., No. 378, ⅓c.; do., No. 379, ⅔c.; do., No. 380, ⅑c.; do., No. 381, ⅒c.; do., No. 382, ⅓c.; do., No. 383, ⅔c.; do., No. 384, ⅑c.; do., No. 385, ⅒c.; do., No. 386, ⅓c.; do., No. 387, ⅔c.; do., No. 388, ⅑c.; do., No. 389, ⅒c.; do., No. 390, ⅓c.; do., No. 391, ⅔c.; do., No. 392, ⅑c.; do., No. 393, ⅒c.; do., No. 394, ⅓c.; do., No. 395, ⅔c.; do., No. 396, ⅑c.; do., No. 397, ⅒c.; do., No. 398, ⅓c.; do., No. 399, ⅔c.; do., No. 400, ⅑c.; do., No. 401, ⅒c.; do., No. 402, ⅓c.; do., No. 403, ⅔c.; do., No. 404, ⅑c.; do., No. 405, ⅒c.; do., No. 406, ⅓c.; do., No. 407, ⅔c.; do., No. 408, ⅑c.; do., No. 409, ⅒c.; do., No. 410, ⅓c.; do., No. 411, ⅔c.; do., No. 412, ⅑c.; do., No. 413, ⅒c.; do., No. 414, ⅓c.; do., No. 415, ⅔c.; do., No. 416, ⅑c.; do., No. 417, ⅒c.; do., No. 418, ⅓c.; do., No. 419, ⅔c.; do., No. 420, ⅑c.; do., No. 421, ⅒c.; do., No. 422, ⅓c.; do., No. 423, ⅔c.; do., No. 424, ⅑c.; do., No. 425, ⅒c.; do., No. 426, ⅓c.; do., No. 427, ⅔c.; do., No. 428, ⅑c.; do., No. 429, ⅒c.; do., No. 430, ⅓c.; do., No. 431, ⅔c.; do., No. 432, ⅑c.; do., No. 433, ⅒c.; do., No. 434, ⅓c.; do., No. 435, ⅔c.; do., No. 436, ⅑c.; do., No. 437, ⅒c.; do., No. 438, ⅓c.; do., No. 439, ⅔c.; do., No. 440, ⅑c.; do., No. 441, ⅒c.; do., No. 442, ⅓c.; do., No. 443, ⅔c.; do., No. 444, ⅑c.; do., No. 445, ⅒c.; do., No. 446, ⅓c.; do., No. 447, ⅔c.; do., No. 448, ⅑c.; do., No. 449, ⅒c.; do., No. 450, ⅓c.; do., No. 451, ⅔c.; do., No. 452, ⅑c.; do., No. 453, ⅒c.; do., No. 454, ⅓c.; do., No. 455, ⅔c.; do., No. 456, ⅑c.; do., No. 457, ⅒c.; do., No. 458, ⅓c.; do., No. 459, ⅔c.; do., No. 460, ⅑c.; do., No. 461, ⅒c.; do., No. 462, ⅓c.; do., No. 463, ⅔c.; do., No. 464, ⅑c.; do., No. 465, ⅒c.; do., No. 466, ⅓c.; do., No. 467, ⅔c.; do., No. 468, ⅑c.; do., No. 469, ⅒c.; do., No. 470, ⅓c.; do., No. 471, ⅔c.; do., No. 472, ⅑c.; do., No. 473, ⅒c.; do., No. 474, ⅓c.; do., No. 475, ⅔c.; do., No. 476, ⅑c.; do., No. 477, ⅒c.; do., No. 478, ⅓c.; do., No. 479, ⅔c.; do., No. 480, ⅑c.; do., No. 481, ⅒c.; do., No. 482, ⅓c.; do., No. 483, ⅔c.; do., No. 484, ⅑c.; do., No. 485, ⅒c.; do., No. 486, ⅓c.; do., No. 487, ⅔c.; do., No. 488, ⅑c.; do., No. 489, ⅒c.; do., No. 490, ⅓c.; do., No. 491, ⅔c.; do., No. 492, ⅑c.; do., No. 493, ⅒c.; do., No. 494, ⅓c.; do., No. 495, ⅔c.; do., No. 496, ⅑c.; do., No. 497, ⅒c.; do., No. 498, ⅓c.; do., No. 499, ⅔c.; do., No. 500, ⅑c.; do., No. 501, ⅒c.; do., No. 502, ⅓c.; do., No. 503, ⅔c.; do., No. 504, ⅑c.; do., No. 505, ⅒c.; do., No. 506, ⅓c.; do., No. 507, ⅔c.; do., No. 508, ⅑c.; do., No. 509, ⅒c.; do., No. 510, ⅓c.; do., No. 511, ⅔c.; do., No. 512, ⅑c.; do., No. 513, ⅒c.; do., No. 514, ⅓c.; do., No. 515, ⅔c.; do., No. 516, ⅑c.; do., No. 517, ⅒c.; do., No. 518, ⅓c.; do., No. 519, ⅔c.; do., No. 520, ⅑c.; do., No. 521, ⅒c.; do., No. 522, ⅓c.; do., No. 523, ⅔c.; do., No. 524, ⅑c.; do., No. 525, ⅒c.; do., No. 526, ⅓c.; do., No. 527, ⅔c.; do., No. 528, ⅑c.; do., No. 529, ⅒c.; do., No. 530, ⅓c.; do., No. 531, ⅔c.; do., No. 532, ⅑c.; do., No. 533, ⅒c.; do., No. 534, ⅓c.; do., No. 535, ⅔c.; do., No. 536, ⅑c.; do., No. 537, ⅒c.; do., No. 538, ⅓c.; do., No. 539, ⅔c.; do., No. 540, ⅑c.; do., No. 541, ⅒c.; do., No. 542, ⅓c.; do., No. 543, ⅔c.; do., No. 544, ⅑c.; do., No. 545, ⅒c.; do., No. 546, ⅓c.; do., No. 547, ⅔c.; do., No. 548, ⅑c.; do., No. 549, ⅒c.; do., No. 550, ⅓c.; do., No. 551, ⅔c.; do., No. 552, ⅑c.; do., No. 553, ⅒c.; do., No. 554, ⅓c.; do., No. 555, ⅔c.; do., No. 556, ⅑c.; do., No. 557, ⅒c.; do., No. 558, ⅓c.; do., No. 559, ⅔c.; do., No. 560, ⅑c.; do., No. 561, ⅒c.; do., No. 562, ⅓c.; do., No. 563, ⅔c.; do., No. 564, ⅑c.; do., No. 565, ⅒c.; do., No. 566, ⅓c.; do., No. 567, ⅔c.; do., No. 568, ⅑c.; do., No. 569, ⅒c.; do., No. 570, ⅓c.; do., No. 571, ⅔c.; do., No. 572, ⅑c.; do., No. 573, ⅒c.; do., No. 574, ⅓c.; do., No. 575, ⅔c.; do., No. 576, ⅑c.; do., No. 577, ⅒c.; do., No. 578, ⅓c.; do., No. 579, ⅔c.; do., No. 580, ⅑c.; do., No. 581, ⅒c.; do., No. 582, ⅓c.; do., No. 583, ⅔c.; do., No. 584, ⅑c.; do., No. 585, ⅒c.; do., No. 586, ⅓c.; do., No. 587, ⅔c.; do., No. 588, ⅑c.; do., No. 589, ⅒c.; do., No. 590, ⅓c.; do., No. 591, ⅔c.; do., No. 592, ⅑c.; do., No. 593, ⅒c.; do., No. 594, ⅓c.; do., No. 595, ⅔c.; do., No. 596, ⅑c.; do., No. 597, ⅒c.; do., No. 598, ⅓c.; do., No. 599, ⅔c.; do., No. 600, ⅑c.; do., No. 601, ⅒c.; do., No. 602, ⅓c.; do., No. 603, ⅔c.; do., No. 604, ⅑c.; do., No. 605, ⅒c.; do., No. 606, ⅓c.; do., No. 607, ⅔c.; do., No. 608, ⅑c.; do., No. 609, ⅒c.; do., No. 610, ⅓c.; do., No. 611, ⅔c.; do., No. 612, ⅑c.; do., No. 613, ⅒c.; do., No. 614, ⅓c.; do., No. 615, ⅔c.; do., No. 616, ⅑c.; do., No. 617, ⅒c.; do., No. 618, ⅓c.; do., No. 619, ⅔c.; do., No. 620, ⅑c.; do., No. 621, ⅒c.; do., No. 622, ⅓c.; do., No. 623, ⅔c.; do., No. 624, ⅑c.; do., No. 625, ⅒c.; do., No. 626, ⅓c.; do., No. 627, ⅔c.; do., No. 628, ⅑c.; do., No. 629, ⅒c.; do., No. 630, ⅓c.; do., No. 631, ⅔c.; do., No. 632, ⅑c.; do., No. 633, ⅒c.; do., No. 634, ⅓c.; do., No. 635, ⅔c.; do., No. 636, ⅑c.; do., No. 637, ⅒c.; do., No. 638, ⅓c.; do., No. 639, ⅔c.; do., No. 640, ⅑c.; do., No. 641, ⅒c.; do., No. 642, ⅓c.; do., No. 643, ⅔c.; do., No. 644, ⅑c.; do., No. 645, ⅒c.; do., No. 646, ⅓c.; do., No. 647, ⅔c.; do., No. 648, ⅑c.; do., No. 649, ⅒c.; do., No. 650, ⅓c.; do., No. 651, ⅔c.; do., No. 652, ⅑c.; do., No. 653, ⅒c.; do., No. 654, ⅓c.; do., No. 655, ⅔c.; do., No. 656, ⅑c.; do., No. 657, ⅒c.; do., No. 658, ⅓c.; do., No. 659, ⅔c.; do., No. 660, ⅑c.; do., No. 661, ⅒c.; do., No. 662, ⅓c.; do., No. 663, ⅔c.; do., No. 664, ⅑c.; do., No. 665, ⅒c.; do., No. 666, ⅓c.; do., No. 667, ⅔c.; do., No. 668, ⅑c.; do., No. 669, ⅒c.; do., No. 670, ⅓c.; do., No. 671, ⅔c.; do., No. 672, ⅑c.; do., No. 673, ⅒c.; do., No. 674, ⅓c.; do., No. 675, ⅔c.; do., No. 676, ⅑c.; do., No. 677, ⅒c.; do., No. 678, ⅓c.; do., No. 679, ⅔c.; do., No. 680, ⅑c.; do., No. 681, ⅒c.; do., No. 682, ⅓c.; do., No. 683, ⅔c.; do., No. 684, ⅑c.; do., No. 685, ⅒c.; do., No. 686, ⅓c.; do., No. 687, ⅔c.; do., No. 688, ⅑c.; do., No. 689, ⅒c.; do., No. 690, ⅓c.; do., No. 691, ⅔c.; do., No. 692, ⅑c.; do., No. 693, ⅒c.; do., No. 694, ⅓c.; do., No. 695, ⅔c.; do., No. 696, ⅑c.; do., No. 697, ⅒c.; do., No. 698, ⅓c.; do., No. 699, ⅔c.; do., No. 700, ⅑c.; do., No. 701, ⅒c.; do., No. 702, ⅓c.; do., No. 703, ⅔c.; do., No. 704, ⅑c.; do., No. 705, ⅒c.; do., No. 706, ⅓c.; do., No. 707, ⅔c.; do., No. 708, ⅑c.; do., No. 709, ⅒c.; do., No. 710, ⅓c.; do., No. 711, ⅔c.; do., No. 712, ⅑c.; do., No. 713, ⅒c.; do., No. 714, ⅓c.; do., No. 715, ⅔c.; do., No. 716, ⅑c.; do., No. 717, ⅒c.; do., No. 718, ⅓c.; do., No. 719, ⅔c.; do., No. 720, ⅑c.; do., No. 721, ⅒c.; do., No. 722, ⅓c.; do., No. 723, ⅔c.; do., No. 724, ⅑c.; do., No. 725, ⅒c.; do., No. 726, ⅓c.; do., No. 727, ⅔c.; do., No. 728, ⅑c.; do., No. 729, ⅒c.; do., No. 730, ⅓c.; do., No. 731, ⅔c.; do., No. 732, ⅑c.; do., No. 733, ⅒c.; do., No. 734, ⅓c.; do., No. 735, ⅔c.; do., No. 736, ⅑c.; do., No. 737, ⅒c.; do., No. 738, ⅓c.; do., No. 739, ⅔c.; do., No. 740, ⅑c.; do., No. 741, ⅒c.; do., No. 742, ⅓c.; do., No. 743, ⅔c.; do., No. 744, ⅑c.; do., No. 745, ⅒c.; do., No. 746, ⅓c.; do., No. 747, ⅔c.; do., No. 748, ⅑c.; do., No. 749, ⅒c.; do., No. 750, ⅓c.; do., No. 751, ⅔c.; do., No. 752, ⅑c.; do., No. 753, ⅒c.; do., No. 754, ⅓c.; do., No. 755, ⅔c.; do., No. 756, ⅑c.; do., No. 757, ⅒c.; do., No. 758, ⅓c.; do., No. 759, ⅔c.; do., No. 760, ⅑c.; do., No. 761, ⅒c.; do., No. 762, ⅓c.; do., No. 763, ⅔c.; do., No. 764, ⅑c.; do., No. 765, ⅒c.; do., No. 766, ⅓c.; do., No. 767, ⅔c.; do., No. 768, ⅑c.; do., No. 769, ⅒c.; do., No. 770, ⅓c.; do., No. 771, ⅔c.; do., No. 772, ⅑c.; do., No. 773, ⅒c.; do., No. 774, ⅓c.; do., No. 775, ⅔c.; do., No. 776, ⅑c.; do., No. 777, ⅒c.; do., No. 778, ⅓c.; do., No. 779, ⅔c.; do., No. 780, ⅑c.; do., No. 781, ⅒c.; do., No. 782, ⅓c.; do., No. 783, ⅔c.; do., No. 784, ⅑c.; do., No. 785, ⅒c.; do., No. 786, ⅓c.; do., No. 787, ⅔c.; do., No. 788, ⅑c.; do., No. 789, ⅒c.; do., No. 790, ⅓c.; do., No. 791, ⅔c.; do., No. 792, ⅑c.; do., No. 793, ⅒c.; do., No. 794, ⅓c.; do., No. 795, ⅔c.; do., No. 796, ⅑c.; do., No. 797, ⅒c.; do., No. 798, ⅓c.; do., No. 799, ⅔c.; do., No. 800, ⅑c.; do., No. 801, ⅒c.; do., No. 802, ⅓c.; do., No. 803, ⅔c.; do., No. 804, ⅑c.; do., No. 805, ⅒c.; do., No. 806, ⅓c.; do., No. 807, ⅔c.; do., No. 808, ⅑c.; do., No. 809, ⅒c.; do., No. 810, ⅓c.; do., No. 811, ⅔c.; do., No. 812, ⅑c.; do., No. 813, ⅒c.; do., No. 814, ⅓c.; do., No. 815, ⅔c.; do., No. 816, ⅑c.; do., No. 817, ⅒c.; do., No. 818, ⅓c.; do., No. 819, ⅔c.; do., No. 820, ⅑c.; do., No. 821, ⅒c.; do., No. 8

especially at Breslau, which quote C. G. H. and P. H. 7 1/2 thalers, and W. H. 7 1/4. Stettin is well supported at 7 1/2 thalers. We have relapsed into quietude here, and prices are nominal, without any official alteration.

HOLLAND.

(Deere & Co.)

ROTTERDAM, Oct. 24, 1874.—Tin.—Early during the week the market was firm, and Banca spot, sold at 87 1/2 to 87 3/4 guilders, and delivery from the November sale at 87 1/2 to 87 3/4. But by degrees a duller feeling manifested itself, Banca now being offered at 87 1/2 on the spot, and at 87 1/4 for November auction delivery.

EAST INDIES.

(Clark, Spence & Co.)

GALLE, Ceylon, Sept. 16, 1874.—Phumbago.—We scarcely hear of any transactions; there is little offering for sale, and on the other hand, the demand is very slack. Without an advance in present quotations it would seem there is really, as has been frequently remarked, no inducement for diggers to operate.

(Atken, Spence & Co.)

COLOMBO (Ceylon), Sept. 19, 1874.—Phumbago.—Without change. Better prices have lately been fetched in London for good, bright qualities, and as the large stocks on hand are reported mostly of very inferior quality, we shall not be surprised to receive inquiry from home quarters set in before very long. P. S. 29th.—There is a little better inquiry from London; prices steady. Market is kept by dealers very bare of stock. We quote, from on board with commission, exchange at par: Lump, 880 per ton; Chips, 190/6; and Dust, 115/6. Season's export to England, 117,155 cwts.; to the United States, 37,660, and to other countries, 228; together, 137,357 against 168,627 in 1873; 139,910 in 1874, and 82,255 in 1871. Exchange firm at 1/10 1/2.

(Dummler & Co.)

BATAVIA, Java, Sept. 13, 1874.—Tin.—Billion. The next sale will be held on October 12, and will comprise about 9000 piculs. Iron.—In Swedish sales have been made at a concession on last prices. English Bars have also been placed at a decline; in other descriptions there is little doing. Copper Sheathing is in limited request, but holders are firm. Coal.—Several cargoes of both English and Australian are offered abroad, but no transactions are reported. Exchange fairly active at 11 1/4 guilders the pound sterling, 6 months, London.

Our English Letter.

Review of the British Iron, Steel, Metal and Hardware Trades.

(From our Regular Correspondent.)

SHEFFIELD, Eng., Oct. 26, 1874.

THE STATE OF TRADE

generally is tolerably steady, and there is more firmness in several branches than has been observable of late. There is, nevertheless, one notable exception to this otherwise pleasing state of things, and that is the rail trade, which remains sluggish. For iron rails, in particular, the inquiry is almost wholly confined to small orders for light sections suitable for colliery or street purposes. The Welsh works, by taking contracts as low even as 27. 2/8 per ton, are doing a limited business for South American and Turkish undertakings, there having been last month about 18,000 tons shipped from all the Welsh ports of all classes of iron. Of that total Cardiff contributed 8000 tons, and Newport 8700 tons, the balance being made up at the other ports. 18,000 tons of iron is a wretched production for the whole of the great establishments which rear their giant heads in the valleys of the little principality, hence we need not manifest much surprise at learning that the whole of the ironworkers have received notice of a further drop of 10 per cent. in wages. The plate trade, whether taken as the ordinary plate or tin plate departments, is not pressed with orders, albeit it is mentioned that a good Shropshire house is very busy. Hoops and sheets are sought after, there being an especially vivacious inquiry for Baldwin's "Wilden," Knight's "Cockley," "the Regents Grove" and the "Trident" brands. It is even stated that the producers of these best sheets have commissions on hand which will take them several months to execute. A statement of this kind would have had a "fishy" appearance a week or two back, but there is now some reason for supposing it to be well founded. Indeed, it appears very probable that with the exception of South Wales, and, to a certain and smaller extent, the Cleveland district, the now rapidly approaching winter will be tidied over by the British iron trade in a contented manner, a content which may probably widen into a certain proportion of activity in the cases of the leading firms in any given industry.

TOUCHING POLITICS.

It is again asserted in well informed circles at Berlin that Germany is organizing her army and means war. In what direction these bellicose propensities will first be directed yet remains to be seen, but it is whispered that a sort of paternal investigation will be set on foot in both Belgium and Switzerland in order to ascertain whether those two countries are able to defend their neutrality. The ostensible pretense for making this inquiry will be that either Belgian or Swiss territory might very well serve for the *via media* for a French army to issue forth from on a warlike expedition to the Fatherland, and that as the neutrality of Switzerland has been acknowledged, and that of Belgium guaranteed by Germany, she has the right to inquire into their capabilities on this head. "So far so good," we English may very well exclaim, with the mental reservation that we also have guaranteed Belgium, and that we have a far greater interest than any other country in the preservation of their autonomy by these little States. With the domain of politics proper we of this publication have little to do, but seeing that politics influence and direct commerce, it behooves us to keep a keen outlook for contingencies of all kinds. The late Franco-German war, without doubt, was the prime cause of the recent abnormal activity of our iron trades, and it is a well understood axiom that whatever tends to transfer the German population from peaceful to warlike occupations redounds to our advantage, inasmuch as it not only withdraws a formidable phalanx of competitors from the trade, but also (at the close of the fighting) creates an enormous demand for iron to replace that destroyed in structural and other appliances. This is, no doubt, a very low view of the horrors and destruction incidental to war in any cause, and under any circumstances. It is, nevertheless, an indisputable fact and one which men of business cannot well fail to bear in mind in weighing up the probabilities of the trade outlook. There may not, it is quite true, be any rupture for a long time. Peace may prevail and commerce be ruled by its ordinary conditions. Still, appearances are ominous, and all the intelligence we are

able to gather points to a disturbance of the peace of Europe.

SCOTCH PIG IRON.

Since I last wrote there has been a considerable depression in the prices of special brands of Scotch pig iron, partly owing to a reduced demand, and partly by reason of a steadier production. The stock in Connal's stores is very little in excess of 17,000 tons, a total which has not been greatly exceeded of late, so that it would appear that although the production is quite ample enough to supply the current demand, it is not so greatly in excess of it that iron has of necessity to be sent into stores. There are now 119 furnaces in blast out of a total of 157. Writing on October 23d, from Glasgow, Messrs. James Watson & Co. report thus: "We have to report a comparatively steady market for Scotch pig iron, price of warrants fluctuating between 33 and 31 1/2, closing to-day firm at 32 1/2, cash, rather buyers; it will be noted that quotations for principal shipping brands have been further reduced. Shipments last week were 10,140 tons, against 12,880 tons in the corresponding week of 1873. We quote:

	No. 1.	No. 3.
G. M. B., at Glasgow	89	79
Gartsherrie, "	102 1/2	82 1/2
Coltness, "	102 1/2	82 1/2
Summerlee, "	98 1/2	80 1/2
Lanark, "	102 1/2	82 1/2
Carnbroe, "	94 1/2	80 1/2
Calder, at Port Dundas	105 1/2	82 1/2
Glenargrove, at Ardrossan	96 1/2	81 1/2
Eglington, "	87	79 1/2
Dalmellington, "	88 1/2	79 1/2
Shotts, at Leith	102 1/2	82 1/2
Kinnell, at Bo'ness	92 1/2	80 1/2

Messrs. Wm. Colvin & Co., October 27th, say: The pig iron market has been exceedingly steady during the past week, the price of warrants remaining between 32 1/2 and 32 1/2. To-day there has been rather a firm feeling; warrants have been sold up to 33 1/2, closing with buyers over, and makers' iron is rather firmer, at the undermost prices:

	Deliverable alongside.	No. 1.	No. 3.
G. M. B., at Glasgow	89	79	
Gartsherrie, "	102 1/2	82 1/2	
Coltness, "	102 1/2	82 1/2	
Summerlee, "	98 1/2	80 1/2	
Lanark, "	102 1/2	82 1/2	
Carnbroe, "	94 1/2	80 1/2	
Calder, at Port Dundas	105 1/2	82 1/2	
Glenargrove, at Ardrossan	96 1/2	81 1/2	
Eglington, "	87	79 1/2	
Dalmellington, "	88 1/2	79 1/2	
Shotts, at Leith	102 1/2	82 1/2	
Kinnell, at Bo'ness	92 1/2	80 1/2	
Bar Iron	100		
Nail Rods	10		

	Tons.
Week ending 24th October, 1874	10,334
" 25th October, 1873	11,435
Decrease	1,111
Total decrease since 25th December, 1873	154,342

THE CLEVELAND DISTRICT

is fairly well off for orders of puddled bars, for pig iron on Dutch, Belgic and French account, as also for ship plates and other shipbuilding iron, but the district rail mills are by no means well employed. There have been about a dozen failures on the Tyneside within the past week. A local paper thus alludes to these break downs: "The failures which occurred on Tyneside last week were the source of a good deal of excitement and anxiety in business circles. But the fact was they had little to do with what may be called the legitimate business of that river. As before pointed out, several new houses came into existence during the time of high prices. Some of them, in the language of the tariff, 'plunged' a great deal, and were heavily. Business took another turn, and some establishments found themselves with a good amount of stock on hand which they could not realize except at a loss, and the rest may be quite understood. The failure of Messrs. John Soffley & Co., iron shipbuilders, of North Shields, is likely to involve several establishments in loss, though the industry is understood to be a good deal scattered. It is ascertained that their liabilities are about £25,000. The firm is stated to have taken their orders too low, and it is said that the liquidation will be unfavorable to the creditors."

THE TRADES OF SHEFFIELD.

In some branches of industry it is beginning to be apparent that, although they may not be subjected to any unusual pressure of orders, there will be a tolerably steady amount of employment throughout the coming winter months. To the majority of the manufacturers concerned, such a state of affairs will be far more satisfactory than an abnormal activity inducing the refusal of some commissions, the cancelling of others, and the generation of a state of rebellious independence on the part of the workmen. With a good inquiry for the leading articles of their manufacture, even if orders have to be accepted at an unusually low rate of profit, producers will not fail to tide over the cold period of the year with satisfaction to themselves and their customers. So far as we can at present ascertain there is not much probability of the price of fuel being enhanced beyond a merely nominal increase, there being a greatly augmented output from the local and district collieries, together with a closer competition owing to the large number of new pits recently opened out. This main source of activity being to that extent disposed of satisfactorily, it appears highly probable that the engineering, tool, foundry, brass and some few other departments will have an average amount of employment for the next six months. The erection of new iron and steel works, the extension of those already in operation, the sinking of new collieries and other collateral undertakings have been, and are still being, the means of providing the foundries and engineering works with a great deal of work. Much of this is still in hand on account of orders received some time ago, and there are yet others of fair proportions on the books of several local establishments. Renewals of worn out and broken machinery are also a constant source of demand, particularly in the very heavy trades carried on in the eastern portion of this town. In this respect some powerful engines for rolling mills and other machinery have lately been fitted up as well as constructed by at least one local concern.

Machine tools are being freely produced, and edge tools are now in even better request than I stated last week. I learn that almost all the houses in this branch are doing a heavy business, and that the leading firms are in receipt of more orders than they can well get on with in a reasonable period. Workmen are scarce, but those obtainable in these instances have instructions to make as much time and turn out as much work as they like up to Christmas, at any rate, and possibly for much longer.

There is not much alteration in the demand for, or the prices of, ores and raw materials. Spanish ores are nominally quoted at about 17 to 19 per ton at British ports, but there is not at present any quantity on offer, consequently no transactions of moment are recorded. So far as British hematites, which come chiefly from the West Lancashire and Cumberland districts, are concerned, I feel bound to correct a statement which has obtained currency to the effect that such ores are

being offered at about 16 to 17 per ton. Such is not the fact. British red ores are being quoted at about 25 to 29 per ton at the mines. Many descriptions of these ores—such as those mined at Eskat Park, Salter and elsewhere in the Whitehaven locality—are not officially quoted just now, but are in each instance specially negotiated for. Ordinary ironstone of the "clay" quality is, however, being pretty freely bought at figures which are widely divergent, ranging from 14 1/2 to 23 per ton, spot. Oolitic ores, which are much used by our blast furnaces, can be obtained at from 9 1/2 to 12 per ton, or at somewhat easier quotations when a heavy consignment is in question.

Pig irons are well maintained in value, as a rule, although instances are cited in which list figures are being "shaded" in favor of regular and large buyers. The Middleborough agents here are doing pretty well in foundry pig. They hold No. 1, at 71 1/2; No. 2, 68 1/2; and No. 3, at 66 per ton. Forge qualities range from 55 to 58. Hematite pigs are not greatly changed. Marjory hematites, Nos. 1, 2 and 3, are 95; No. 4, 90; No. 5, M and W, 90; Bessemer, No. 1, 100; No. 2, 97 1/2; and No. 3, 95 per ton, with the usual discount for prompt cash. Millon and similar productions are quoted: Bessemer, No. 1, 95; No. 2, 92 1/2; No. 3, 90; ordinary No. 3, 90; No. 4, 87 1/2; No. 5, 87 1/2; M and W, 105, on the customary 4 months' terms.

The cast steel trade is only indifferently employed, taking it as a whole. Some of the largest works are still running short time, there being little inquiry for the commoner qualities of steel. Mr. Mark Firth, of the firm of Thos. Firth & Sons, has consented to be elected Mayor of Sheffield for the ensuing municipal year, although he is not a member of the Town Council.

The statement, widely circulated on the authority of the Sheffield Independent of last Saturday, that Messrs. Charles Cammell & Co., limited, had abandoned the steel rail trade and discharged their men, is entirely untrue. The rail department of the Cyclops is, on the contrary, very actively engaged at present.

Foreign bar iron is in steady request at enhanced prices. Swedish ranges from £19 to £21, and Russian from £19 to £23, 10 per ton. I hear of a large American order for these irons having been placed with a substantial Sheffield firm within the past week or two, but the exact price has not publicly transpired.

During September the Great Northern line took a considerably greater quantity of coal from South Yorkshire. Of Yorkshire, 15,500 tons were taken against 7900 tons in August, and of the Barnsley thick coal a much larger tonnage was conveyed to the metropolis. The coal trade generally is at present in a fairly brisk condition, especially for house coal. The manufacturers of silver and electro-plated ware, both at Sheffield and Birmingham, are in the enjoyment of a real period of prosperity, and are only prevented from clearing very heavy profits by the high price at which nickel is still quoted. A leading manufacturer of these goods informed me the other day that they had plenty of work on hand for all this year out, even if they did not receive another order up to Christmas. There is no appreciable change in cutlery, files or saws.

STEEL DIRECT FROM THE ORE.

La Metallurgie gives some account of the Ponsard system of producing steel direct from iron ore in a reverberatory furnace. This French journal gives a very glowing report of the result, and a somewhat vague description of the apparatus used for effecting the marvelous transformation. La Metallurgie says: "On the 27th of September, at the forge of the Verrieres, at Vienne, France, the first production of pig iron by the direct treatment of the ore in the gas reverberatory furnace, system Ponsard, took place under the superintendence of the inventor, with the assistance of M. S. Perisse, director of the General Metallurgical Society of Paris."

The apparatus, which has formerly been described, consists principally of a gaseous, which transforms the fuel into a series of large chambers, and of an apparatus in brick, called the recuperator of heat, which receives the flames from the furnace, and restores the calorific in the form of hot air. The compartments of the chamber serve successively for the reduction of the ore, for the reactions which are effected, finally, for the fusion of the whole charge in such a manner that the separation of the component parts is effected by the difference of density. These various phases of the operation require very different temperatures, and the production of these is the special object of the apparatus. On the side of the furnace doors the temperature is only that of red heat, while beyond the hearth is so great that the eye is unable to support the intensity of the glow. This extraordinary heat is estimated at 3000° Cent.

"The success of the experiment is reported to have surpassed all expectation, and the result obtained is considered to demonstrate the possibility of producing steel direct from the ore without any of the transformations necessary under existing systems."

From very truly saying that if the system justifies the report, it is, indeed, a revolution in metallurgical industry. Whatever may be the result of this French experiment, I can avow that can now be made at Sheffield. I cannot in this communication enter into any details of the invention, or of the mode employed by the inventor, but I am assured by a shrewd, practical man that it is a perfect theoretical and practical success, and only requires putting before the world to be a great commercial one. He informs me that the thing has been done in a thorough manner; that is, perfect cast steel produced once and direct from the simple pig iron, and that a company will shortly be formed for the purpose of working it on a large scale. The cost of the cast steel so produced is said to be about half of that made in the present manner. I don't usually incline to the extravagant fancies of inventors, but I happen to know, in this instance, that the inventor has been rather slack. Tin plates in fair request. Iron dull, and prices rather irregular. Spelter.—For English delivered £24. 10/ per ton, and £23. 5/ to £23. 10/ spot and to arrive, for Silesian, according to brand. Lead.—Ordinary English shipping brands sold at £22. 12/6 to £22. 15/ with a fair business doing."

THE DARLSTON STEEL AND IRON COMPANY.

The report of the Darlston Steel and Iron Company is scarcely satisfactory to the shareholders. The gross profits on the half year ending June 30, 1874, have amounted to £7152. 18/8. The general charges and interest on mortgages and debentures have amounted to £13,696. 12/11, leaving a debit balance on the half year's working amounting to £26548. 14/3. This deficiency is occasioned, so states the report, mainly by the colliers' strike, during which the production of the forces and mills was greatly diminished by the scarcity of coal, and serious loss was occasioned by the necessity of purchasing fuel at high prices to enable the company to fulfill its engagements and maintain its connections. In addition to these causes, a heavy fall has occurred in the value of iron.

STAFFORDSHIRE AND BIRMINGHAM.

There has been more doing in finished iron since the quarter ages, and there seems some prospect of a large business being done very shortly in engineering and constructive iron. There is a good inquiry for rolls, and at the following figures: Chilled rolls of from 12 in. to 22 in. diameter are now £18. 10/ per ton, and the quotations run up from that figure to £24.

10/ for rolls of 6 and 7 inch diameter. Part-chilled and soft chilled rolls are £16 per ton for the larger, and £19 for the smaller sizes just mentioned. Grained rolls of 12 inch and upward are £10. 10/; grooved rolls of the same sizes are £11; pinions, £11. 10/; and housings, clocks, &c., for 12 inch trains and upward, £10. 10/.

For guide roll housings £3 more is required. Hammers and anvils are £10; helices (open sand), £11; and bed plates (plain open sand), £9. 10/.

Shafts, cast in the ordinary manner may now be bought at £11; and at £12 per ton those may be obtained which have been cast vertically. There are also reductions in the following articles: Axes, axes, blacksmiths' hammers, all kinds of heavy hammers, shoe heels, horse shoes, boiler and other rivets and common vises. Best vises are firm. Lyndon's shovels, spades, etc., of the "b at hammer" and "patent" kinds, are easier in consequence of the recent fall in B B H iron. Patent hinges have been dropped by an addition of 2 1/2 per cent. per cwt. in the discount. Heavy washers are further declared down by 1/2 per cwt., and light washers are 3/4 per cent. more discount. There is a very strong inquiry for knees, locks, hinges, tin plate ware and pens. The American demand for pens has, however, fallen off by fully one-third—partly by reason of your own growing production and partly owing to the heavy impost under which English pens are laid by the duty of 10 cents per gross, and 30 per cent. *ad valorem*. The Birmingham people grumble at a good deal—manage to do pretty well. I shall not deal at any length with the iron trade, but merely record that sheets are in active request at £13 to £17, marked bars at £10. 15/ to £11. 5/; common bars, £9. 10/ to £10. 10/; hoops at £11. 15/ to £12. 10/; and rods at £10. 10/ to £11. 10/.

THE SOUTH WALES DISTRICT.

The whole of the associated iron masters of South Wales have given notice of the termination of all existing contracts with their men, and of a reduction in the iron workers' wages of 10 per cent., to take into effect about Nov. 15. The men are taken by surprise, and have not as yet given any reliable indication of the course they will take. The associated coal masters of South Wales and Monmouthshire have determined to put their new contract rules into operation almost immediately. These rules will almost revolutionize the mode of living (and working) of the Welsh colliers, who have no rules whatever but their own sweet inclinations. These rules will fix his time for beginning and leaving work; state that he must not be absent from work without permission, with several minor regulations. The district coal trade is good, but the iron works, with about two exceptions, are not enjoying any material amount of prosperity.

THE METAL MARKETS.

There was not much business doing in copper during last week, but tin has closed hands with average frost, and several good sales of lead are reported as having taken place. Messrs. Von Dadeizen & North say that Copper has been dull, with very little doing. The price of Chili bars has declined to £21. 10/ for g. o. b., but late yesterday there appeared a firmer tone, and business reported at £22, cash. In Australian hardly any transactions reported. Wallaroo nominally £23, Burra, £24. English without change. Tin.—An average amount of business reported, chiefly in Australian, from £21 down to £20, which was the last price paid. Straits, on the spot, £22 to £23. 10/; and £20 to arrive. English tin firm; blocks and ingots, £27 to £28. The Dutch market is quiet; Banca, 57 1/2; Billiton, 54 1/2. Tin plates continue in moderate demand, but there is no change in price. Lead has fully maintained the late advance—£22. 15/ to £23 now asked for good soft English pig. Spelter.—The market is firm, but no business reported; importers ask £24 for Silesian in warehouse here, Quicksilver, £23. 17/6 per bottle.

Messrs. French & Smith's circular says: "The past week metals were very quiet. Iron.—Staffordshire is in moderate demand. Rails are not much inquired for. Pig iron, of all sorts, is firm. Copper.—Chili bars, after being very strong at £23, have given away a little, and small sales are reported at £21. 10/; this afternoon there is a better feeling, and prices are quoted higher. Tin.—We have had some large sales of Australian, spot and just due, at £20. Straits is £22 and £23. 10/; spot; for arrival, £21. 10/.

There is no alteration in Dutch prices of Banca or Billiton. The consumption is good. Tin plates are not quite so firm. Lead maintains its value, and continues scarce.

Messrs. Vivian, Younger & Bond say: "Prices generally are rather easier for the week, the apprehension of dearer money producing some uncertainty, though no advance in the bank rate took place yesterday as was expected. At the Swansea copper ticketing on Tuesday last, 1747 tons British and foreign ores sold at an average of 15/10 per unit, for an average produce of 14 1/2 per cent. Cape ores of 28 per cent. realizing 16/3 per unit. Chili bars have been neglected, and prices are 20/ to 30/ easier, with sales down to £21. 5/ for good ordinary brands, and £23. 10/ to £22. 10/ for picked. In fine foreign very little passing, some sales of Wallaroo at £21. 2/6 to £21. 10/ for cake and ingot. Burra rather scarce at £20 to £20. 10/.

English manufactured only in very moderate demand, £25 for sheets. Yellow metal at 8d. to 8 1/2d. Tough and selected £28 to £29, and £30 to £30. 10/ respectively. The improvement in tin, noticed in our last issue, has been partially lost under the influence of further arrivals of Australian slabs, which have sold at from 9/6 to 9/9, both spot, landing and ex-warehouse in fair quantity. Straits has commanded 93/ for a few parcels on the spot, but is now 20/ lower, and for arrival 91/6. At the ticketing of Australian ores on Tuesday, 66 tops fine sold at £50. 10/ to £56. 5/; eight tons good at £38. 10/; and four tons inferior at £15. 10/.

Seven tons Peruvian barilla at £27. 10/ to £45. Since the advance in English to £26 for common ingot the demand has been rather slack. Tin plates in fair request. Iron dull, and prices rather irregular. Spelter.—For English delivered £24. 10/ per ton, and £23. 5/ to £23. 10/ spot and to arrive, for Silesian, according to brand. Lead.—Ordinary English shipping brands sold at £22. 12/6 to £22. 15/ with a fair business doing."

Messrs. Warner & Waldeck's prices current (London, Oct. 23): "Pig iron.—Scotch, from £4. 17/ to £5. 14/; ex-warehouse in Thames; north of England, £3. 3/6 to £3. 10/ (at works); hematite, £4. 10/ to £5 (at works). General castings, from £6 per ton (at works). Bar iron.—Staffordshire "Champion" bars, £10. 10/; hoops, £11; sheets, £13; strip, £10; charcoal bars, £21; hoops, £22; sheets, £24; strip, £24 per ton (at works). North of England bars, £9. Tank plates, £11 (at works). Bolts and nuts, from £17. 3/ per ton. Spikes and rivets, from £12. 10/ per ton in London. Tin Plates.—"Hendy" charcoal, extra fine quality, 38/ per box; "Gower" charcoal, 35/; "Rhoe" coke, 30/ per box; common coke plates, from 27/ per box. Rolled brass, 9 1/2d. per lb.; brass tubes, 12d. per lb.; copper tubes, 12 1/2d. per lb.; brass wire, 9 1/2d. per lb.; copper wire, 12d. per lb.; telegraph wire, 12 1/2d. per lb."

Messrs. J. H. Austin & Co.'s circular: "Rails.—American rails, 50 to 60 lbs. per yard, £7. 10/ to £8. f.o.b. Wales; ditto, Tyne or Tees; Russian and similar, 66 to 75 lbs. per yard, £7. 15/ to £8. f.o.b. Wales; ditto, Tyne or Tees; street rails, £8. 10/ to £9. 10/; Tyne or Tees; steel rails, £10. 10/ to £11, Liverpool; and £10 to £10. 10/; Wales."

LATEST LIVERPOOL PRICES.

Iron: f. o. b. Liverpool, per ton.

	£	s.	d.	£	s.	d.
Merchant bar	9	7	6 to 9	10	0	0
Merchant bar, in Wales	9	0	0 to 9	2	6	0
Staffordshire	10	5	0 to 10	14	0	0
Hoops	11	10	0 to 12	10	0	0
Sheet	13	0	0 to 14	0	0	0
Nail rod	10	5	0 to 10	15	0	0
Bar, best crown	10	5	0 to 10	10	0	0
Boiler plates	12	8	0 to 13	5	0	0

Tin Plates: f. o. b. in Liverpool, per box.

	£	s.	d.	£	s.	d.
Charcoal, L. C.	1	16	0 to 1	19	0	0
Coke, L. C.	1	7	0 to 1	10	0	0

Copper: Delivered in Liverpool, per ton.

	£	s.	d.	£	s.	d.
Rail and Sheathing	2	9	0	0	0	0
Tile	2	9	0	0	0	0
Best selected	2	9	0	0	0	0

LATEST LONDON METAL MARKET.

Copper.—Business limited, owing to absence of sellers. Chili, £22. 10/ to £22, cash, £23. 10/ three months. Australian unchanged. Tin, more business. Straits, £21. 10/ to £22 spot, £20. 10/ to arrive; Australian, £20. 10/ spot and to arrive. Spelter, unchanged. Lead, £23.

The Iron Interests of the James River Valley.

Although so little importance has heretofore been attached to the iron interests of this valley, the day is near at hand when it will be recognized as far beyond all others. All that is now required to assure this result is cheap coal, which the connections of the canal with the Chesapeake and Ohio Railroad will furnish.

The abundant supply of rich iron ores in the James River Valley is no longer a question. It is a fact, and capable of indisputable proof. These ores are of several varieties, the most abundant of which are the specular or peroxide, including red and brown hematite; limonite, or hydrous peroxide; and black or magnetic oxide. Specimens from a number of large deposits have been carefully analyzed, and yield from 45 to 67 per cent. of pure metallic iron. These specimens were selected with due reference to a working average.

Parties are engaged in mining at several points in this belt, and openings have been made at many other places with the view of ascertaining the extent and character of the deposits. The geological formation is a regular stratification, generally nearly vertical, with a few feet of soil on the surface. The veins are from

were very successful, the product amounting to several thousand tons, which were shipped to furnaces in Pennsylvania. The ore, though of lean quality, produced a quality of iron very much liked.

The successful operations of the company led them to purchase an adjoining farm of 106 acres of Mr. John Holt, paying for the same \$25,000. In prospecting for ore on this property, a large vein was discovered of lean ore, which promises, by analysis, to be very superior for making Bessemer steel. This latter discovery, with the former, led Mr. Richard D. Wilson and his associates at that time to resolve on building a furnace. Mr. Wilson proceeded to Boston and succeeded in enlisting a party of Boston gentlemen to furnish additional capital for the enterprise. The company then formed, about two years since, purchased of Mr. Isaac Dill the farm formerly owned by Sheriff Axford, containing 235 acres, on which the furnace has been erected, for the consideration of \$31,500. This farm was considered one of the finest in Warren county.

Shortly after purchasing the Axford farm, the company contracted with Mr. Samuel McHose, of Allentown, Pa., an experienced furnace builder, to build the furnace as we now see it, and, judging it by its appearance, we do not hesitate to pronounce it a well built furnace. It was commenced about a year and a half ago, and blown in Tuesday, the 27th inst. The stack was fired up on Monday noon, and the ignition took place so rapidly that the blast was put on on Tuesday, at 9:30 o'clock p. m., and the first casting made at 9:30 o'clock Wednesday morning. We were present, along with a large number of interested spectators, at 3 o'clock in the afternoon of the same day, when the second cast was made, which was pronounced excellent for the second casting.

We herewith give a brief description of the furnace, its engine and buildings: The stack is of iron, 16 feet bosh and 58 feet high. Steam is generated, for its motive power, from the waste gases brought down from the top of the furnace by the plan generally in use, and is applied under four boilers 60 feet long by 40 inches in diameter, and four boilers 45 feet long and 30 inches in diameter, the latter directly under the four larger boilers. This process produces so far, and bids fair to make all the steam required for driving the blast engine of about 500 horse-power, which is capable of pumping 10,000 cubic feet of air per minute. The engine was built by I. P. Morris & Co., Philadelphia, who are regarded as among the best engine builders in the country, and is a model of power and finish. The steam cylinder is 50 inches in diameter and 7 feet stroke. The blowing cylinder is 90 inches diameter and 7 feet stroke. The engine is of upright build, direct acting, having a fly-wheel 24 feet in diameter, and is at present worked as a low pressure engine. It is however adapted to working as a high or low pressure engine. The blast is heated by 60 pipes of what is known as the "Kent Patent." The engine house is a handsome three story brick building (surmounted with a French roof), in size 35x40 feet. The casting house, built of stone and brick, is 50x25 feet. The stock house is of the same size as the casting house, the lower story being built of stone and the upper story of frame. In this latter building, the raw material, such as iron ore, limestone, coal, etc., for charging the furnace, are prepared. The stock is raised to the top of the stack by a pony engine, located in one corner of the stock house. There are also two railroad tracks laid from the Delaware, Lackawanna & Western Railroad to the stock house, to facilitate the reception of stock and the shipment of iron.

This new furnace is the first erected on the line of the Pequest iron belt, a large vein of ore reported by the State Geologist as extending through this section. The company's mines are about a half mile from the furnace, while limestone and sand are abundant and close at hand. Taking every advantage into consideration, the furnace was put in blast under the most favorable circumstances. Mr. James H. Springer, formerly of the Bethlehem (Pa.) Iron Company, is superintendent.

Tempering Steel.

Mr. Richards, in his excellent treatise on the principles of shop manipulation for engineering apparatus, says:

Tempering is the romance of the smith's shop; it has an attraction about it that characterizes every process that is mysterious, especially any process connected with, or belonging to mechanical manipulation. A strange and perhaps fortunate habit of mind is to be greatly interested in what is not understood, and to disregard what is capable of plain demonstration.

An old smith who has stood at the forge for a score of years, will take almost the same interest in tempering processes that a novice will. Give an old smith a piece to temper that is liable to spring or break when the risk is great, and he will enter upon it with the same zeal and interest that he would have done when learning his trade.

No one has been able to explain why a sudden change of temperature hardens steel, nor why it assumes various shades of color at different degrees of hardness; even the most critical researches into the chemistry of steel have offered no rational explanation. We only know the fact, and that, fortunately, steel has such properties. Every one that uses tools should understand tempering them, whether it be for iron or wood work. Experiments with tempered tools is the only means of determining the proper degree of hardness, and as smiths, except with their own tools, have to rely upon the explanations of others as to proper hardening, it follows that tempering is generally a source of complaint with those who use tools hardened by others.

Tempering, which, as a term, is used to comprehend both hardening and draw-

ing, is almost solely a matter of judgment instead of skill, and has no such intimate connection with forging as to be performed by smiths alone. In fact it requires a different kind of fire from those used in forging, and also requires as a process more care and precision than blacksmiths usually exercise in their operations, unless they have furnaces and baths especially arranged for tempering tools.

A difficulty that arises in hardening is from the contraction of the steel which takes place in proportion to the change of temperature; and as the time of cooling is in proportion to the section of a piece, it follows of course that there is a great strain and a tendency to break the thinner parts before the larger parts have time to cool and contract, or this strain may take place from the cooling of one side first, or more rapidly than another.

The following proposition in regard to tempering, comprehend the main principles to be observed:

The permanent contraction of the steel is as the degree of hardness that is imparted to it by the bath.

The time in which the contraction takes place is as the cross section of the piece at any part; or in other words the heat passes off first from the surface, and then uniformly from the surface to the center.

The thin sections of steel tools being removed from or projecting from the mass which supports the edges are cooled first, and if provision is not made to allow for contraction, the thin sections or edges are torn asunder.

The main point in hardening and the most that can be done to avoid irregular contraction, is to apply the bath so that it will act first and strongest on the thickest part. If a piece is tapering or in the form of a wedge, the thick end should enter the bath first; a cold chisel, for instance, that is wide enough to endanger cracking, should be put into the bath with the head downward.

The upflow of currents of warmed water are a common cause of irregular cooling and the springing of steel tools in hardening; the water that is heated rises vertically, and the least inclination of a piece from a perpendicular position allows this warm current to flow up on one side and to leave the piece on the other.

The most effectual means of securing uniform effect from the bath is by violent agitation, either of the bath or the piece; this also adds to the rapidity of the cooling.

The effect of tempering baths is as their conducting power; chemical effect need not be considered, except as it may contribute to this. For baths, cold water or ice water loaded with salt and warm oil are the two extremes outside of which nothing is required.

In tools composed partly of iron and partly of steel, steel laid as it is called, the tendency to crack in hardening may be avoided in a great degree by hammer stretching, hammering the steel edge at a low temperature until it is expanded so that when cooled in hardening it will only contract to a state of rest with regard to the iron parts; the same effect can be produced by curving a piece, giving convexity to the steel side before hardening.

Tools should never be tempered by immersing their edges or cutting parts in the bath, and then allowing the heat to "run down" to do the tempering. I am well aware that this is attacking a general custom, but it is none the less wrong for that reason.

Tools so hardened have a gradually diminishing temper from their point or edge, so that no part is properly tempered, and they require continual rehardening, which spoils the steel; beside the extreme edge is usually spoiled and must be ground away to begin with. No lathe-man who has once had a set of tools tempered throughout by slow drawing, either in an oven or on a hot plate, will ever consent to point hardening afterward. A plate of iron, two to two and one-half inches thick, placed over the top of a tool dressing fire, makes a convenient place for drawing temper, beside adding greatly to the convenience of slow heating, which is almost as important as slow drawing. The writer has in one case by actual experiment determined that the amount of tool dressing and tempering, to say nothing of time wasted, was in ordinary machine fitting reduced more than one-third by "oven tempering" the tools for lathes and planing machines.

As to the shades that appear in drawing temper, or tempering it is sometimes called, it is quite useless to repeat any of the old rules about "steam color, violet, orange, blue," and so on—the learner knows as much after such instruction as before. The shades of temper must be seen to be learned, and as no one is likely to have use for the knowledge before having opportunities to see tempering done, I will recommend the following plan which will be found an efficient one to begin with, in learning the shades of temper: Procure 8 pieces of cast steel about two inches long by one inch wide and three-eighths of an inch thick, heat them to a high red heat and drop them into a salt bath, leave one without tempering to show the white shade of extreme hardness, and grind off and polish one side of each of the remaining seven pieces; then give them to an experienced tool maker to be drawn to seven various shades of temper ranging from the white piece to the dark blue color of the soft steel. On the backs of these pieces paste labels describing the technical name of the shades and the general uses to which tools of corresponding hardness are adapted.

This will form an interesting collection of specimens, and accustom the eye to the various tints, which will, after some experience, be instantly recognized when seen separately.

It may be remarked, as a general rule, the hardness of cutting tools is "inversely as the hardness of the material to be cut," which seems anomalous, and no doubt is so if nothing but the edge is to be considered; but all edges are

subjected to transverse strain, and this transverse strain is constantly as the hardness of the material acted upon; hence the degree of temper has of necessity to be such as to guard against breaking. Tools for cutting wood, for example, can be much harder than for cutting iron, or to state it better, tools for cutting wood are harder than those usually employed for cutting iron, for if iron tools were always as carefully formed and as carefully used as wood tools are, they could and should be equally hard.

Coal Miners' Strike at Belleville, Illinois.

St. Louis, November 11.—The strike of the coal miners of St. Clair county, Illinois, opposite this city, continues. A meeting was held yesterday at French Village, at which it was resolved that work in all the mines in Belleville district be suspended until every company in it accede and all non-union men join the miners' union and are governed by the same laws.

The strike is for a uniform price of four cents a bushel for digging, eight hours' labor, and just weight. The union miners also insist that all non-union men, or "Blacklegs," as they are called, shall join the union.

There is a good deal of uneasiness in Belleville, and considerable apprehension felt that trouble, if not bloodshed, will follow. To avoid this, if possible, a militia company has been formed, and arms have been received from the State. The miners assert they do not intend to resort to violence, but are determined to hold out till their demands are acceded to.

The Isabella Furnace.—The following is a record of the run of stack No. 1, Isabella Furnace, at Etna, Pa., for four weeks. The stack is 75 feet high by 18 feet bosh:

Week ending.	Tons.	Lbs.
Oct. 17.....	616	50
Oct. 24.....	651	990
Oct. 31.....	674	1490
Nov. 7.....	702	1230
Total.....	2644	1450
Average.....	661	363

The attention of capitalists is invited to the advertisement of "Blast Furnace for Sale," which will be found among Special Notices on the 16th page.

London Metal Market.

(From The Mining Journal.)

	£.	s.	d.
Copper—9 ton.			
Best Selected.....	92	0	0
Tough Cake & Tile.....	90	0	0
Smelting and Sheets.....	88	0	0
Boiler.....	87	0	0
Bottoms.....	86	0	0
Old.....	85	0	0
Australian.....	90	0	0
Wire.....	91	0	0
Spelter—9 ton.			
Foreign on the spot.....	23	5	0
Domestic.....	23	5	0
Zinc—9 ton.			
In Sheets.....	31	0	0
Castings.....	30	0	0
Iron—9 ton.			
English Blocks.....	97	0	0
Swedish.....	98	0	0
Belgian.....	97	0	0
Do. merchant, Tyne or Tees.....	97	0	0
Do. common ditto.....	96	0	0
Do. Swedish, in London.....	98	0	0
Do. to arrive.....	97	0	0
Do. No. 1, in Clyde.....	97	0	0
Do. No. 2, Tyne or Tees.....	96	0	0
Do. No. 3, L.O.B.....	95	0	0
Do. No. 4, L.O.B.....	94	0	0
Do. No. 5, L.O.B.....	93	0	0
Do. No. 6, L.O.B.....	92	0	0
Do. No. 7, L.O.B.....	91	0	0
Do. No. 8, L.O.B.....	90	0	0
Do. No. 9, L.O.B.....	89	0	0
Do. No. 10, L.O.B.....	88	0	0
Do. No. 11, L.O.B.....	87	0	0
Do. No. 12, L.O.B.....	86	0	0
Do. No. 13, L.O.B.....	85	0	0
Do. No. 14, L.O.B.....	84	0	0
Do. No. 15, L.O.B.....	83	0	0
Do. No. 16, L.O.B.....	82	0	0
Do. No. 17, L.O.B.....	81	0	0
Do. No. 18, L.O.B.....	80	0	0
Do. No. 19, L.O.B.....	79	0	0
Do. No. 20, L.O.B.....	78	0	0
Do. No. 21, L.O.B.....	77	0	0
Do. No. 22, L.O.B.....	76	0	0
Do. No. 23, L.O.B.....	75	0	0
Do. No. 24, L.O.B.....	74	0	0
Do. No. 25, L.O.B.....	73	0	0
Do. No. 26, L.O.B.....	72	0	0
Do. No. 27, L.O.B.....	71	0	0
Do. No. 28, L.O.B.....	70	0	0
Do. No. 29, L.O.B.....	69	0	0
Do. No. 30, L.O.B.....	68	0	0
Do. No. 31, L.O.B.....	67	0	0
Do. No. 32, L.O.B.....	66	0	0
Do. No. 33, L.O.B.....	65	0	0
Do. No. 34, L.O.B.....	64	0	0
Do. No. 35, L.O.B.....	63	0	0
Do. No. 36, L.O.B.....	62	0	0
Do. No. 37, L.O.B.....	61	0	0
Do. No. 38, L.O.B.....	60	0	0
Do. No. 39, L.O.B.....	59	0	0
Do. No. 40, L.O.B.....	58	0	0
Do. No. 41, L.O.B.....	57	0	0
Do. No. 42, L.O.B.....	56	0	0
Do. No. 43, L.O.B.....	55	0	0
Do. No. 44, L.O.B.....	54	0	0
Do. No. 45, L.O.B.....	53	0	0
Do. No. 46, L.O.B.....	52	0	0
Do. No. 47, L.O.B.....	51	0	0
Do. No. 48, L.O.B.....	50	0	0
Do. No. 49, L.O.B.....	49	0	0
Do. No. 50, L.O.B.....	48	0	0
Do. No. 51, L.O.B.....	47	0	0
Do. No. 52, L.O.B.....	46	0	0
Do. No. 53, L.O.B.....	45	0	0
Do. No. 54, L.O.B.....	44	0	0
Do. No. 55, L.O.B.....	43	0	0
Do. No. 56, L.O.B.....	42	0	0
Do. No. 57, L.O.B.....	41	0	0
Do. No. 58, L.O.B.....	40	0	0
Do. No. 59, L.O.B.....	39	0	0
Do. No. 60, L.O.B.....	38	0	0
Do. No. 61, L.O.B.....	37	0	0
Do. No. 62, L.O.B.....	36	0	0
Do. No. 63, L.O.B.....	35	0	0
Do. No. 64, L.O.B.....	34	0	0
Do. No. 65, L.O.B.....	33	0	0
Do. No. 66, L.O.B.....	32	0	0
Do. No. 67, L.O.B.....	31	0	0
Do. No. 68, L.O.B.....	30	0	0
Do. No. 69, L.O.B.....	29	0	0
Do. No. 70, L.O.B.....	28	0	0
Do. No. 71, L.O.B.....	27	0	0
Do. No. 72, L.O.B.....	26	0	0
Do. No. 73, L.O.B.....	25	0	0
Do. No. 74, L.O.B.....	24	0	0
Do. No. 75, L.O.B.....	23	0	0
Do. No. 76, L.O.B.....	22	0	0
Do. No. 77, L.O.B.....	21	0	0
Do. No. 78, L.O.B.....	20	0	0
Do. No. 79, L.O.B.....	19	0	0
Do. No. 80, L.O.B.....	18	0	0
Do. No. 81, L.O.B.....	17	0	0
Do. No. 82, L.O.B.....	16	0	0
Do. No. 83, L.O.B.....	15	0	0
Do. No. 84, L.O.B.....	14	0	0
Do. No. 85, L.O.B.....	13	0	0
Do. No. 86, L.O.B.....	12	0	0
Do. No. 87, L.O.B.....	11	0	0
Do. No. 88, L.O.B.....	10	0	0
Do. No. 89, L.O.B.....	9	0	0
Do. No. 90, L.O.B.....	8	0	0
Do. No. 91, L.O.B.....	7	0	0
Do. No. 92, L.O.B.....	6	0	0
Do. No. 93, L.O.B.....	5	0	0
Do. No. 94, L.O.B.....	4	0	0
Do. No. 95, L.O.B.....	3	0	0
Do. No. 96, L.O.B.....	2	0	0
Do. No. 97, L.O.B.....	1	0	0
Do. No. 98, L.O.B.....	0	0	0
Do. No. 99, L.O.B.....	0	0	0
Do. No. 100, L.O.B.....	0	0	0

GEORGE BARNES & CO.,



Manufacturers, Syracuse, N. Y.



HURD'S HURD'S

RAZOR BLADE AXES

MANUFACTURED FROM THE BEST ENGLISH EXTRA CAST STEEL

BY THE JOHNSONVILLE AXE MFG. CO.

AXES TOOLS

LANE, GALE & CO.

TROY, N.Y.

J. CLARK WILSON & CO.,

MANUFACTURERS' AGENTS,
And Dealers in American and Foreign

HARDWARE,

81 Beekman St., N. Y.
SOLE AGENTS FOR

The "Eureka" Can Opener.

Patented June 9, 1874.

The "EUREKA" CAN OPENER is made entirely of Malleable Iron, has nothing about it liable to get out of order, and is the most effective instrument of the kind which has been placed upon the market. It is a simple contrivance, formed with a holder, in which is inserted one stationary and one movable clamp, with a screw to attach the clamps firmly to the can. The holder is furnished with a handle which, the operator taking in one hand, holds the can firmly, while with the other hand he operates the cutter, which, moving on a swivel describes, nearly a circle, cutting through with great ease.

Price to the trade, (reduced).....Per dozen \$3.50

SOLE AGENTS FOR

The Small Mfg. Co.'s Boring Machines and Boring Implements.

J. L. Hommedieu's Ship Augers and Ship Auger Bits.

Wm. A. Clark's Expansion Bits.

Ten Eyck Mfg. Co.'s Axes, Hatchets, &c.

Robert Mann & Co.'s Chopping Axes.

Middleboro' Shovel Co.'s Shovels, Spades & Scoops.

McNeil's Chisels and Drawing Knives.

American Shear Co.'s C. S. Shears, &c.

United States Shear Co.'s Shears, &c.

Miller Bros. Cutlery Co.'s Pocket Cutlery.

Woods Cutlery Co.'s Table Cutlery, &c.

Turner & Cowlishaw's Celebrated Amer. Razors.

Davis Level and Tool Co.'s Plumbs & Levels, &c.

Taylor Mfg. Co.'s Door Bells, &c.

Knappe Lock Co.'s Locks, Knobs, &c.

Mrs. Coles' Filing Machines.

W. H. Hocking's "Eureka" Can Opener.

H. A. & A. H. Warner's Base Knives.

C. G. Beebe's Cotton Lines.

H. Clark's Bradawl and Tool Sets, &c.

Wickham & Kohrer's Axe, Pick, Sledge and Small Handies.

A. CARR

MANUFACTURER AND PROPRIETOR,
43 CORTLANDT ST. NEW YORK.

CARR'S POSITIVE CIRCULATING STEAM RADIATOR

THE ONLY UPRIGHT STEAM RADIATOR MADE WHICH HAS A POSITIVE CIRCULATION

WROUGHT IRON PIPE, BRASS WORK AND CAST IRON PIPE, FOR PLUMBERS, STEAM AND GAS FITTERS.

SEND FOR DESCRIPTIVE CIRCULARS, PRICE LISTS

Early Applied and not liable to get out of Order.—From Report of Judges at American Institute Fair, 1872.

CHALLENGE DOOR & GATE SPRING.

PATENTED JULY 11/1871.

CHALLENGE DOOR & GATE SPRING.

PATENTED JULY 11/1871.

The Challenge Door Spring Co.,

Exclusive Manufacturers of the (March, 1873)

CHALLENGE DOOR & GATE SPRING.

PATENTED JULY 11/1871.

CHALLENGE DOOR & GATE SPRING.

PATENTED JULY 11/1871.

In Appearance the Most Beautiful. In Action the Most Graceful. In Use the Most Reliable.

The Challenge Springs are manufactured from Steel Wire, tempered by an Improved Process, the result of repeated experiments, and must not be classed by dealers with the numerous worthless "Cell Springs" made from common Rod Spring Wire.

No. 49 Ann Street, NEW YORK.

R. M. GREEN & CO.,

100 Chambers Street, NEW YORK.

Hardware Manufacturers' Agent.

REPRESENT:

BATCHELLER MFG. CO., Cast Steel Forks, Rakes, &c.

VERMONT KNATH CO., Snakes.

WORTH CAROLINA HANDLES, Agr. Pick and Sledge Handles.

EXETER MFG. CO., Carriage Rims, Hubs and Spokes. Wood Hay Rakes.

VERMONT MFG. CO., Hay, Manure and Shovel Handles. All kinds of Ash, and Hickory Timber Sawed and Turned to order.

BIGNALL MFG. CO., Barn Door Rollers and Hangers, C. S. Fixtures, Pump, &c.

LITTLE JOKER.

The Best
Cheap Pistol Made.

Send at once for a new
ILLUSTRATED CATALOGUE,


The most complete ever published, containing *Cuts and Prices of*
Breech and Muzzle Loading Guns, Rifles, Pistols, Flasks, Pouches,
Gun Material, Ammunition, Key Blanks, &c.

SCHOVERLING & DALY,

P. O. Box 5380, New York.

84 & 86 Chambers St., N. Y.

Lists will be sent *only* to **DEALERS** in Gun and Pistol Goods.



MILLERS FALLS COMPANY, No. 78 Beekman Street, New York,
BARBER RATCHET BRACE.

This Brace has a Lig-
wood Revolving Iron
Sweep, Malleable Iron

Cast Steel Jaws,

It is beautifully
MOST PERFECT
In places where there is not
will drive the bit in or out,
without the Ratchet attach-

!Pawls! and
finished, and in
BRACE

room to revolve the sweep, a
They cost only 50 cents more
meat, and will surely come

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

**WITH THIS
BRACKET SAW**

An infinite number of
useful and ornamental
articles can be made.
It will pay for itself
every day when in use.
The frame is 5x12 in.,
and made of red cherry
wood, beautifully
polished.

For sale at all Hard-
ware stores.

Miller's Falls Co.,

N. Y.

summit Head, Rose-
die, Wrought Iron
Nut & Socket, with

Ratchet Wheel.

It respects the
IN MARKET.

slight back and forth motion
than the same style of brace
into general use.
For Sale by all Hardware
Dealers.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

IRON CUTTERS.

This is the most powerful Cutter in use, and
just what is needed by all retail iron dealers. Also
by shipbuilders, manufacturers, and all others hav-
ing iron to cut. It will cut iron twice as large as
any other machine of the same cost.

Weight. Cuts. Price.
No. 1, 16 lbs., 3/4 in. round or sq., \$25
No. 2, 165 lbs., 3/4 in. " " " 50
No. 3, 312 lbs., 3/4 in. " " " 75

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,

NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Our Glass Cutters are made with a handle like a Glaziers
Diamond, but, instead of the diamond point, they have a
small hardened steel revolving wheel, the sharp edge of
which cuts nearly as well as a diamond. They are durable,
and will give entire satisfaction.

Miller's Falls Co.,

No. 78 Beekman St.,


NEW YORK.

Manufacture Barber's Bit Braces, Miller's Falls Vices, Little Giant Iron Cutters,
Adjustable Chuck Breast Drills, Family Tool Chests, Pratt's Boiler
Tube Scrapers, Patent Angular and Ratchet Drilling
Machines, Langdon Mitre Boxes.

Guy C. Hotchkiss, Field & Co.,

85 First St., Brooklyn, E. D., and New York City.

Champion Thread Cutting



and Nut Tapping Machine.

This machine has revolving and sliding jaws, which enables the operator to cut all kinds work, no
matter how irregular in shape it may be. It cuts a perfect thread at once going over. As much work can
be done in one hour by this machine as in a day with stocks and dies. Send for Circular.

Manufacture Carriage Materials, Axles, Springs, Blacksmiths' Sup-
plies, Bolts, Wood Work, Trimmings, &c.

IMPORTERS AND DEALERS IN

IRON AND STEEL.**DOVER STAMPING CO.,**

88 & 90 North Street, Boston.

SOLE OWNERS AND MANUFACTURERS.

DOVER EGG BEATER.

Special Notice to the trade.



Patented May 31, 1870.

FAMILY SIZE.

FOR TUMBLERS.

MANUFACTURED BY

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

BOSTON, MASS.

The genuine Dover Egg Beater has its name "DOVER EGG BEATER" legibly cast on the face of
the large wheel.

DOVER STAMPING CO.

HOWARD PARALLEL BENCH VISE.

MANUFACTURED BY

Howard Iron Works,

Send for price list. Buffalo, N. Y.

RUSSELL & ERWIN MFG. CO., New York and Philadelphia, Agents.

NOTICE.

These Vises are only manufactured at the **HOWARD IRON WORKS, at Buffalo, N. Y.** and are so stamped. The improvements in these Vises
which are patented are valuable, and parties who claim to manufacture, and are offering a Vise representing it to be the same as the **HOWARD VISE,**
are deceiving the Trade.

The Fisher & Norris Eagle Anvil Works.

(ESTABLISHED 1843.)



These Anvils are manufactured at the oldest Anvil Factory in this country.
They are superior to the best English, or other Anvils, on account of the peculiar
process of their manufacture (invented and used only by this concern), and from the
quality of the materials employed.

The best English Anvils, after a time, become hollowing on the face by continued
hammering in use, on account of the fibrous nature of the wrought iron—causing it
to "settle" under the face.

The body of the Eagle Anvil being of crystallized iron, no such settling can
ever occur; and the steel face, therefore, remains perfectly true. Also, it has the
great advantage that being of a more solid material, and consequently with less re-
bound, the piece being forged receives the full effect of the hammer, instead of a
part of it being wasted by the rebound, as with a wrought iron anvil. An
equal amount of work can, therefore, be done on this Anvil with a hammer one-fifth
lighter than that required when using a wrought iron anvil which is more elastic.

The working surface is in one piece of Jesse's Best Tool Cast Steel, which,
after being accurately ground, is hardened and given the proper temper for the
heaviest work. The horn is covered with and its extremity made entirely of steel.
The body of the Anvil is of the strongest grade of American iron, to which the cast
steel face is warranted to be thoroughly welded and not to come off.

REDUCED PRICE LIST. ANVILS weighing 100 lbs. to 800 lbs., 11c. per lb.

Smaller Anvils, ("Minims.")
No. 0
1 lb. 20 lb. 30 lb. 40 lb. 50 lb. 60 lb. 70 lb. 80 lb. 90 lb.
\$4.35 \$5.00 \$5.50 \$6.00 \$7.50 \$8.50 \$9.50 \$10.00 \$10.50
Price, \$3.50

THESE GOODS ARE SOLD BY THE GENERAL AGENTS (with special discounts to the trade).

New York.—Messrs. **CLARK, WILSON & CO.,—RUSSELL & ERWIN MANUFACTURING COMPANY.**—Messrs. **HORACE DUNNIE & CO.** Boston.—Messrs. **GEORGE H. GRAY & DANFORTH.** Philadelphia.—Messrs. **JAMES C. HAND & CO.** Balti-
more.—Mr. **W. H. COLE.**



**MORE LIGHT,
LESS OIL AND
NO CHIMNEYS.**

**THE PATENT
Mechanical No Chimney Kerosene
LAMP.**

Equal to Gas, No Smoke, No Soot, Guaranteed
cannot Explode. Send for Circular. Liberal
discount to Trade.
PATENT MECHANICAL LAMP CO.,
128 Chambers Street, New York.


STEAM GOVERNOR
WARRANTED BEST IN USE.

William N. Jennings,

FINE PRINTING and STATIONERY,

No. 43 Franklin Street,

bet. Broadway & Elm St., **NEW YORK**

Knob, Stair Rail & Doweling Screws.

Self-Attaching
HAT & CLOSET PINS,
Picture

Pipe, Fittings, &c.

Thomas T. Tasker, Jr.

Stephen P. M. Tasker

MORRIS, TASKER & CO.,

PASCAL IRON WORKS, Philadelphia,

TASKER IRON WORKS, New Castle, Del.,



Office, Fifth and Tasker Streets, Philadelphia.

Office and Warehouse, No. 15 Gold Street, New York.

Office and Warehouse, No. 36 Oliver Street, Boston.

MANUFACTURERS OF

WROUGHT IRON WELDED TUBES.

Plain, Galvanized and Rubber-Coated, for Gas, Steam and Water.

Lap-Welded Charcoal Iron Boiler Tubes.

Oil Well Tubing and Casing, Gas and Steam Fittings, Brass and Steam Fitters' tools, Cast Iron Gas and Water Pipe, Street Lamp Posts and Lanterns, Improved Coal-Gas Apparatus, Etc.

Ecton Mills Genuine London TURKEY EMERY.

TRADE MARK.



ABBOTT & HOWARD, Agents for the United States.

81 John Street, New York.

35 Oliver Street, Boston.

BAILEY'S PATENT ADJUSTABLE PLANES.

Thirty different styles in

IRON AND WOOD.

80,000 ALREADY IN USE.

Smooth Planes,
Jack Planes,
Fore Planes,
Jointer Planes,
Block Planes,
Rabbit Planes,
Circular Planes.Carpenters,
Cabinet Makers,
Car Builders,
Carriage Makers,
Millwrights,
Wheelwrights,
All Use them.Manufactured by the **STANLEY RULE & LEVEL CO.,**
Factories: New Britain, Conn. Warehouses: 35 Chambers Street, New York.**UNION NUT COMPANY,**

78 Beekman Street, N. Y.

MANUFACTURERS and AGENTS.

Machine Forged Nuts,	Magnetic Tack Hammers,	Carriage Steps,	Bench Saw Sets,
Hot Pressed Nuts,	Common and Patent	Slat Irons,	Corn Hooks,
Wrought Iron Washers,	Wood Choker Mouse	Stump Joints,	Axe Handle Bush Hooks,
Pin Washers,	Trap,	Body Loops,	Butchers' Cleavers,
Carriage Bolts	Elastic Base Knobs,	Box Hooks,	Nail Sets,
Machine Bolts	Steak Hammers,	Box Chisels,	Cork Screws,
Plow Bolts,	Boxwood Rules,	Tobacco Needles,	Ice Axes,
Stove Bolts,	Ivory Rules,	Table Nut Cracks,	Ice Axes,
Elevator Bolts	Plumbs and Levels,	Hasps and Staples,	Tinned Meat Hooks,
Tire Bolts,	Adjustable Plumbs and	Ox Bow Pins,	Can Openers,
Fancy Bolts,	Levels,	Bull Rings,	Patent Boot Jacks,
Bolt Ends,	Pocket Levels,	Cattle Leaders,	Wood Handle Cover
Coach Screws,	Wagon Jacks,	Boxwood Wheel Sash	Lifters,
Turn Buckles,	Axle Clips,	Pulleys,	Hickory Bang Starts,
Blacksmiths' Hammers,	Saddle Clips,	Coopers' Rivets,	Lignumvite Mallets,
Riveting Hammers,	Fifth Wheels,	Carriage Rivets,	Tin Spoons,
Machinists' Hammers,	Shaft Couplings,	Boiler Rivets,	Brass Ferrules,
Crut Hammers,	Felloc Plates,	Hand-Saw Sets	

The "EMPIRE" Fan Blowing Portable Forges,

With or without Hood.

(Patented Nov. 25, 1873.)

WITHOUT BELTS OR BELLOWES.

It is more Easily Worked, gives a Better Blast, and is the Cheapest Forge made.

IT HAS NO BACK DRAUGHT.

Manufactured by W. P. KELLOGG & CO., Troy, N. Y.

Also Curry Combs, Boring Machines, & Cooler's White Racks, etc.

N. Y. Depot for Curry Combs, &c., with

F. WIEBUSCH, 84 Chambers Street.

N. Y. Depot for Forges, with

GEO. PLACE & CO., 131 Chambers & 103 Reade Streets.



Pipe, Fittings, &c.

National Tube Works Co.,

BOSTON, MASS. and McKEESPORT, PA.,

MANUFACTURERS OF

Best Quality Lap Welded Iron Boiler Tubes,

STEAM AND GAS PIPE,

Artesian Oil and Salt Well Tubing and Casing,
With Patent Protecting Coupling;**Mack's Patent Injector for Feeding Boilers.**

JAMES C. CONVERSE, President,

McKeesport.

WM. S. EATON, Treasurer,

Boston.

New York Office and Warehouse 78 William cor. Liberty Street.

McNab & Harlin Mfg. Co.,

MANUFACTURERS OF

BRASS COCKS

For STEAM, WATER and GAS.

Wrought Iron Pipe & Fittings, Plain and Galvanized
PLUMBERS' MATERIALS.

Illustrated Catalogue sent by express to the Trade on application.

Factory, Paterson, N. J.

56 John Street, N. Y.

PANCOAST & MAULE

227 Pear St.

PHILADELPHIA.

WROUGHT IRON PIPEFITTINGS, BRASS & IRON VALVES & COCKS
TOOLS & STEAM FITTERS SUPPLIES &c.
PIPE CUT & FITTED TO PLANS FOR MILLS &c.**CONTRACTORS**FOR HIGH & LOW PRESSURE STEAM HEATING
APPARATUS FOR ALL CLASSES OF BUILDINGS.

Send for Illustrated Catalogue.

EATON & COLE.
Manufacturers of
Wrought Iron Pipe
Fittings,
BRASS
VALVES,
COCKS, TOOLS, &c.
58 John Street, NEW YORK.

Sole Agency for the Pacific Coast for
Register's Patent Gauge Cocks,
CONROY, O'CONNOR & CO.,
San Francisco, Cal.**CAST IRON PIPES**

FOR WATER AND GAS.

Branches Retorts, &c.

Warren Foundry & Machine Co.,
PHILLIPSBURG NEW JERSEY.**WHEATCROFT'S
SELF-ADJUSTING PIPE WRENCH.**

Forged from Best Tool Steel.

The dog is solid over the head of the lever bar, taking the strain off from the pin.


Each Wrench takes four Sizes of Pipe.

J. AUSTIN & CO., 168 Fulton St., N. Y.

Nelson, Finkel & Co.,

439 East 10th St., New York,

Manufacturers of

Jenkins' Patent
Compression
ValvesAND
Gauge CocksAlso,
Nelson's Patent
LUBRICATOR.Warranted the most
reliable and durable
in the country.**REVOLVING SCRAPER COMPANY,**
Columbus, O.Manufacturers of Doty's Revolving Road Scrapers, Mammoth Road Planes, and R. & C. Canal Barrows, with V. & W. Wheels.
Send for Circular and Price List.

Schweitzer Mfg. Co.,
57 Reade St., N. Y.
IMPORTERS & JOBBERS.


**Chapman Valve Mfg. Co.,
STEAM VALVES,**

Iron and Composition, of all sizes.

WATER and GAS Gates, 3 to 48 inches.
HYDRANTS.

Office and Warehouse, 75 & 77 Kilby St., Boston, Mass.

TURNED MACHINE SCREWS,
One-sixteenth to five-eighths diameter.
Heads and points to sample.
IRON, STEEL and BRASS.
Lyons & Fellows Mfg. Co.,
1 Cor. 1st and North 3d Streets, Williamsburgh, N. Y.

**The Perfect Comb.**We call your attention specially to our new patent end-less wire comb. The result of a long series of experiments, made with a view to meeting all the requirements of a Perfect Comb. It is better, stronger, and more durable than any ever before invented. The raised wire shank gives what has never before been attained, viz: a rest and brace for the thumb, in such a position that the hand cannot come in contact with the horse while using the comb. The wire braces which run from the shank over the back to the front teeth give strength and durability in a direction never heretofore attained, and at the same time serve as an extra handle; and when clamped by the fingers in connection with the raised shank the comb is more firmly held, and completely held, and with much less fatigue to the hand than is possible in any other formation—in short, it needs but a trial to vindicate its name: **The Perfect Comb.****THE LAWRENCE COMB CO.**

Factory and Office,

382 2d Ave., cor. 22d St., N. Y.

WILLIAMS WHITE & CHURCHILL,

Successors to

MACKRELL & RICHARDSON MFG. COMPANY

Manufacturers of

Builders' Hardware,Locks, Hinges, Hooks and Staples,
Awning Hooks, Meat Hooks, Pincers,
Champion Noiseless Pulleys,
CHAIN PULLEYS &c.
Factory, cor. Flushing and Nostrand Avenues
BROOKLYN.
Warehouse, 73 Warren St., N. Y.**WM. S. CARR & CO.**

Sole Manufacturers of

Carr's Patent Plumbers' GoodsPumps, Water Closets, Fountains,
Vases, &c.

OFFICE AND WAREHOUSES


106, 108 & 110 Centre Street,

Factory, Mott Haven, New York.

R. D. WOOD & CO.,

PHILADELPHIA,

Manufacturers of

Cast Iron Water and Gas Pipe,
Lamp Posts, Retorts, &c.

Also, Hoses & Valves Patent Hydrant. This Hydrant is perfectly anti-freezing, is the most ornamental and the cheapest made.

R. PAINE, Selling Agent,
Office, 175 Broadway, N. Y.

Fire Brick.

B. KREISCHER & SON.,
New York Fire Brick &
STATEN ISLAND
CLAY RETORT WORKS,
Established 1845.
Office, 58 Goerck Street, cor. Delancy Street
East River, New York.

The largest stock of Fire Brick of all shapes and sizes on hand, and made to order at short notice.

Cupola Brick, for McKenzle Patent, and others. **Fire Mortar,** **Ground Brick,** **Clay** and **Sand.** **Superior Kaolin** for Rolling Mills and Foundries. **Stoue Ware** and other **Fire Clay** and **Sand** from my own mines at New Jersey and Staten Island by the cargo or otherwise.

Watson Fire Brick Manufactory
ESTABLISHED 1836.
JOHN B. WATSON, Perth Amboy New Jersey
Manufacturer of
FIRE BRICK,
For Rolling Mills, Blast Furnaces, Foundries,
Gas Works, Lime Kilns, Tanneries, Boilers
and Grate Setting, Glass Works, &c.
FIRE CLAYS, FIRE SAND, AND KAOLIN FOR SALE

SALAMANDER WORKS
Of Woodbridge, N. J.
Manufacturers of all shapes and sizes of **FIRE BRICK** for Foundries, Rolling Mills, Pias, Furnaces, Store Works, Lime Kilns, &c. A full stock of McKenzle and other Cupolas. Also **Fire Clay** and **Sand** constantly on hand. Shipments made at the shortest notice. See for Circular.

Office & Depot, Foot Bethune St., N. Y.

Salamander & Albany Fire Brick Works
Rathbone St., bet. Saratoga R.R. and Erie Canal,
Near N. Ferry St., Albany, New York.
NEWTON & COMPANY,
(Successors to Palmer, Newton & Co.) Manufacturers
and Wholesale Dealers in **FIRE & BRICK** of every
size and shape. **Stove,** **Range** and **Heater Linings.** **Port**
Fire Clay **Furnaces.** **Fire Clay,** **Fire Sand,** **Mica,** **Kaolin,**
and **Horace B. Newton.** **JOHN M. Newton**

BLACK LEAD
CRUCIBLES.
Manufactured by
ADAM NEWKUMET
1337 & 1339 N. Front St., Phila., Pa.,
For Steel, Brass, Nickel, Copper, Bronze, &c.
Equal to any in the market, and all guaranteed.
Keeping a full stock of all sizes on hand,
being confident of giving entire satisfaction we
respectfully ask consumers to give us a trial.

A. HALL & SONS, Perth Amboy, N. J.
ESTABLISHED 1846.
HALL & SONS, Buffalo, N. Y.
ESTABLISHED 1866.
FIRE BRICK
of reliable quality for all purposes, manufactured of
the best New Jersey Fire Clays. Also, **ROCKING**
WARE, **YELLOW WARE,** **Fire Clay,** **Fire Sand,** **Kao**
Ground Fire Brick, and **Dinastine Building Brick.**

Philadelphia Fire Brick
AND
Clay Retort Works,
AND KENSINGTON FIRE BRICK WORKS
Office, 32d and Vine, Philadelphia
PHILIP NEWKUMET
Successors to **JOHN NEWKUMET,** Proprietor
manufactures 9-inch Fire Bricks, Tiles, and Blo
for Rollins Mills, Blast Furnaces, Foundries,
Works, Lime Kilns, Glass Houses, &c., &c
Articles of every description made to order
short notice, and in a very superior manner.
"CLAY RETORTS FOR SUGAR HOUSES."

Brooklyn Clay Retort and
Fire Brick Works,
Van Dyke Street, Brooklyn, N. Y.
Manufacturers of
Clay Retorts, Fire Brick, Tile, &

Brick Presses,

BRICK PRESSES
For Fire and Red Brick.
PATENT STEAM GEARING
For grinding Clay for Red or Fire Brick, and
kinds of **Brick Machines** in general.
Works, 1819 Germantown Ave., Phila.
GEO. CARNELL.

Oldest and Largest Establishment of the kind in the
F. L. & D. R. CARNELL,
1844 Germantown Avenue, Philadelphia
Manufacturers of Pennsylvania Brick Mac
Little Giant Pipe Machine, Fire and Red L
Presses, Clay Wheels, Tile Machines, Stam
Grinding Pains. Brick Yards fitted out for run
by steam or horse. Heavy and Light Castings.
for circular.

JOHN MAXHEIME
Patented.
June 8, 1872; April 6, 1880;
Dec 13, 1873; Jan,
20, 1874.
Manufacturer of
-FULL SIZE OF-
WIRE CONNECTION
"JAPANNED and
PATENT EUREKA
Bright Metal
BIRD CAGES
Nos. 247 & 249 Pearl Street
NEW YORK.



g
 t
 l
 ,
 e
 a
 e
 e,
 and
 o
 .
 he,
 u
 a,
 k
 s
 or
 cs,
 ss
 at
 d
 C
 ,
 4
 al
 .
 8,
 ia.
 me,
 ck
 era,
 ing
 end
 ,
 S.

Specification of Workmanship, Materials and Construction, as Applied to Sheet Metal Architectural Work.

Galvanized Iron.—Use the best quality of iron, with coating perfect and evenly laid, free from buckles and crinkles. Before working, trim all uneven and thick edges, and thoroughly roll to remove any inequalities of surface. Adapt the gauge of iron to the character of the work in hand. Number 27 may be used in the lesser moldings, where small numbers occur; No. 26 is to be used for all ordinary work. Large, unbroken surfaces are to be constructed of No. 24, while Nos. 23, 20, and heavier, are required only where the work is subjected to unusual strain and exposure.

Moldings.—No. 26 shall be considered the gauge for the generality of moldings, with exceptions only as noted under the head of galvanized sheet iron. Trim and thoroughly roll before working. Care must be used in laying off the members, that strict uniformity and precision are obtained. All bends and angles must be made sharp and well defined, and all curves formed strictly to profile. Miter must be neatly made with riveted joints in all fillets and flat parts, and thoroughly soldered with a strap inlay in the curves. In very large moldings of heavy iron, the joint must be made riveted throughout. In all curved molding, care must be used to obtain strict conformity to stay or profile, and in this respect, except when of very superior workmanship, rolled moldings are objectionable. See that the curve is perfect throughout, and that all angles are sharp and well defined.


Brackets, Modillions and Dentils.—Construct with lap joints thoroughly riveted and carefully soldered. Care must be taken to obtain clean and well defined angles and perfect shape. Provide flanges for seaming or riveting to moldings of cornice, and attach suitable the straps, where necessary for fastening when putting up. Incised, scroll, and other similar ornamental work, must be carefully cut, thoroughly soldered, and left clean and true in all respects. Leaves, rosettes and other pressed ornaments are to be thoroughly soldered, and in construction so disposed as to fit snugly to the faces to which they attach. Provide brackets with proper connections with frieze pieces. Dentils and modillions are to be thoroughly seamed or riveted to the dentil course and modillion course respectively.

Frieze Pieces.—Construct with weather joint against foot mold below and be oldings above, arranged for riveting. All panels, moldings must be well defined in profile, and joined by riveted and soldered joints. Provide lock or riveted joints against brackets at ends. All ornamental figures, scrolls, etc., must be thoroughly soldered in place and left clean on completion.

Window and Door Caps, &c.—Construct of numbers 26 and 24 galvanized sheet iron, according to the nature of the design and the size of the structure. All joints and miter are to be thoroughly riveted and carefully soldered. Allow frame strips to extend onto frame not less than two inches. Extend wall strips not less than three inches into wall, and construct same with stiffening edges. Let all keystones and similar ornamental work extend back into wall for a finish. Corbels must be provided with straps and ties for fastening in course of walling in. In caps of heavy projection, provide necessary wrought iron strips and stays for stiffening and holding in shape. For window and door caps used in remodeling all buildings and to be fastened up from the outside, provide frame strip to slip in between frame and brick work, and turn wall flange up for nailing and to receive counter flashing.

Dormer Windows.—Use numbers 26 and 24 galvanized sheet iron. All miter and joints to be thoroughly riveted and neatly soldered. Brackets, dentils, scrolls, &c., are to be thoroughly secured by riveting or seaming. In construction, perfect fit to the pitch of the roof must be obtained and all return moldings provided with proper flashing flanges and made thoroughly water-tight. For the roofs of Dormers, tin is preferred to iron. Lay with flat and soldered joint, thoroughly cleated, and provide flashing flange to run up under slate not less than eight inches. In constructing the sides of Dormers out of galvanized sheet iron, provide throughout a flashing flange so made as to form a gutter, thus avoiding the use of piece flashing and securing an even and neat finish of slate against the iron work.

Gutters.—Tin is preferred to galvanized sheet iron for gutters in most cases. For gutters constructed in cornices, with wood lookouts use IC or IX, 30x28, bright charcoal tin, of standard quality, M. F. or Pontmister preferred. Join to the crown molding of cornice at the front, by nailing and soldering or double seaming, and at the back extend up under slate or metal work of the structure not less than eight inches. The gutter is to be soldered on both sides, and made perfect in all respects. For hanging gutters of large size, use No. 26 or 24 galvanized sheet iron. Thoroughly rivet and solder on both sides at all joints. In putting up, break sections each thirty feet and provide each section with suitable outlet. Fasten with wrought iron hangers, and extend roof-flange up under slate or shingles, as the case may be, not less than eight inches. For gutters in connection with strictly fire proof cornices, put up on wrought iron supports, the pitch must be made in the lookouts, the same, in general terms, as in case of wood lookouts. Provide lining of No. 22 to 24 black sheet iron from 12 to 24 inches wide, according to size of gutter, thoroughly painted on both sides, before laying, with red oxide of iron and oil. Fasten lining to braces by notching and bending flanges down and around the supports, thus allowing free play for contraction and expansion. Provide outer edge of gutter with an inverted T iron thoroughly bolted to wrought iron supports of cornice, over which join outer edge of gutter to upper member of cornice by a double seamed joint. For gutter use IX, 30x28, bright charcoal tin of standard quality, carefully put together and thoroughly soldered on both sides. Allow back of gutter to extend up under slate or other roof, as the case may be, not less than eight inches, and fasten in such manner as to provide for contraction and expansion.—*Sheet Metal Builder.*



Manufacture of the Spencerian Steel Pens, Birmingham, England.

Spencerian Double Elastic

STEEL PENS.

The superiority and excellence of these justly celebrated pens are appreciated, as is shown in their constantly increasing sale. They are comprised in 15 numbers, of which one number alone has an annual sale of more than

5,000,000.

The Spencerian Pens are manufactured of the very best material by the most expert workmen in Europe, and are famous for their elasticity, durability and evenness of point.

The Spencerian Pens are For Sale by all Dealers.

We make Fifteen Numbers of Pens, differing in flexibility and fineness of point, adapted to every style of writing, as follows:

No. 1. *College Pen.* Point Fine; Action Perfect. This is a great favorite with our leading penmen, is largely used in the Schools and Commercial Colleges throughout the country, and gives better satisfaction than any Pen before the American Public.

No. 2. *Counting-House Pen.* Point Fine and Flexible, well adapted to the use of Correspondents and Accountants.

No. 3. *Commercial Pen.* Point Medium. An Easy Writing Business Pen.

No. 4. *Ladies' Extra Pen.* Point Extra Fine and Flexible. For delicate Fine Hand Writing this is a very superior Pen.

No. 5. *School Pen.* Point Fine, Medium in Flexibility. For a durable School Pen it has never been equaled.

No. 6. *Flourishing Pen.* Point Long, Flexible and Medium in Fineness. For Off-hand Flourishing.

No. 7. *Quill Pen.* Point Medium, Quill Action. A Smooth, Easy Writing Pen, its name well represents its qualities.

No. 8. *Congress Pen.* (New.) Point Medium Flexible. A very superior Pen for all styles of writing. This Pen undergoes a process that renders it non-corrosive and three times more durable than any ordinary steel Pen.

No. 9. *Bank Pen.* Point Long and Flexible. A great favorite with Accountants, Tellers, &c.

No. 10. *Custom-House Pen.* Point Medium. Well adapted to all styles of Bold Free-Hand Writing.

No. 11. *University Pen.* Point Medium, very Smooth and Flexible. The action of this celebrated Pen is very fine.

No. 12. *Epistolary Pen.* Point very Fine, and very Flexible. This is the Finest Pointed Pen made, and for very Delicate Writing, Map and Fine Pen Drawing, it has no equal.

No. 13. *Engraving Pen.* Point Blunt and Smooth. Particularly adapted to Coarse-hand Writing and Engraving.

No. 14. *Artistic Pen.* Flexible, with extra Fine Point. This exquisite and Truly Celebrated Pen is the Best Pen extant for Fine Ornamental Writing.

No. 15. *The Queen.* Point extra Fine. Admirably adapted to all kinds of Fine writing.

Sample Cards containing all the FIFTEEN Numbers, securely enclosed, will be sent by mail on receipt of 25 cents.

IVISON, BLAKEMAN, TAYLOR & CO.,
135 & 140 Grand Street, N. Y.

DRAW-CUT BUTCHERS' MACHINES.



SAUSAGE CHOPPERS AND STUFFERS.

First premium medals in 1871, at New York, Boston and Cincinnati. For sale to the Hardware Trade.

MURRAY IRON WORKS,
Burlington, Iowa.

DEAN'S New Patent (1873) Screening Scoop

SHOVEL

For Coal, Coke and Coal Ashes, and other Substances.

The largest frames are 12 by 16 inches, with seven bars, and are made of the Best Malleable Iron. They are, or can be, wired between bars by an arrangement of holes a quarter of an inch apart, by an ordinary person, to screen any size substance desired. They are warranted to be the most durable and practical Screening Shovel made, or money refunded.

Reference—All New York Gas Companies and Hotels.

Smaller sizes on hand. Please address orders to

A. SEE & SON,

N. Y. Shovel Works,

1358 Broadway, N. Y.

J. R. HUTCHINSON & CO.,

PATENT STOP GATES

For Water, Gas and Steam,

From 3 in. to 50 in. diameter.


Also, Fire Hydrants, Single and Double Nozzle.

Improved Boiler Feeders, Etc.

Cor. Park Way & Sandusky

Sts., ALLEGHENY, PA.

Send for Circular.



THE LONDON MFG. CO.

Copal Varnishes AND JAPANS.

To Coach Makers, Hardware Manufacturers, Car Builders,

And the Trade generally using

Varnishes & Japans.

Aware of the impracticability of importing these articles at a price sufficiently cheap for use here, we take pleasure in stating that, aided by an extended experience in England, Canada and the United States, we are enabled to supply an article which, upon trial, will demonstrate its being EQUAL TO ANY English made, and unexcelled by any made in America, for its quick drying quality, as well as for its being durable and brilliant in color.

BRUNSWICK BLACK,

(Self Drying.)

No. 1, \$1.50 per gal. No. 2, \$1.25 per gal.

The London Mfg. Co.,

In submitting the

DAZZLE BLACK BAKING JAPAN

(And their Japans generally)

would call the attention of Sewing Machine Companies, Lock Manufacturers, Japaners and other manufacturers using or handling Japans, to its peculiar qualities both as a preparing and finishing Japan. For the fine work of Sewing Machine Companies, safe makers, and ornamental work of all description the Dazzle Black Baking Japans are highly desirable, both as an Iron and Wood Japan.

These Baking and Self Drying Japans contain No coal tar, coal gas nor deleterious substance, but are made from pure and unadulterated gums.

HYATT & CO.,

Proprietors.

Office, New York, 246 Grand St. Factory, Newark, N. J. 113 Chestnut St.

Patented Steam and Hydraulic, April 1, 1866.



EAGLE PACKING,

Of various sizes for ENGINES and PUMPS, manufactured by JAMES GLANDING & CO., No. 115 Queen St., Philadelphia. What the proprietors claim for the Eagle Packing: 1. Its general adaptation to all purposes for which packing is used. 2. Its durability. It will outlast any other article in use. 3. Its cheapness. It can be furnished to the consumer at a lower rate than any other packing.



Jewett's Patent Filter

WITH PORCELAIN LINED COOLER.

Acknowledged the only Complete Filter and Cooler in the world.

Hardware, House-furnishing and Crockery dealers can find no more salable article, as this Filter is perfect in its work of purifying water of every kind, attractive in appearance, &c., &c. Send for illustrated circular.

MANUFACTURED ONLY BY

JOHN C. JEWETT & SONS, Buffalo, N. Y.

WILSON BOHANNAN,

Manufacturer of Patent

Brass Spring

PAD LOCKS



FOR RAILROAD SWITCHES, Freight Cars, &c.


Cor. Broadway and Kossuth Street, BROOKLYN, E. D., N. Y.

MINERS' CANDLES.

Superior to any other Light for Mining Purposes. Manufactured by

JAMES BOYD'S SONS,

Nos. 10 & 12 Franklin St., N. Y.



No. 1, BRAD-AWL.	No. 11, CHISEL
No. 2, BRAD-AWL.	No. 12, CHISEL
No. 3, BRAD-AWL.	No. 13, CHISEL
No. 4, BRAD-AWL.	No. 14, BELT-AWL
No. 5, BRAD-AWL.	No. 15, REAMER
No. 6, BRAD-AWL.	No. 16, SCREW DRIVER
No. 7, BRAD-AWL.	No. 17, COUNTERSINK
No. 8, BRAD-AWL.	No. 18, SCRATCH-AWL
No. 9, BRAD-AWL.	No. 19, GOUGE
No. 10, BRAD-AWL.	No. 20, SAW

FOR THE HOLIDAYS

A Full Line of

TOOL CHESTS,

All Sizes and Prices.

ORDER EARLY.

GRAHAM & HAINES, Sole Agents, 88 Chambers Street, New York.

WM. RESOR & CO., Cincinnati,

Manufacturers of the



FASHION for Wood.

With or without Iron Clad, Copper Low Reservoir, and the Celebrated

MONITOR Coal and Wood Cook.

MICHIGAN STOVE CO.,

Detroit Mich.



COOKING, PARLOR and HEATING STOVES.

Made from the Best Brands of Lake Superior Charcoal and other First Class Brands of Iron.

Also Manufacture for The Western Trade,

The Prince of Base Burners, THE ARGAND.

GREENFIELD TOOL CO.,

Sole Manufacturers of the Celebrated

"Diamond" PLANE IRONS,

Of Uniform temper and finish. Solid Steel Caps and Warranted. PATENT FORGED OR

SHOCKS. The only Shoe made with concavity to fit heel, and the best and cheapest. BENCH AND

MOULDING PLANES of every description. Also, Flow and Match Bits, Moulding and Rabbet Irons, Plane

Scoops, Cuts, Starts, Plates, &c., &c. Drop Forgings to order. Address for Catalogue and Prices

GREENFIELD TOOL CO., Greenfield, Mass.

Warehouses New York, 37 Chambers St.; Boston, 25 Oliver St. Reduced Prices for 1894.

HENRY DISSTON & SONS,

Keystone Saw, Tool, Steel and File Works,

Front and Laurel Streets, Philadelphia.

MANUFACTURERS OF

SAWS OF EVERY DESCRIPTION, FILES, &c.

Also Sheet Steel and Articles made from Sheet Steel.

Branch Works, Tacony, Philadelphia.

Branch House, Randolph & Market Streets, Chicago, Ill.

HENRY DISSTON & SONS desire to call the attention of the Hardware Trade, also the Mechanics of this Country, to their



"NEW PATENT SKEW BACK HAND SAW,"

which has been pronounced by all first-class workmen who have used it, to be eminently superior in every respect to the old style hand saw. Its advantages are manifold, the peculiar formation of the blade actually stiffening and strengthening it in a remarkable degree, and the recess in the handle allowing the introduction of the thumb of the left hand and giving the operator full power to manipulate the saw, and the principle of bedding the handle in the blade bringing the operator closer to his work, an advantage will be readily appreciated by any mechanic. It is a singular fact that while vast improvements are constantly being made in all other kinds of saws, the hand saw of to-day in shape and style is similar to the hand saw of centuries ago. Recent experience has proved that it is as susceptible of improvement as any other saw. Our aim and object has ever been to assist the mechanic and lighten his toil, and one trial of our **NEW PATENT SKEW BACK HAND SAW** will prove how well we have succeeded.

Baw's Jackson's eldpatrick	\$4.50 to \$ gold
Spear & Jackson's American Pattern	\$3.25 to \$ gold
John Spear	\$3.60 to \$ gold
Patented Co.	new list
Decorative Crown Cut, all H	do 10 %
Inserted Tooth	do 10 %
All else	do 10 %
Diamond Crucible	do 25 %
" " Mill	do 25 %
" " other kinds	do 25 %
Livingston's Framed Wood	do 10 %
Faded Iron	do 10 %
H. W. Pease's Circulars	do 10 %
Other kinds	do 10 %
Wagon	do 10 %
Cular	new list do 15 %
W. M. McNeely's Patent Pole Pruning saw	do 10 %
E. M. Morison's Lightning	\$4 for immediate cash
Others	do 15 %
Wheeler & Clemson Kiln, C. & H	do 15 %
" " Cross-Cut	do 30 %
Saw Sets.	
Bulman Initiative	per doz \$5.00—do 10 %
Aiken's Pattern	per doz \$2.25—do 104-10 %
Hain's	per doz \$7.00—do 154-10 %
Nash's	do 204-10 %
Bemis'	do 10 %
Fast Iron	do 10 %
Hutchkin's	per doz \$5.00—do 10 %
Common Lever	per doz \$2.00—do 104-10 %
Leaves	do 15 %
Scenes	do 10 %
Haton, Counter	per doz \$5.00—do 25 %
Turnbull's	per doz \$15—do 25 %
Brown's	do 25 %
Patent Groove Brass	per doz \$18.00—do 15 %
Howe's	do 154-10 %
Shattuck's Counter and Union	do 15 %
Chicago Grocery	do 15 %
Eureka	do 25 %
Scale Beams	do 254-10 %
Chapman & Co., No. 10	do 25 %
No. 2	do 25 %
Scrappers.	
Box "A"	per doz \$4.25, do 10 %
Foot	per doz \$6.00, do 10 %
" " "	per doz \$3.00, do 10 %
Ship—Providence Tool Co.	do 10 %
Screws.	
American list of Jan. 1, 1974.	
Flat Head Iron	do 32 %
Round Head Iron	do 10 %
Round Head Brass	do 30 %
Round Head Silver Capped	do 50-10 %
Coach or Lag	do 304-10 %
Coach, Patent Gimlet Point	do 10 %
Japanese	do 80 %
Raglin—Stettin	do 53-10 %
Mecnie—Flat Head, Iron	do 60 %
" " Round Head, Iron	do 55 %
" " Brass	net
Birmingham Screw Co. (A. Fluid Co.), Inc.	do 62-4-10 %
Head Iron	do 60, 104-10 %
Bench—Iron	do 60, 104-10 %
Hand	do 254-10 %
Jack—Bell Bottom	do 15 %
Scyllas.	
Black German Steel, Gram	per doz \$9.00
" Cast	per doz \$10.00
" " German	per doz \$13.00
" Cast	per doz \$14.00
" " Red Rover	do 9.50
" Young America	do 12.00
" Silver Clipper	do 12.00
Science	do 25 %
Sieves.—Mann	
Shears.	
Cass	do 704-10 %
Cast Iron	do 254-10 %
Seymour's	do 610-10 %
Ames	new list do 12 %
Rowland's	do 25 %
Haywood & Hayden	do 30-10 %
Middleboro Shovel Co.	new list do 12 %
Dunning's Shovels and Scoops	do 20 %
Iron dead	new list
Brass Head	new list do 50 %
Skates.	
Barney & Berry's	per pair \$2.50
Joe's Club	\$5.00
B. & B. Club	do 25 %
All Clamp	do 25 %
Florence Club	per pair \$3.50—do 25 %
Steel	per doz \$2 net
Slates.	
Square Frames, Round Cornered, by case	do 654-10 %
Less than a case	do 65 %
More than a case	do 65 %
Less than a case	do 30 %
Spike Shelves.	
Wood	do 30 %
Baley's	do 104-10 %
Iron.	
by the case	new advanced list, do 10 %
British	do 30-10 %
Bogers & Bro. A. I.	do 40, 104-5 %, cash
Derby Silver Co.	do 50-10 %
Hall's	do 30-10 %
Nickel Silver Co.	do 40-10 %
German Silver	revenue list do 30 %
Teas.	
Tea	\$1.50 gross, net
Tables	2.75
Tool Chests and Dies.	
Steve Follah.	
Gum	gross \$5.00, do 15 %
Gold Medal	gross \$6.00, do 15 %
Squares.	
Iron	do 50 %; full cases, do 104-10 %
Nickel Plated	add \$5.50 at \$4—do 10 %
Star Tires Squares and Bvels	do 30 %
Falls.	
Full set American Iron	do 454-10 %
Half Weight American Iron	do 72-4-10 %
Brush, new list	do 504-10 %
Brad's American Hair Wire	do 504-10 %
Finishing Nails	do 20 % 1 1/4 in. and over
Trunk	do 20 % 1 1/4 in. and over
W. B.	do 20 % 1 1/4 in. and over
Copper	do 20 % 1 1/4 in. and over
Iron Shoe Nail	do 20 % 1 1/4 in. and over
Mc.	do 20 % 1 1/4 in. and over
Tapes, Menzies	
American Flask and Cap Co.	do 20 %
Edley's	do 20 %
The	
Tin Case	do 104-10 %
Toilets.	
Tobacco Cutters.	
Peck, Stow & Wilcox	do 20 %
Morse's	per doz \$12.00—do 104-10 %
Wood	per doz \$10—do 10 %
All Iron	per doz \$12—do 104-10 %
Timbers, Tools and Machines.	
Traps.	
Newhouse	do 25 %
Kitchell	do 204-10 %
Peck, Stow & Wilcox	do 20 %
Blake's Patent	new list do 25 %
Trusses.	
Lotthrop's Brick and Plastering	do 10 %
Diamond's Plastering	do 12 %
Diamond's Plastering	do 12 %
Hoar's Brick	do 10 %
Grider's Brick	do 10 %
Worrell's Brick and Plastering	do 10 %
Garden	do 25 %
Triers.	
Burton's Cheese	do 15 %
Ventilators, Double Cone.	
Keystone Portable Forge Co.	do 25 %
Tretton Vices, Solid Box.	
No 10 to 180 lbs	do 160
No 20 to 180 lbs	do 160
Peter Wright's	per doz \$15.00, do 160
Wilson's Solid Box	do 160
No 20 to 180 lbs	do 160
100 and upward	do 220
Backen	do 160
Backen	do 160
Buffalo, Parallel	new list do 25 %
Parallels	do 15 %
Tretton Parallel	do 15 %
Merrill's Parallel	do 15 %
Parallels	do 15 %
Stephens' Parallel	do 15 %
Bonney's Saw Filers	per doz \$20—do 15 %
Wheeler & Chapman	per doz \$20—do 15 %
Powley & Chapman	do 25 %
Brass Bushes.	
Brass Bushes	per doz \$3.00 net
Well Wheels.	
Revised list	do 604-10 %
Wire.	
Brass and Copper	do 10 %
Bright and Annealed	do 10 %
Copper	do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized, Nos. 10 to 18	market list net do 10 %
Galvanized,	

Grindstones, Emery, &c.

Walter R. Wood, GRINDSTONES

283 FRONT STREET,
NEW YORK.

Grindstones.

AMHERST,
INDEPENDENCE,
LAKE HURON,
AND BEREA.

Also Scythe Stones.

WORTHINGTON & SONS, Mfrs.,
North Amherst, Ohio.

EMERY WHEELS AND MACHINERY

Upon which to run the same, of all kinds.

EMERY  DIAMOND
Emery Cloth, Tools,
Mill Stone Oil Stones,
CEMENT. Soapstone Register Borders.For particulars, address,
UNION STONE CO.,
6 Exchange and 26 Devonshire Streets, Boston, Mass.
 THE LEHIGH VALLEY
Emery Wheel Co.,
Weissport, Penn.
Manufacturers of
"LEHIGH" Emery
Wheels and Machines.
Send for Circulars.


Rocky Mountain Vermilion Paint

is "Nature's Compound" of Copper, Mercury, Lead and Iron. A pure Oxide of Metals, containing no earthy matter, hence we claim and are prepared to prove that it is the best and Cheapest Paint in the market. Properly mixed, we will guarantee it to cover double the surface and wear twice as long as ordinary paints. It will not peel, scale, crack or blister, though subjected to high degrees of heat. It will effectually prevent the corrosion of Metals, even in mid ocean. Warranted superior to red lead or any other lead, for any and all purposes for which paint is required. Please send for circulars. All orders should be addressed, Wm. H. Corey, General Agent, 20 Sabin St., Providence, R. I.

ROP PRESSES

Bennett Hotchkiss and
N. C. Stiles' Patent.

This Drop (which has been illustrated in this journal) is of that class in which the Hammer is raised by a self belt or board passing up between two friction rolls, and is so well known that we will only describe our improvements. The patents we are working under are those of BENNETT HOTCHKISS (who in an interference case with Goulding and Cheney was declared the first inventor) and N. C. STILES. Our improvements consist:

First.—Of an arrangement of parts that makes it the most complete Tapping Hammer, and will take the place, to a great extent, of all other kinds for forging. In addition to the upright rod, which is operated by the hammer to open and close the rolls, we place another rod the lower end of which is secured to the end of a lever which is operated by the hand or foot, which operation also opens and closes the rolls at will. The lower end of this rod has a slot, so that the action of the hammer will not disturb the hand lever, thereby preventing the hand being injured, as otherwise would be the case.


Second.—No dog is used on the upright to hold up the hammer. The belt or board passes up between two clamps situated under the rolls, so arranged that as the hammer ascends they will freely open of themselves, but on descending they will close and hold up the hammer. To let the hammer fall the clamps are opened by pressure upon the foot treadle.

Third.—The board or belt is secured to the hammer by an elastic connection, which prevents the sudden jar and destruction of the same. The back roll is made adjustable to different thicknesses of board or belt, as also are the clamps. An adjustable collar on the upright rod allows the operator to obtain any light of blow desired automatically. If one blow is wanted, press upon the treadle and remove the pressure as soon as the blow is given. Keep the foot upon the treadle and the blows will be repeated until the pressure is removed. If a blow of less height than the collar is set for is required, work the hand lever, which will give you any height of blow desired. The hammer can be held up at any point below the collar by bringing the hand lever into action when the hammer is at the desired height, so that the next blow can be given from a state of rest, of less height than the second or third, and obtained from a state of rest. A gentle pressure upon the treadle will allow the hammer to go down slowly, but it will stop and remain suspended at any point as soon as the pressure is removed.

The clamps in holding up the hammer keep the board from touching either roll and prevents the same from being worn uneven.

Manufactured only by the
Stiles & Parker Press Co.,
MIDDLETOWN, CONN.

L. COES' Genuine Improved Patent SCREW WRENCHES.

Manufactured by
L. COES & CO.,
Worcester, Mass.

We invite the particular attention of the trade to our New Straight Bar Wrench, widened, full size of the larger part of the so called "reinforced or jog bar." Also our enlarged jaw, made with ribs on the inside, having a full bearing on the front of bar (see sectional view), making the jaw fully equal to any strain the bar may be subjected to.

These recent improvements in combination with the nut inside the ferrule firmly screwed up flush, against square, solid bearings (that cannot be forced out of place by use), verifies our claim that we are manufacturing the strongest Wrench in the market.

We would also call attention to the fact, that in 1864 we made several important improvements (secured by patents), on the old wrench previously manufactured by L. & A. G. Coes, which were at once closely imitated and sold as the Genuine Wrench by certain parties who seem to rely upon our improvements to keep up their reputation as manufacturers, and although the fact of their imitating our goods may be good evidence that we manufacture a superior Wrench, we wish the trade may not be deceived on the question of originality. Trusting the trade will fully appreciate our recent efforts, both in improvements on the Wrench and in the adoption of a Trade Mark, we would caution them against imitations. None genuine unless stamped

"L. COES & CO."

Warehouse, 97 Chambers St., & 81 Reade Sts., N. Y.
HORACE DURRIE & CO., Sole Agents.

Ausable Horse Nail Co.

MANUFACTURERS OF
HAMMERED,
Hammer Pointed, Polished & Blued
HORSE NAILS,FROM
BENZON IRON.
Orders promptly filled at lowest market rates.
ABRAHAM BUSSING, Secretary,
35 Chambers Street, New York

GLOBE NAIL COMPANY,

MANUFACTURERS OF

Pointed, Polished & Finished Horse Shoe Nails

Recommended by over 20,000 Horse Shoers.

All Nails made from best NORWAY IRON, and warranted perfect and ready for driving. Orders filled promptly and at lowest rates by

GLOBE NAIL CO., Boston, Mass.

FERNALD & SISE,

100 Chambers Street, NEW YORK,
HARDWARE MANUFACTURERS' AGENTS,Reading Hardware Co.
Crooke & Co.
Yerkes & Plumb.
Hartje, Wiley & Co.
Vulcan Horse Nail Co.
Walsh & Bro.
Moran & Sons.Barnes & Deltz.
Nashua Lock Co.
Arcade File Works.
William McNeice.
Langstroth & Crane.
B. Rowland & Co.
A. E. Young.Underhill Edge Tool Co.
Plumb, Burdick & Barnard.
Hotchkiss, Tuttle & Co.
Klein, Logan & Co.
T. T. Rhodes.
Orleans Scythe Stone Co.

FORTY-SECOND YEAR.



Goods stamped "D. R. Barton & Co." are NOT made by me.
For GENUINE "D. R. Barton" Edge Tools, Planes, Axes, &c., be sure to address D. R. BARTON, and NOT D. R. Barton & Co.
Factory and Office, Mill Street, cor. of Furnace.
D. R. BARTON, Rochester, N. Y.

White Lead, &c.

John T. Lewis & Bros.,
No. 231 South Front St.,
PHILADELPHIA.TRADE MARK.
MANUFACTURERS OF
PURE WHITE LEAD, RED LEAD,
Litharge, Orange Mineral,
Linseed Oil
AND PAINTERS' COLORS.The Atlantic White Lead and Linseed Oil Company,
MANUFACTURERS OFWhite Lead (Atlantic), Red Lead
Litharge & Linseed Oil.
ROBERT COLGATE & CO.,
287 Pearl Street, New York.

WETHERILL & BRO.,

Manufacturers of

White Lead, Red Lead, Litharge & Orange Mineral.

Offices, 31st St. below Chestnut, PHILADELPHIA.

Brooklyn White Lead Co.

JOHN JEWETT & SONS
Manufacturers of the well known Brand of
WHITE LEAD.TRADE MARK.
White Lead, Red Lead and
Litharge.
89 Maiden Lane, NEW YORK.
FISHER HOWE, Trans.TRADE MARK.
Also Manufacturers of
LINSEED OIL
AND FLOOR OIL CLOTHS,
182 Front Street NEW YORK

P. O. BOX 3760.

UNION HARDWARE CO.,


MANUFACTURERS OF

Skates, Skate Straps, Handles,
BASE KNOBS, WOOD TURNINGS.

Also Dog Collars, Muzzles, Empire Fluting Machines, &c.

120 Chambers and 50 Warren Streets, NEW YORK.

Factory at Wolcottville, Conn.



Send for Catalogue.

Our Illustrated Catalogue is now ready for the fall trade of 1874, representing a full assortment of the largest and best stock of Skates in the market.

Also a full line and large stock of goods suited to the wants of the trade. Our extensive facilities for producing wood goods enables us to offer very low prices to manufacturers using large quantities of handles.

ESTABLISHED A. D. 1833 and 1855.

JACOBUS & NIMICK MFG. CO.,

PROPRIETORS OF

Pittsburgh Novelty Works & Pittsburgh Variety Works.

Manufacturers of

LOCKS AND LATCHES.

Fairbanks' Standard Platform and Counter Scales, Paint and Coffee
Mills Builders' and Domestic Hardware generally.

New York Office, 96 Chambers St., N. Y.

Hardware.

SPEAR & JACKSON,

Sheffield, England,

MANUFACTURERS OF

Saws, Files, Edge Tools and Steel.**JOHN L. FISHER, Agent**

116 Duane Street, NEW YORK.

ALFRED FIELD & CO.,
Hardware Commission Merchants,

IMPORTERS AND EXPORTERS.

Principal Offices and Warehouses:

Birmingham, Sheffield & Liverpool, England; New York & New Orleans, U. S.

A large line of Birmingham and Sheffield goods in stock at

47 John & 5 Dutch Sts., N. Y., & 75 Gravier St., New Orleans.

HERMANN BOKER & CO.,

OFFICES AND WAREHOUSES:

NEW YORK, 101 and 103 Duane and 91 and 93 Thomas Streets.

REMSCHIED and SOLINGEN (Prussia.) H. BOKER & Co.

SHEFFIELD (England), No. 3 Arundal Lane, Represented by Mr. ARTHUR LEE.

LIEGE (Belgium), Represented by Mr. LOUIS MULLER.

Manufacturers and Importers of Cutlery, Guns, Hardware and Railroad Material.

Proprietors of TRENTON VISE AND TOOL WORKS, Trenton, N. J.—Vises, Picks,

Mattocks, Grub Hoes, Sledges, Hammers, Bridge Work, Turn Tables, etc.

Proprietors of the MANHATTAN CUTLERY CO., "O. K." Razors.

Sole Agents for LAMSON & GOODNOW MFG. CO., Shelburne Falls, Mass.—Table Cut-

lery and Butcher Knives.

W. & S. Butcher's Files, Edge Tools and Razors, the largest stock in the United States.

Geo. Wostenholm & Son's Knives, Scissors and Razors, the largest stock in the U. S.

John Wilson's Butcher and Shoe Knives.

Peter Wright's and Armitage Anvils.

We always have on hand a full assortment of

German and English Hardware, Cutlery, Guns, Gun Material,

Chains, Heavy Goods.

ROY & COMPANY,

West Troy, N. Y.,

Manufacturers of

Wrought Iron Butts, Strap and T Hinges,
PLATE AND HOOK HINGES,

Cold Pressed Nuts and Washers, Felloe Clips, &c

JOHN L. FISHER, Agent, 116 Duane Street, New York.**STANLEY WORKS,**

MANUFACTURERS OF

Wrought Butts, Strap and T Hinges.**Bronzed Butts and Bolts.****Wrought Barrel, Square and Shutter Bolts.****Wrought Chest Handles, Washers, Flush Bolts, &c.****79 CHAMBERS ST., NEW YORK.**

Factory at New Britain CONNECTICUT.

MIDDLETOWN TOOL CO.,

MIDDLETOWN, CONN.,

MANUFACTURERS OF

The Celebrated "Baldwin" Plane Iron**HENSHAW'S PATENT HARNESS SNAPS****GERMAN HARNESS SNAPS,****PAT. GAFF TOP-SAIL SELF-MOUSING SHIP HOOKS**Plow, Filletster & Dado Stops of all kinds, Set Screws for
Plows, Bench Plane Starts, &c. Patent Washer Cutters, Plane
Iron Screws to order of any size.
Send for Illustrated Catalogue and Price List.**CROOKE & CO.,**

MANUFACTURERS OF

WROUGHT IRON BUTTS,

All our goods are manufactured from patent faced iron plates; they have a smooth face and bright finish.

163 & 165 Mulberry Street, New York.

FERNALD & SISE, Agents, 100 Chambers Street, N. Y.

QUACKENBUSH, TOWNSEND & CO.,

Successors to

SEARS, LEAVITT & CO.,

IMPORTERS AND WHOLESALE DEALERS IN

Hardware, Cutlery, &c.,

59 and 61 Rende Street, New York.

DEPOT FOR

**"BEAVER"**

(American,

FILES AND HORSE RASPS,**"WIDE AWAKE"****AXES,**THOMAS JOWITT & SONS,
(Sheffield, England.)
Celebrated FILES AND HORSE RASPS.
Rough and Ready and
CLIPPER SCYTHES,
Warranted.**JOHN WILSON'S CELEBRATED****BUTCHERS' KNIVES,****BUTCHERS' STEELS,****AND**
SHOE KNIVES.**THE TRADE MARK, IN ADDITION**
TO THE NAME,
IS STAMPED UPON EVERY ARTICLE MANUFACTURED BY
JOHN WILSON.GRANTED A.D. 1766, BY THE
CORPORATION OF CUTLERS OF SHEFFIELD,
AND PROTECTED BY ACT OF PARLIAMENT.

Works:—SYCAMORE STREET, SHEFFIELD. ESTABLISHED in the Year 1750.

BUYERS ARE SPECIALLY CAUTIONED AGAINST
IMITATIONS OF THE MARK, AND THE
SUBSTITUTION OF COUNTERFEITS
BEARING THE NAME, "WILSON," ONLY.**THE RIDER AIR ENGINE**

Combines in the highest degree,

Economy, Safety & Durability.**USES NO WATER****Requires no Engineer,**


Has no Steam and Water Gauge to look after,

CANNOT EXPLODE UNDER ANY CIRCUMSTANCES,Does not increase the risk of Fire or Insurance, is extremely Sim-
ple and not likely to get out of order,

And unlike all "Caloric" Engines is

VERY POWERFUL,

Being 50 per cent. more powerful than

STEAM ENGINES OF EQUAL RATINGS.Is admirably adapted for all light manu-
facturing purposes, for Printers, Farmers, Shoe
Manufacturers, Machinists, Tea Stores, hoist-
ing, &c. Also for PUMPING at Railroad
Water Stations, Residences, Hotels, Breweries,
&c., &c. Requires the least possible fuel,**A 2 Horse-Power Engine running all day on**
30 pounds of Coal.**PRICE.**

2 Horse-Power complete.....	\$500 00
3 " " ".....	700 00
5 " " ".....	950 00

Send for Catalogue.

RIDER, WOOSTER & CO.,**Walden, Orange Co., N. Y.****STEAM GOVERNORS WITHOUT COST,**WHEN THEIR SUPERIORITY OVER ALL OTHERS AS THE MOST PERFECT, RELIABLE AND ECONOMICAL
STEAM GOVERNOR IN THE WORLD
IS NOT FULLY ESTABLISHED BY ACTUAL TEST.They differ from all others both in principle and operation, and insure
any desired uniform speed under all variations of load or boiler pressure.
Largely in use by the U. S. Government at Treasury Department, State and
Custom Houses, Navy Yards, &c.; also, by leading Manufacturing Establish-
ments, Rolling, Saw and Paper Mills, Tanneries, &c., throughout the country,
where the most positive and uniform speed is required. Address, for des-
criptive circular of reference, &c.,
HUNTOON GOVERNOR CO., Lawrence, Mass.**Wool-oiling Machines,****KIRK & PENDERCAST'S**
AUTOMATICSaves largely in Time, Labor and Material. A most valuable safeguard
Against Fire. Recommended by the leading Insurance Companies.
NO EXPERIMENT.
The Value and Practicality thoroughly established by constant use in many of the leading
manufacturing establishments throughout the country for the past seven years. No Pay-
ment Required until fully tested and Accepted. Address for Circulars of Refer-
ence, &c.,
E. FALMER BOARDMAN & CO., Lawrence, Mass.
SOLE PROPRIETORS AND MANUFACTURERS.**THE SPRAGUE**
Can Opener Co.,
56 Arcade, ROCHESTER, N. Y.This Tool Opens easily all Tin Packages of
FRUIT, VEGETABLES, OYSTERS OR FISH.
Is Warranted for Perfect Manufacture and Utility.Direct all correspondence to the Sprague Can
Opener Co., Rochester, N. Y. Goods delivered in
New York, Philadelphia, Boston and Chicago.**PENCIL DIVIDERS.**The following cuts represent a simple con-
trivance, for which Letters Patent was
granted Feb. 24th, 1874. It consists of a metal
joint by which two ordinary Lead Pencils
may be connected together so as to form a
pair of Dividers which may be used for all
the purposes to which Dividers are applicable
in ordinary Drawing, and which have the ad-
vantage of being lighter and cheaper than
anything else in the market which will do the
same work.Fig. 1 shows it as applied to a pair of pen-
cils, and Fig. 2 represents a steel point, con-
nected with a spring socket, which may be
slipped over the point of either of the pencils
thus forming a pair of steel pointed dividers.
Hardware Dealers will find this a very sale-
able article, as it is useful not only to Archi-
tects, Engineers and other Professional
Draftsmen, but to all classes of Me-
chanics.**WHOLESALE PRICES TO DEALERS,**
9 DOZ. \$8.00

Instrument with 2 Pencils..... \$5.00 \$3.00

and one steel point..... \$5.00 \$3.00

Joint only, without Pencils 1.50 1.00


Steel Points..... .75 .50

Sample dozen instruments with
points sent free by mail for \$2.**Goodnow & Wightman,**

23 Cornhill, Boston.

Wholesale Agent wanted in New
York, Philadelphia and Chicago, to in-
troduce this instrument to the trade. Fig.


Fig. 1. Fig. 2.

DIRECT - ACTING
Steam Pumps,

Manufactured and for sale solely by

STEELE & CONDUCT,
TITAN IRON WORKS, Jersey City, N. J.

Office and Salesroom

88 Liberty Street, New York.No auxiliary valves used. Direct connection between
piston rod and valve movement. No knocking or jar-
ring. Circulars and price lists sent upon application.**TUCKER'S**
Alarm Tills.The above case without the drawer attached, sup-
plied with first Order, gratis, for Sample Room.
TUCKER & DORSEY, Manufacturers
Indianapolis, Ind.**The Best Paper! Try It!!**The Scientific American is the choicest and
best illustrated weekly paper published. Every
number contains from 10 to 15 original engravings
of new machinery, novel inventions, Bridges, Engi-
neering works, Architecture, Improved Farm Imple-
ments, and every new discovery in Chemistry. The
Scientific American has been published weekly for
30 years, and stands foremost of all industrial papers.
A year's numbers contain 52 pages and several hun-
dred engravings. Thousands of volumes are pre-
served for binding and reference. The practical re-
ceipts are well worth ten times the subscription
price. Terms, \$3.00 a year by mail, including
postage. Specimens sent free. May be had of all
News Dealers.**PATENTS** obtained on the best
inventions and sketches examined, and advice free.
All patents are published in the Scientific American
the week they issue. Send for Pamphlet, 110 pages,
containing laws and full directions for obtaining
Patents.Address for the Paper or concerning Patents,
Munn & Co., 37 Park Row, New York.

Branch Office, cor. F and 7th Sts., Washington, D. C.

SEND TO THE
ENTERPRISE MFG. CO.
FOR ILLUSTRATED CATALOGUE.

AMERICAN COFFEE
DRUG AND
SPICE MILLS
20 SIZES
FOR SALE BY THE
CHEESE KNIVES
MOLASSES GATES
MADE BY THE
ENTERPRISE MFG. CO.
20 DIFFERENT SIZES
OF MILLS.
PHILADELPHIA.

MEASURING FAUCETS
BUNG HOLE
BORERS
TOBACCO CUTTERS
SAW SETS & CO.
GRAHAM & HAINES
AGENTS
88 CHAMBERS ST. N. Y.

150,000
NOW IN USE.
MOLASSES

WHEELING HINGE CO.,

Wheeling, West Va.,

Manufacturers of

Wrought Butts, Strap & T Hinges, Wrought Hooks,
Hasps & Staples, Wrought Repair
Sinks & Washers,

GRAHAM & HAINES, Sole Agents, 88 Chambers Street, N. Y.

AMERICAN BUTT CO.,

PROVIDENCE, R. I., Manufacturers of

Cast Butt Hinges,

AND

Miscellaneous Hardware.

Send for Illustrated Catalogue.

New York Warehouse with

Messrs. GRAHAM & HAINES,

No. 88 Chambers Street,

ORDERS FOR CASTINGS SOLICITED.

See New Bed Fast.



Headquarters for

Henry Disston & Sons' Saws,

Hand, Mill, Circular and Cross Cut.

ALSO,

Plumbs and Levels, Try Squares, Gauges, Trowels
and Barker's Reversible Butt.

All assortment constantly on hand. Address orders to

GRAHAM & HAINES, 88 Chambers Street, N. Y.



CENTENNIAL SELF-LUBRICATIVE

Hemp Piston Packing


FOR
Locomotives, Steamships, Stationary Engines,
Hot or Cold Water Pumps.

Recommended by Master Mechanics and Engineers, as the
cheapest and best in market. No more Extortionate
Prices. No more Fluted Rods—but a good article at
fair price.

JOHN CANFIELD & CO.,
SOLE MANUFACTURERS,

Office, 1321 Fairmount Ave., Phila.
PATENT APPLIED FOR. Send for Circular.

'SCANDINAVIAN SECURITY PAD LOCKS.'



The best and handsomest
locks in the market. The Case
and Cap are made of malleable
iron, and the shackle case hard-
ened. Prices lower than on any
other lock with shackle on the
shackle upon the market.

G. N. STEARNS & CO., Syracuse, N. Y.
New York Agents, HUBBARD & CURTISS MFG. CO., 82 Chambers St.

COBB & DREW,

Plymouth, Mass.

Manufacturers of Copper, Brass, and Iron Rivets; Com-
mon and Swedes Iron, Leathered, Carpet, Lace and Glass
Tacks; Finishing, Hungarian, Trunk Clout and Clear
Box Nails, &c. Rivets made to Order.

NEW YORK AGENCY

Grundy & Kenworthy HARDWARE.

165 Greenwich Street.

Agent for the Philadelphia Star Carriage and Tire Bolts

SAMUEL LORING'S

PLYMOUTH TACK AND RIVET WORKS
PLYMOUTH, MASS., manufacturer of
TACKS, BRADS, NAILS AND
RIVETS.

Swedes and Common Iron Tacks; Leathered, Carpet
Brush, Lace and Gimp Tacks; Finishing, Hungarian, 2d
and 3d Fine, Trunk, Clout, and Clear Box Nails; Black
and Tinned Trunk Nails; Zinc, Iron, Copper and Steel
Shoe Nails; Brads and Patent Brads; Glaziers' Points
&c. &c. COPPER, BRASS AND IRON
RIVETS, of all kinds. Coopers' Rivets, from 1d to 6d,
in cases of 100 lbs. each. Hose, Belt and Shoe Rivets
and Bars. Oval and Countersunk Heads of extra
lengths, made to order. SHIP AND BOILER RIVETS
OF ALL SIZES AND LENGTHS

Schweitzer Mfg. Co.,

57 Reade Street New York.



CONTINENTAL LOCKS,

Made of Wrought Iron or Brass, very superior
quality, and only an auger used in mortising.

SCHWEITZER PAD LOCKS,
EXCELSIOR COMPASSES,
EXCELSIOR DIVIDERS,

WITH
STUBS' STEEL POINTS,

Best and Cheapest Goods in the market. Sole Agents
for the United States for

NEWBOULD'S FILES AND TOOLS

French Coffee Mills.

NOBLE MFG. CO., Tools, Ship Angers, &c.
Emery, Waterhouse & Co., Shovels & Spades

We also make a superior
AXE, "Queen of the Forest,"
"Wood Chopper's Pride," &c.
Disston's Saws. (Largest stock in the City).
General dealers in
FOREIGN & DOMESTIC HARDWARE.

SOLE AGENTS IN NEW YORK.
MOWRY, MASTERS & ANDREWS,
AM TEA TRAY WORKS,
GREENWICH, N. Y.

TIFFT & HOWARD, 12 MURRAY ST.

SOLE AGENTS IN NEW YORK.
J. F. GREEN & BRO.
Manufacturers of Family Grindstones,
HAVERSTRAW, N. Y.

TIFFT & HOWARD, 12 MURRAY ST.

TIFFT & HOWARD,
GAS AND KEROSENE STOVES,
AND PATENTED SPECIALTIES IN
HOUSEKEEPING GOODS,
12 Murray Street.

TIFFT & HOWARD,
GAS AND KEROSENE STOVES,
AND PATENTED SPECIALTIES IN
HOUSEKEEPING GOODS,
12 Murray Street.


TIFFT & HOWARD,
GAS AND KEROSENE STOVES,
AND PATENTED SPECIALTIES IN
HOUSEKEEPING GOODS,
12 Murray Street.

TIFFT & HOWARD,
GAS AND KEROSENE STOVES,
AND PATENTED SPECIALTIES IN
HOUSEKEEPING GOODS,
12 Murray Street.

TIFFT & HOWARD,
GAS AND KEROSENE STOVES,
AND PATENTED SPECIALTIES IN
HOUSEKEEPING GOODS,
12 Murray Street.

TIFFT & HOWARD,
GAS AND KEROSENE STOVES,
AND PATENTED SPECIALTIES IN
HOUSEKEEPING GOODS,
12 Murray Street.

Eames' Pat. Molding Machine FOR METAL CASTINGS.



The above machines have recently been introduced in several large iron foundries in this country,
where they have given entire satisfaction. Among the advantages are:

1st. A great saving in the cost of producing castings.
2d. A man can learn to mold with the machine in less than 30 days' time.
3d. The castings produced will be found more perfect, less poor work, and more uniform than if
molded by the old method.

The machine is adapted for either iron or Brass Castings. For further particulars, send for Circular.
Address,

P. & F. CORBIN,

EXCLUSIVE LICENSEES.

New Britain, Conn.


The Hart, Bliven & Mead Mfg. Co.,

18 & 20 Cliff Street, and 243 & 245 Pearl Street, New York.

Factories at KENSINGTON, CONN.

MANUFACTURERS OF

STEELYARDS.




AND IMPROVED

Butchers' Cleavers.



Our Steelyards embrace the English, Collins', Farmers' and the Hart Pattern. All warranted correct.
Our Improved Butchers' Cleavers are made of the best Cast Steel, with strong Norway Iron
Ferrules. Send for Catalogue and Appendix. Price \$4.50, and charge remitted on receipt of subse-
quent orders.

Improved Door Knobs.



On the 10th January, 1865, we obtained Letters Patent for improved method
of securing necks to Mineral and Porcelain Door Knobs, which improve-
ment was used by us long enough to prove its utility, but on account of un-
settled claim of joint ownership by former partner, its use was discontinued.
Having now made a further improvement, for which we have made applica-
tion for a Patent, we are now making the BEST SECURED and MOST
DURABLE Mineral and Porcelain Door Knobs ever offered in this or
other markets.

We solicit orders for these Knobs at our regular prices for old styles, with
the understanding that if any can be loosened from or gotten off the necks
without breaking the tops, they may be held by the purchaser subject to our
order, with expenses added.

See The Iron Age, of August 21st., page 11, for illustrated description of
our patent Telescope Locks and Latches, with patent Flat Steel
Perforated Keys.

Address

BRANFORD LOCK WORKS,

Branford, Conn.

Or, THE HART, BLIVEN & MEAD MANUFACTURING CO., Agents,
18 & 20 Cliff and 243 & 245 Pearl Streets, New York

NEWCOMB BROS.,

Manufacturers of

Smiths', Moulders' and Hand BELLOWS.

For further particulars send for descriptive circular and price list.

586 Water St., near Montgomery N. Y.

J. CLARK WILSON & CO., Agents, 81 Beekman Street, New York.

Steel.

THREE
CLASS PRIZE MEDALS.
CLASSES 1, 2, 3.
Great Exhibition of Industry,
LONDON, 1851.

MEDAL OF HONOUR,
SOCIETY OF ARTS & INDUSTRY,
LONDON, 1856.

1st CLASS
PRIZE MEDAL, CLASS 1A
UNIVERSAL
EXHIBITION OF INDUSTRY
PARIS, 1855.

COCKER BROTHERS

SUCCESSORS TO

SAM'L COCKER & SON,

(Established 1752.)

SHEFFIELD, ENGLAND

MANUFACTURERS OF

CAST, SHEET, AND BLISTER STEEL, OF EVERY DESCRIPTION.
BEST CAST STEEL WIRE, ADAPTED SPECIALLY FOR MECHANICAL PURPOSES;
Also for ROPES, NEEDLES, FISH HOOKS, PINS, CRINOLINE, &c.

BEST CAST STEEL FILES, SAWS, EDGE TOOLS,
HACKLES, GILLS, CARD CLOTHING, CARD TEETH, HACKLE AND GILL PINS,
FISH HOOKS, NEEDLES, &c.

ALSO

GENERAL MERCHANTS.

Agent, JONATHAN HATTERSLEY, Cincinnati, O.

WM. JESSOP & SONS,

MANUFACTURERS OF

STEEL,

AND IMPORTERS OF IRON

SHEFFIELD, ENGLAND.

PRINCIPAL DEPOTS:

NEW YORK, Nos. 91 & 98 John Street. BOSTON, No. 141 Federal.
ST. LOUIS, No. 714 North Second Street.

AGENCIES

PHILADELPHIA, Jas. C. Hand & Co. PROVIDENCE, Nightingale & Kilton.
CHICAGO, Crerar, Adams & Co. NEW ORLEANS, Folger & Co.
CINCINNATI, Augustus Wesel. SAN FRANCISCO, Huntington, Hopkins & Co.

F. W. MOSS,

Successor to JOSHUA MOSS & GAMBLE BROS.

FRANKLIN WORKS,
WADSWORTH BRIDGE WORKS,
WALKLEY WORKS,

SHEFFIELD, ENGLAND.

MANUFACTURER AND IMPORTER OF

STEEL AND FILES.

(Principal Depots: 80 John St., N. Y., and 512 Commerce St., Phila.)

MOSS & GAMBLE SUPERIOR C. S. "FULL WEIGHT" FILES,

Cast Steel Hammers and Sledges. Also, "M. & G." Anvils and Vises.

(WARRANTED CAST STEEL, especially adapted for DIES and TURNING TOOLS, DRILLS, COLD CHISELS,

(PUNCHES and all kinds of MACHINISTS' TOOLS.

(Celebrated Improved Mild Centre Cast Steel, for Taps, Reamers, and Milling Tools,

(warranted not to crack in hardening Taps of any size.

Swede Spring Steel, especially adapted to Locomotive and Railway Car Springs.

English Spring and Flow Plate Steel. Also, manufacturer of

Sheet Cast Steel, Shear, German, Round Machinery, Hammer, Fork and Shovel Steel

And GENERAL MERCHANT.

A. M. F. WATSON, General Agent.

WILSON HAWKSWORTH, ELLISON & CO.,

MANUFACTURERS OF

STEEL, STEEL WIRE, &C.,

AND GENERAL MERCHANTS,

CARLISLE WORKS, SHEFFIELD, ENGLAND.

AGENCIES:

New York, 72 John Street.

Philadelphia, 505 Commerce Street.

Boston, 21 Oliver Street.

New Orleans, La., 111 Gravier St.

BARROW HÆMATITE STEEL COMPANY,
LIMITED.



BARROW IN FURNESS,
LANCASHIRE, ENGLAND.

MANUFACTURERS OF

Steel Rails, Tyres, Wheels,
Axles, Shafting, Boiler & Ship Plates, Bessemer Pig Iron, etc., etc.

CHAS. CONGREVE & SON,

Sole Agents for the United States,

104 & 106 John Street, opposite Cliff Street, NEW YORK.

J. & RILEY CARR,

MANUFACTURERS OF SUPERIOR

STEEL

For Tools, Cutlery, Saws, Files, Augers, Gimblets, &c.; Sheet Cast Steel for
SPRINGS AND STAMPING COLD;

ALSO THE CELEBRATED

DOG BRAND FILES,

Unsurpassed, if equaled in quality.

Bailey Lane Works, Sheffield, England.

Warehouse, 82 John St., New York.

Established 1810



HENRY MOORE, Attorney.

Steel.

SANDERSON BROTHERS & COMPANY,

(LIMITED)

DARNALL WORKS,
ATTERCLIFFE FORGE, } SHEFFIELD, ENGLAND.

Sole Manufacturers of the CELEBRATED

CAST STEEL,

Warranted most SUPERIOR and UNSURPASSED for
TOOLS and GRANITE ROCK DRILLS.

A full assortment of this universally approved OLD BRAND of
English Steel, and

ARMITAGE'S GENUINE MOUSEHOLE ANVILS,

For Sale by

EDWARD FRITH, 16 Cliff Street, New York.

FRANCIS HOBSON & SON,

97 John Street, NEW YORK,

Sole Manufact'rs of "CHOICE" Extra Cast Steel.

Manufacturers of all Descriptions of Steel.

Manufacturers of Every Kind of Steel Wire.

Don Works, Sheffield, England.

JOHN HOGAN, Agent.

S. & C. WARDLOW,

MANUFACTURERS OF THE CELEBRATED

Cast and Double Shear STEEL,

In Bars, Sheets and Coils, for fine Pen and Pocket Cutlery, Table, Carving,
Butcher and Shoe Knives, Turning Tools, Dies, Files, Clock or other Springs,
Saws and Tools of every variety.

SHEFFIELD, ENGLAND.

Office of S. & C. WARDLOW, 95 John Street, New York.

*In calling the attention of consumers of Steel in
any of the various above enumerated, we would respectfully assure
them of our ability to supply an article that cannot be equalled in
quality, temper, and adaptation in all respects to the various purposes
for which it may be required. Half a century of practical experi-
ence in all departments of Steel manufacture, a long established
reputation in England, and the Command of Europe, and in the Eastern
States principally of this Country, encourage us to solicit a universal
trial of our Steel for the above or other purposes for which a first
class material, in quality, temper, and durability, is needed.*

G. SANDERSON & CO.,

Manufacturers of all descriptions of

STEEL.

Bailey Street and
Broad Lane Steel Works, } SHEFFIELD, ENGLAND.

Particular attention is paid to quality and temper for

Files, Saws, Table and Pocket Cutlery, Angers, Shovels, &c.

ALSO STEEL of superior quality for Turning Tools, Taps, Dies, Drills, &c.

Hot and Cold Rolled Sheets for Clock Springs, Corset Clasps, Pens, &c.

Makers of the Celebrated ROCK BORING DRILL STEEL.

Warehouse, 57 John Street, New York.

JOHN A. CRISWOLD & CO.,

Troy, N. Y.,

Office in New York City, 56 BROADWAY.

MANUFACTURERS OF

Bessemer Railway Steel,

MERCHANT BARS, TIRE AND SHAFTING,

Railroad Iron, Pig Iron, Merchant and Ship Iron,

AGENCIES IN BOSTON AND PHILADELPHIA.

D. G. GAUTIER & CO.,

MANUFACTURERS OF

Hammered and Rolled STEEL of every description
JERSEY CITY, NEW JERSEY.

DUDLEY G. GAUTIER.

JOSHUA H. GAUTIER.

CHROME STEEL COMPANY,

MANUFACTURERS OF

CHROME CAST STEEL,

WARRANTED SUPERIOR TO ANY STEEL IN THE MARKET—EITHER ENGLISH OR AMERICAN—
FOR EVERY PURPOSE.

Principal Office, 110 Liberty St., N. Y., WILLIAM TOOTHE, General Agent.

Potter & Hoffman, Philadelphia, Pa.

Harris, Rice & Co., St. Louis, Mo.

AGENCIES,

Kimball Bros. & Co., Chicago, Ill.

Wood & Leggett, Hamilton, C. W.

Works, Corner of Keep St. & Kent Ave., Brooklyn, E. D.

Steel.

Sheffield Steel Works,

(Established in 1848.)

SINGER, NIMICK & CO.

Pittsburgh, Pa.,

Manufacturers of Extra Quality Tool

CAST STEEL,

Patent Rolled

SAW PLATES,

All descriptions of Cast and German

Spring and Plow Steel

Elliptic and Side Springs, Bent Springs,

AXLES, STEEL TIRE,

Plow Wings, Shares, Cultivators,

Reaper Bars, Saw Bars, &c., &c.

Warehouse, 88 Water and 100 First Streets.

ISAAC JENKS & SONS,

Minerva & Beaver Iron & Steel Works

Wolverhampton, England,

MANUFACTURERS OF

"Jenks" Spring Steel, Cast and

Swedes Spring Steel,

TIRE, TOE CORK, SLEIGH SHOE,

BLISTER & FLOW STEEL.

Also, Plow and other Iron.

VAN WART & MCCOY, Agents,

43 Chambers St., New York.

A full assortment of "Jenks" Spring Steel in stock.

MILLER, BARR & PARKIN,

Crescent Steel Works,

PITTSBURGH, PA.

Manufacturers of all descriptions of

STEEL

EQUAL TO ANY IN THE MARKET.

Office.....339 Liberty St.,

PITTSBURGH, PA.

Gunpowder.

GUNPOWDER

DUPONT'S

Sporting, Shipping, and Mining POWDER.

DUPONT'S GUNPOWDER MILLS,

ESTABLISHED IN 1801,

Have maintained their great reputation for 70
years. Manufacture the

Celebrated Eagle Ducking, Eagle Rifle,
and Diamond Grain Powder.

Also, SPORTING, MINING, SHIPPING, AND BLAST-
ING POWDER.

of all kinds and descriptions.
For sale in all parts of the country. Represented
by

F. L. KNEELAND

70 Wall Street, NEW YORK.

CUN-POWDER

LAFLIN & RAND POWDER CO.

21 Park Row, New York,

invite the attention of the the Hardware Trade to
their facilities for delivering

BLASTING, MINING and RIFLE POWDER

IN EVERY PART OF THE UNITED STATES
from having agencies and magazines at all prominent
points, beside our works at

Newburg, Saugerties, Kingston, and
Catskill, N. Y.; Scranton, Carbo-
dale and Pottsville, Pa.; Balis-
more, Md., and Plattville, Wis.

The superiority is well known of our brands of
Rifle Powder

Orange Rifle, Orange Ducking

Lightning, Audubon.

SAFETY-FUSE at wholesale.

Steel.

HUSSEY, WELLS & CO.

MANUFACTURERS OF ALL DESCRIPTIONS OF

CAST STEEL,

INCLUDING

Best Refined Steel for Edge Tools.

PARTICULAR ATTENTION PAID TO THE MANUFACTURE OF STEEL FOR

Railroad Supplies, Homogeneous Plates

FOR LOCOMOTIVES, BOILERS AND FIRE BOXES,

Smoke-Stack Steel, Cast Steel Forgings for Crank Pins, Car Axles, &c.

ALSO, MANUFACTURERS OF THE CELEBRATED BRAND

"Hussey, Wells & Co. Cast Spring Steel,"

For Elliptic Springs for Railroad Cars & Locomotives.

PENN AND SEVENTEENTH STS., PITTSBURGH, PA.

BRANCH OFFICES:

30 Gold St., New York. 13 & 15 Custom House St., Boston. 146 E. Lake St., Chicago.

Pittsburgh Steel Works.

ESTABLISHED IN 1845.

ANDERSON & WOODS,

MANUFACTURERS OF

BEST REFINED CAST STEEL,

Cast and German Plov and Spring Steel,

FIRST AVE. AND ROSS ST., PITTSBURGH.

BRANCH HOUSES

Nos. 74 and 75 North Street, Boston.

A. B. PARKER, 12 Cliff Street, New York.

W. F. POTTS, SON & CO., 125 Market Street, Philadelphia.

LABELLE STEEL WORKS.

REITER, SUTTON & CO.,


MANUFACTURERS OF ALL KINDS OF

STEEL.


Also, Springs, Axles, Rake Teeth, &c.

OFFICE & WORKS, Ridge, Lighthill & Belmont Sts., & Ohio River, Allegheny.

Post Office Address, Pittsburgh, Pa.



Reese, Graft & Woods.



CAPITAL - \$500,000.

Issues Policies of Insurance, after a careful inspection of the Boilers

COVERING ALL LOSS OR DAMAGE TO

Boilers, Buildings and Machinery,

ARISING FROM

STEAM BOILER EXPLOSIONS.

The Business of the Company includes all kinds of STEAM BOILER

Full information concerning the plan of the Company's operations can be obtained at the

COMPANY'S OFFICE, HARTFORD, CONN.

or any Agency.

J. M. ALLEN, Pres. W. B. FRANKLIN, Vice-Pres. J. B. PIERCE, Sec'y.

Board of Directors:

J. M. ALLEN, President.
LUCIUS J. HENDEE, Pres't. Aetna Fire Ins. Co.
FRANK W. CHENEY, Asst. Treas. Cheney Brothers
SUE Manufacturing Co.
CHARLES M. BEACH, of Beach & Co.
DANIEL PHILLIPS, of Adams Express Co.
GEO. M. HATHORN, Pres't. Amer. Nat'l Bank.
EDWARD W. H. JARVIS, Pres't. Coll's Fire Arms
Manufacturing Co.
THOMAS O. ENDERS, Sec'y. Aetna Life Ins. Co.
LEVERETT BRINARD, of Case Lockwood & Brainard

THEO. H. BARCOCK, Manager.
New York Branch, No. 1 Park Place.

Chain.

Chicago Chain Works,


S. G. TAYLOR, Prop.

Nos. 98 & 100 Indiana St., Chicago, Ill.

Dredge and Crane Chain, a specialty.

American Chain Cable Works.

Thirty years' experience in the business.



KENDRICK & RUNKLE, Trenton, N. J.,
Manufacturers of Cable, Crane, Car Brake,
Agricultural Machine and Harrow Chains of
every description. Also, sole manufacturers of
KENDRICK'S PATENT IMPROVED TRIPLE
COAL MINE SLOPE CHAIN.

N. B. The highest grades of Crane Chains a specialty.

New England Chain Works

771 Eddy Street, Providence, R. I.


Manufacture Iron Chain of every description.

Mowing Machine, Crane, Break

Draft Chains, &c., &c.

Also, Latest Improved Cotton Can Rings.

THOS. WYATT, Proprietor.




Buffalo Bellows Factory.

MERCHANTS WILL FIND IT ADVAN-
tageous to buy from me, as I sell low, and my oca-
sion enables me to ship at very low rates. No charge for
cartage or other incidental expenses, my quotation being
the whole cost to the purchaser, except the freight from
Buffalo to his location. Please send your orders to

JOSEPH CHURCHYARD,

Clinton, cor. Adams St., Buffalo, N. Y.



Prices of APPLE PARERS, &c., for 1874.

Bay State Apple Parer, Coring and Slicing
Machines (does all at once) \$15 00
Skeleton Apple Parer, Coring and Slicing
Machines (does all at once) 8 50
Union Improved Apple Parers..... 8 50
Bay State Peach Parers..... 7 00
Peach Stoner and Haver..... 7 00
Meat Cutters..... \$2 00 and \$2 50
"Skeleton" and "Union" in 50 doz. lots, \$7 doz.
\$8 00. Other kinds included at 1 per cent. discount
from list. Terms, 30 days, or 5 per cent. discount if
right draft be made on ship

Manufactured by

D. H. WHITTEMORE,

Worcester, Mass.


J. Clark Wilson, & Co., New York and Wm. H. Cole

Baltimore, Agents

CHICAGO.

(Reported by Frank Surges & Co., 72, 74 & 76 Lake St.)

Tin Plates—
No. 14, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 200, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298, 300, 302, 304, 306, 308, 310, 312, 314, 316, 318, 320, 322, 324, 326, 328, 330, 332, 334, 336, 338, 340, 342, 344, 346, 348, 350, 352, 354, 356, 358, 360, 362, 364, 366, 368, 370, 372, 374, 376, 378, 380, 382, 384, 386, 388, 390, 392, 394, 396, 398, 400, 402, 404, 406, 408, 410, 412, 414, 416, 418, 420, 422, 424, 426, 428, 430, 432, 434, 436, 438, 440, 442, 444, 446, 448, 450, 452, 454, 456, 458, 460, 462, 464, 466, 468, 470, 472, 474, 476, 478, 480, 482, 484, 486, 488, 490, 492, 494, 496, 498, 500, 502, 504, 506, 508, 510, 512, 514, 516, 518, 520, 522, 524, 526, 528, 530, 532, 534, 536, 538, 540, 542, 544, 546, 548, 550, 552, 554, 556, 558, 560, 562, 564, 566, 568, 570, 572, 574, 576, 578, 580, 582, 584, 586, 588, 590, 592, 594, 596, 598, 600, 602, 604, 606, 608, 610, 612, 614, 616, 618, 620, 622, 624, 626, 628, 630, 632, 634, 636, 638, 640, 642, 644, 646, 648, 650, 652, 654, 656, 658, 660, 662, 664, 666, 668, 670, 672, 674, 676, 678, 680, 682, 684, 686, 688, 690, 692, 694, 696, 698, 700, 702, 704, 706, 708, 710, 712, 714, 716, 718, 720, 722, 724, 726, 728, 730, 732, 734, 736, 738, 740, 742, 744, 746, 748, 750, 752, 754, 756, 758, 760, 762, 764, 766, 768, 770, 772, 774, 776, 778, 780, 782, 784, 786, 788, 790, 792, 794, 796, 798, 800, 802, 804, 806, 808, 810, 812, 814, 816, 818, 820, 822, 824, 826, 828, 830, 832, 834, 836, 838, 840, 842, 844, 846, 848, 850, 852, 854, 856, 858, 860, 862, 864, 866, 868, 870, 872, 874, 876, 878, 880, 882, 884, 886, 888, 890, 892, 894, 896, 898, 900, 902, 904, 906, 908, 910, 912, 914, 916, 918, 920, 922, 924, 926, 928, 930, 932, 934, 936, 938, 940, 942, 944, 946, 948, 950, 952, 954, 956, 958, 960, 962, 964, 966, 968, 970, 972, 974, 976, 978, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000, 1002, 1004, 1006, 1008, 1010, 1012, 1014, 1016, 1018, 1020, 1022, 1024, 1026, 1028, 1030, 1032, 1034, 1036, 1038, 1040, 1042, 1044, 1046, 1048, 1050, 1052, 1054, 1056, 1058, 1060, 1062, 1064, 1066, 1068, 1070, 1072, 1074, 1076, 1078, 1080, 1082, 1084, 1086, 1088, 1090, 1092, 1094, 1096, 1098, 1100, 1102, 1104, 1106, 1108, 1110, 1112, 1114, 1116, 1118, 1120, 1122, 1124, 1126, 1128, 1130, 1132, 1134, 1136, 1138, 1140, 1142, 1144, 1146, 1148, 1150, 1152, 1154, 1156, 1158, 1160, 1162, 1164, 1166, 1168, 1170, 1172, 1174, 1176, 1178, 1180, 1182, 1184, 1186, 1188, 1190, 1192, 1194, 1196, 1198, 1200, 1202, 1204, 1206, 1208, 1210, 1212, 1214, 1216, 1218, 1220, 1222, 1224, 1226, 1228, 1230, 1232, 1234, 1236, 1238, 1240, 1242, 1244, 1246, 1248, 1250, 1252, 1254, 1256, 1258, 1260, 1262, 1264, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1286, 1288, 1290, 1292, 1294, 1296, 1298, 1300, 1302, 1304, 1306, 1308, 1310, 1312, 1314, 1316, 1318, 1320, 1322, 1324, 1326, 1328, 1330, 1332, 1334, 1336, 1338, 1340, 1342, 1344, 1346, 1348, 1350, 1352, 1354, 1356, 1358, 1360, 1362, 1364, 1366, 1368, 1370, 1372, 1374, 1376, 1378, 1380, 1382, 1384, 1386, 1388, 1390, 1392, 1394, 1396, 1398, 1400, 1402, 1404, 1406, 1408, 1410, 1412, 1414, 1416, 1418, 1420, 1422, 1424, 1426, 1428, 1430, 1432, 1434, 1436, 1438, 1440, 1442, 1444, 1446, 1448, 1450, 1452, 1454, 1456, 1458, 1460, 1462, 1464, 1466, 1468, 1470, 1472, 1474, 1476, 1478, 1480, 1482, 1484, 1486, 1488, 1490, 1492, 1494, 1496, 1498, 1500, 1502, 1504, 1506, 1508, 1510, 1512, 1514, 1516, 1518, 1520, 1522, 1524, 1526, 1528, 1530, 1532, 1534, 1536, 1538, 1540, 1542, 1544, 1546, 1548, 1550, 1552, 1554, 1556, 1558, 1560, 1562, 1564, 1566, 1568, 1570, 1572, 1574, 1576, 1578, 1580, 1582, 1584, 1586, 1588, 1590, 1592, 1594, 1596, 1598, 1600, 1602, 1604, 1606, 1608, 1610, 1612, 1614, 1616, 1618, 1620, 1622, 1624, 1626, 1628, 1630, 1632, 1634, 1636, 1638, 1640, 1642, 1644, 1646, 1648, 1650, 1652, 1654, 1656, 1658, 1660, 1662, 1664, 1666, 1668, 1670, 1672, 1674, 1676, 1678, 1680, 1682, 1684, 1686, 1688, 1690, 1692, 1694, 1696, 1698, 1700, 1702, 1704, 1706, 1708, 1710, 1712, 1714, 1716, 1718, 1720, 1722, 1724, 1726, 1728, 1730, 1732, 1734, 1736, 1738, 1740, 1742, 1744, 1746, 1748, 1750, 1752, 1754, 1756, 1758, 1760, 1762, 1764, 1766, 1768, 1770, 1772, 1774, 1776, 1778, 1780, 1782, 1784, 1786, 1788, 1790, 1792, 1794, 1796, 1798, 1800, 1802, 1804, 1806, 1808, 1810, 1812, 1814, 1816, 1818, 1820, 1822, 1824, 1826, 1828, 1830, 1832, 1834, 1836, 1838, 1840, 1842, 1844, 1846, 1848, 1850, 1852, 1854, 1856, 1858, 1860, 1862, 1864, 1866, 1868, 1870, 1872, 1874, 1876, 1878, 1880, 1882, 1884, 1886, 1888, 1890, 1892, 1894, 1896, 1898, 1900, 1902, 1904, 1906, 1908, 1910, 1912, 1914, 1916, 1918, 1920, 1922, 1924, 1926, 1928, 1930, 1932, 1934, 1936, 1938, 1940, 1942, 1944, 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962, 1964, 1966, 1968, 1970, 1972, 1974, 1976, 1978, 1980, 1982, 1984, 1986, 1988, 1990, 1992, 1994, 1996, 1998, 2000, 2002, 2004, 2006, 2008, 2010, 2012, 2014, 2016, 2018, 2020, 2022, 2024, 2026, 2028, 2030, 2032, 2034, 2036, 2038, 2040, 2042, 2044, 2046, 2048, 2050, 2052, 2054, 2056, 2058, 2060, 2062, 2064, 2066, 2068, 2070, 2072, 2074, 2076, 2078, 2080, 2082, 2084, 2086, 2088, 2090, 2092, 2094, 2096, 2098, 2100, 2102, 2104, 2106, 2108, 2110, 2112, 2114, 2116, 2118, 2120, 2122, 2124, 2126, 2128, 2130, 2132, 2134, 2136, 2138, 2140, 2142, 2144, 2146, 2148, 2150, 2152, 2154, 2156, 2158, 2160, 2162, 2164, 2166, 2168, 2170, 2172, 2174, 2176, 2178, 2180, 2182, 2184, 2186, 2188, 2190, 2192, 2194, 2196, 2198, 2200, 2202, 2204, 2206, 2208, 2210, 2212, 2214, 2216, 2218, 2220, 2222, 2224, 2226, 2228, 2230, 2232, 2234, 2236, 2238, 2240, 2242, 2244, 2246, 2248, 2250, 2252, 2254, 2256, 2258, 2260, 2262, 2264, 2266, 2268, 2270, 2272, 2274, 2276, 2278, 2280, 2282, 2284, 2286, 2288, 2290, 2292, 2294, 2296, 2298, 2300, 2302, 2304, 2306, 2308, 2310, 2312, 2314, 2316, 2318, 2320, 2322, 2324, 2326, 2328, 2330, 2332, 2334, 2336, 2338, 2340, 2342, 2344, 2346, 2348, 2350, 2352, 2354, 2356, 2358, 2360, 2362, 2364, 2366, 2368, 2370, 2372, 2374, 2376, 2378, 2380, 2382, 2384, 2386, 2388, 2390, 2392, 2394, 2396, 2398, 2400, 2402, 2404, 2406, 2408, 2410, 2412, 2414, 2416, 2418, 2420, 2422, 2424, 2426, 2428, 2430, 2432, 2434, 2436, 2438, 2440, 2442, 2444, 2446, 2448, 2450, 2452, 2454, 2456, 2458, 2460, 2462, 2464, 2466, 2468, 2470, 2472, 2474, 2476, 2478, 2480, 2482, 2484, 2486, 2488, 2490, 2492, 2494, 2496, 2498, 2500, 2502, 2504, 2506, 2508, 2510, 2512, 2514, 2516, 2518, 2520, 2522, 2524, 2526, 2528, 2530, 2532, 2534, 2536, 2538, 2540, 2542, 2544, 2546, 2548, 2550, 2552, 2554, 2556, 2558, 2560, 2562, 2564, 2566, 2568, 2570, 2572, 2574, 2576, 2578, 2580, 2582, 2584, 2586, 2588, 2590, 2592, 2594, 2596, 2598, 2600, 2602, 2604, 2606, 2608, 2610, 2612, 2614, 2616, 2618, 2620, 2622, 2624, 2626, 2628, 2630, 2632, 2634, 2636, 2638, 2640, 2642, 2644, 2646, 2648, 2650, 2652, 2654, 2656, 2658, 2660, 2662, 2664, 2666, 2668, 2670, 2672, 2674, 2676, 2678, 2680, 2682, 2684, 2686, 2688, 2690, 2692, 2694, 2696, 2698, 2700, 2702, 2704, 2706, 2708, 2710, 2712, 2714, 2716, 2718, 2720, 2722, 2724, 2726, 2728, 2730, 2732, 2734, 2736, 2738, 2740, 2742, 2744, 2746, 2748, 2750, 2752, 2754, 2756, 2758, 2760, 2762, 2764, 2766, 2768, 2770, 2772, 2774, 2776, 2778, 2780, 2782, 2784, 2786, 2788, 2790, 2792, 2794, 2796, 2798, 2800, 2802, 2804, 2806, 2808, 2810, 2812, 2814, 2816, 2818, 2820, 2822, 2824, 2826, 2828, 2830, 2832, 2834, 2836, 2838, 2840, 2842, 2844, 2846, 2848, 2850, 2852, 2854, 2856, 2858, 2860, 2862, 2864, 2866, 2868, 2870, 2872, 2874, 2876, 2878, 2880, 2882, 2884, 2886, 2888, 2890, 2892, 2894, 2896, 2898, 2900, 2902, 2904, 2906, 2908, 2910, 2912, 2914, 2916, 2918, 2920, 2922, 2924, 2926, 2928, 2930,




TO ALL WHO USE STEAM-POWER!

We will put our Governor on any Engine, and guarantee it to prove itself superior to all others. If, after a fair trial, it does not, we will take it off at our own expense.

Shive Governor Co.
BETHLEHEM, PA.

SHIVE'S PATENT WATCHMAN'S
CLOCK AND DETECTOR.
The Best and Cheapest Watcher of the Watchman made
PRICE ONLY \$15.
Circulars sent free.

The Pratt & Whitney Co., Hartford, Conn.,



Have constantly on hand and making

Drop Hammers

Of recently Improved Construction. Pony Trip Hammers, Blacksmiths' Sheaves, Broaching and Stamping Presses, Iron Shop Cranes, Machinists' Tools, Gun and Sewing Machine Machinery. Make to order Gray and Charcoal Iron Castings of all styles and sizes not exceeding 15 tons weight, (making patterns if desired). Furnish Clamp Pulleys of light patterns, cut gears in a superior manner, &c., &c.

RICHARD DUDGEON,

No. 24 Columbia Street, New York,
MAKER AND PATENTEE OF

Hydraulic Jacks and Punches.

ROLLER TUBE EXPANDERS


And Direct-Acting Steam Hammers.

Communications by letter will receive prompt attention.

JACKS for Pressing on Car Wheels or CRANK PINS made to order.

BLAKE'S PATENT STONE & ORE BREAKER.

New Pattern with Important Improvements & Abundant Strength




For reducing to fragments all kinds of hard and brittle substances, such as STONE for making the most perfect MACADAM ROADS, and for making the best CONCRETE. It breaks stone at trifling cost for BALLASTING RAILROADS. It is extensively in use in MINING operations, for crushing

IRON, COPPER, ZINC, SILVER, GOLD, and other ORES. Also for crushing Quartz, Flint, Emery, Corundum, Feldspar, Coal, Barytes, Manganese, Phosphate Rock, Plaster, Soapstone, &c. For Illustrated Circulars, and particulars, address,

BLAKE CRUSHER CO., New Haven, Conn.


Persons visiting New York, can be shown a crusher in operation at 137 Elm St.



Gauge Lathes, Screw Machines,
Stave Saws, Woodworth Planers,
Tub, Pail and Chair Machinery a specialty, by
GOODSPEED & WYMAN, Winchendon, Mass.

CORLISS STEAM ENGINE.

The Best in the World for Economy in Fuel and Cost of Running.



Robert Wetherill & Co.,
Chester, Pa.,
Engineers, Machinists, Founders,
And BOILER MAKERS.

Stationary Engines, Shafting, Mill Gearing,
Hoisting Machines, Improved Piston
Packing and Machinery.

Special attention given to boring Ports and Cylinders.

Philadelphia Forging Works.

MANUFACTURERS OF

Wrought Iron Carriage & Wagon Hardware

AND ALL DESCRIPTIONS OF

Steel & Iron Drop Forgings

OFFICE AND WORKS:

1203 1205 & 1207 East Thomson St. above Cumberland, PHILADELPHIA.

Guild & Garrison's Steam Pump Works,

Nos. 30 to 34 First Street, Williamsburgh, N. Y., Manufacturers of

Steam Pumping Machinery



Of all descriptions and for all purposes, of any proportion or size, for pumping Hot, Cold, Fresh, Salt, Muddy or Gritty Water, Grain-mash, Syrups, all kinds of Beer, Acids, Molasses, and all heavy and thick fluids. Also for Feeding Steam Boilers, Supplying Tanks, and for Sugar Refineries, Tanneries, Oil Refineries, Gas Works, Hotels, Breweries, and for all classes of manufactories; for Draining Mines and Excavations, and for Rolling Mills, Blast Furnaces and Water Works supplying Cities, Towns and Villages with Water; also, for Wrecking purposes and Steam Fire Engines for Land and Sea.

Also, Manufacturers of Vacuum Pumps, Duplex and Single, and Copper or Iron Vacuum Pans of all sizes and for all purposes, with complete fixtures for Refining Sugar, Corn Syrup, Glue, &c., or for condensing Milk, Extracts, Chemicals, &c., &c.

Catalogues mailed on application.



All Work from this Establishment fully Warranted.

A Written Guarantee given with our Pumps.

ENTERPRISE HYDRAULIC WORKS,

Fan Blowers.

2218 & 2220 Race Street, Philadelphia.

Piston

Blowers,

"FOULDS"

Patent Water

Elevator.



Our
Fly Wheel
STEAM
PUMP
is admirable
For Fire
Purposes.

STEAM PUMPS for all duties required.

Centrifugal, Hand and Power Pumps, Special Double Plunger Pumps for Mining Purposes. Boiler Feed and Tank Pumps.


Woodruff Iron Works,

Office, 223 State Street, Hartford, Conn.

Manufacturers of the Celebrated

Woodruff & Beach Steam Engine,

With recent valuable improvements.



Steam Boilers

Constantly on hand and made to order of any size or style. Special attention given to the manufacture of

MILL WORK

And all kinds of Machinery.


CASTINGS

Of any size or style. Direct all letters to The Woodruff Iron Works, Hartford, Conn., as the Woodruff & Beach Iron Works and firm of Woodruff & Beach are both dissolved.

MALTBY, CURTISS & CO., Waterbury, Conn.,

Manufacturers and Sole Proprietors of

CAPEWELL'S GIANT NAIL PULLER.



Report of the American Institute Fair.

"It is a convenient, compact and effective tool, admirably adapted to the purpose for which it is devised. Its use cannot but result in a large saving to all having occasion to open packing boxes, as it extracts the nails unbroken, without material injury to the wood of the case."

Reasons why you should Use the Nail Puller.

1st. The edges of the boxes are never split or injured. 2d. No broken Nails in the box or cover. 3d. The box and cover remain sound for future use. 4th. Nails are drawn without breaking or bending. 5th. The box can be opened in half the time required by the old method with chisel or crane. Send for prices, and other information, to

MALTBY, CURTISS & CO.,

Hardware Commission Merchants,
62 Reade St., N. Y.

E. HARRINGTON & SON,


Manufacturers of

Engine Lathes,

From twelve (12) to forty-eight (48) inches swing;

Hand Lathes; Wood Turning Lathes; Vertical Drills; Boring Mills; Tapping and Centering Machines; Screw Press for Mandrels; Grindstone Boxes.

Cor. N. 15 St. & Pennsylvania Ave., Phila.



Cor. N. 15 St. & Pennsylvania Ave., Phila.



THE PULSOMETER,

OR

Magic Pump.



The simplest, most durable and effective pump now in use. Adapted to all situations, and performs all the functions of a steam pump without its consequent wear and care. No machinery about it. Nothing to wear out. Will pump gritty or muddy water without wear or injury to its parts. It cannot get out of order. Branch Depots: 1st. Sudbury St., Boston, Mass.; 137 Market St., Philadelphia, Pa.; 59 Wells St., Chicago, Ill.; South Western Exposition, New Orleans, La.; 811 & 813 North Second St., St. Louis, Mo.

C. HENRY HALL & CO.,

20 Cortlandt Street, New York City.

GRAHAM BROS.,

London and Stockholm.

Engineers, Anglo-Swedish Merchants

And Engineers' Agents.

First-class Makers of Machinery & Specialties.

&c., desirous of extending their exports, will find it in their interest to supply us with full particulars and prices, &c., &c.

London—122 Cannon Street, E.C.



Putnam's Government Standard
FORGED


HORSE SHOE NAILS.

Manufactured from the best of NORWAY Iron, and warranted to give entire satisfaction.

S. S. PUTNAM & CO.,

NEPONSET, MASS.

GRANT'S LIGHTNING SCREW PLATE.



The most perfect Labor Saving Tool ever invented for its purposes. Warranted to do five times the work possible with any other screw plate. Also HAND BOLT CUTTING MACHINES, ranging in price from \$60 to \$300. POWER BOLT CUTTERS, from \$175 to \$350.


FINE FRICTION CLUTCHES.

WILEY & RUSSELL, Greenfield, Mass.

Machinery, &c.

**ANDREW WATSON,
MACHINIST and ENGINEER,**Nos. 537 & 539 Dickinson Street,
Near Trenton Avenue, 19th Ward, PHILADELPHIA.

Builder of Vertical Steam Engines and Boilers, peculiar for their economy of space and fuel, safety and quickness in raising steam. Also, sole manufacturer of Improved Balance Governor with automatic stop, Balance Slide Valve, Safety Valves, Stop Valves, Improved Pistons for Engines, which require no setting by the Engineer. Engine Builders and Dealers supplied with Governors, Stop Valves, Safety Valves, &c., &c. These governors are fitted up in the very best manner, with brass Valves and Seats, which will not corrode or stick fast. Guaranteed to regulate under any irregular load which an Engine is subject to. Millwright work executed, and Machinery in general satisfactorily repaired. Engines Indicated Promptly and with the Greatest Accuracy.

**Ludlow Valve Mfg. Co.,**

OFFICE AND WORKS:

938 to 954 River St. & 67 to 83 Vail Ave., Troy, N. Y.

VALVES(Double and Single Gate, 1/4 in. to 48 in.—outside and inside Screws, Indicator, &c.)
for Gas, Water and Steam. Send for Circular.**Also FIRE HYDRANTS.**


THE

Shapley Engine


Patented Feb. 10, 1874.

COMPACT,
PRACTICAL,
DURABLE,
ECONOMICAL.
\$200.00.Cheaper than any Engine offered of
the same capacity.

MANUFACTURED BY

SHAPLEY & WELLS,
Binghamton Iron Works,
Binghamton, N. Y.Manufacturers of Steam Engines, Boilers, Water Wheels, Circular Saw Mills and
Mill Work generally.**Fairmount Machine Works,**


Office, 2106 Wood St., Philadelphia, Pa.

**POWER**Hoisting Machines,
WITH OR WITHOUT
Cage, as required.

ADJUSTABLE SELF-OILING HANGER.

THOMAS WOOD,

MANUFACTURES AS SPECIALTIES,

POWER LOOMS, with (new) Patent Box Motion. SPOOLING, BEAMING, DYEING and
WINDING MACHINES. ROBBIN WINDING MACHINES—wind direct from bank or skein to shuttle bobbin.
SHAFTING, with Patent Adjustable Self-Oiling Bearings.
PLANS, taken, and FACTORIES fitted out complete with Shafting and Gearing.
PULLEYS, from 4 inch to 10 feet diameter, of most Approved Patterns.
SELF-ACTING WOOD SCOURING MACHINES, (Lowell's Patent).
Machine and Foundry Work in all their branches. Send for Price List of Pulleys & Shafting.**MACHINISTS' TOOLS,**
We have the best and most complete assortment of
MACHINISTS' TOOLS,
in the country, comprising all those used in Machine, Loco-
motive and**R. R. REPAIR SHOPS.**


We make a specialty of manufacturing

Gear Wheels of all Descriptions,

which are made absolutely perfect, with Patent Gear

Moulding Machine.
For Photographs, Prices and Description, etc., address**N. Y. STEAM ENGINE CO.,**

95 Chambers Street, New York.

**STURTEVANT**Pressure Blowers, Fan Blowers
and Exhaust Fans.**10,000 SOLD IN SIX YEARS.**

SEND FOR ILLUSTRATED CATALOGUE.

B. F. STURTEVANT, 72 Sudbury Street,**BOSTON, MASS.**

Machinery, &c.

COMBINATION.Having purchased all of the Right, Title and Interest of the firm of DIBBLE & HINE, of New Haven
Conn., in theHine Patent Bolt Cutter and Nut Tapping Machines,
and having combined the "Hine Patent and Chapin Improved Bolt Cutter," we now offer to the public the
Improved**HINE PATENT BOLT CUTTER, the best machine in the market.**Its superiority over all other machines is the ease and rapidity with which the Dies can be changed,
and the quality and quantity it can produce. Any boy can, in one minute, change the Dies from one size
to another. We build machines to cut from one-quarter inch to and including two inches. Hence we
can furnish the Bolt Shop, Railroad Shop, Machine Shop, or any shop with the **cheapest and best Bolt
Cutter** in the market.

Prices and any information given on receipt of letter, by addressing

THE CHAPIN MACHINE COMPANY,
Pine Meadow, Conn.**TIRE BLANK AND RIVET MACHINES, BOLT HEADERS, &c.,**
constantly on hand and made to order.

Established 1848.

WM. SELLERS & CO.,

1600 Hamilton Street, PHILADELPHIA.,

Engineers, Iron Founders and Machinists.**RAILWAY SHOP EQUIPMENTS.**

Our Steam Hammers, Lathes, Planers, Drills and Bolt Cutters

Are of Improved and Patented Construction.


Railway Turning and Transfer Tables,
SHAFTING & MILL GEARING, a specialty.**Pivot Bridges.****GIFFARD'S INJECTOR--IMPROVED, SELF-ADJUSTING.****A. M. SWAIN, MECHANIST,**

North Chelmsford, Middlesex County, Mass.,


Attends Personally to the Improvement of

WATER POWER


AND

MACHINERY.**TURBINE WHEELS,**And a large variety of other Machinery Manufactured in Wood and Metal.
Power Weighed, Water Measured, and Plans and Specifications prepared.


REFERS BY PERMISSION TO

James B. Francis, C. E.,
Engineer of Lowell Co.'s, Lowell, Mass.
George Richardson,
Supt. Lowell Machine Shop, Lowell, Mass.
Charles L. Hildreth,
Foreman Lowell Machine Shop, Lowell, Mass.
A. J. Hiscox,
Pres. Hiscox File Mfg. Co., Lowell, Mass.
John Rhodes,
Warp Manufacturer, Millbury, Mass.
Hiram F. Mills, C. E.,
Engineer Essex Co., Lawrence, Mass.
Jonas Kendall, M. E.,
South Framingham, Mass.
James Emerson,
Dynamical Engineer, Holyoke, Mass.
Holyoke Paper Co.,
Paper Manufacturers, Holyoke, Mass.
Chas. N. Allen,
Williamantic, Conn.**THE AMERICAN DREDGING CO.**

PATENT IMPROVED "RAPID-DREDGE."



DANIEL'S PATENT "POWDER-PILE-DRIVER."



IMPROVED "UPPER DREDGE."

BUILDERS OF STEAM DREDGING MACHINES,
GUNPOWDER PILE-DRIVERS, &c.

CONTRACTORS FOR

IMPROVING RIVERS AND HARBORS,
EXCAVATING CANALS,
RECLAIMING AND FILLING LOW LANDS,
PILING FOR FOUNDATIONS, PIERS, Etc.

Offices, No. 10 South Delaware Ave., Philad'a.

Steam Pumping Machinery

OF EVERY DESCRIPTION.

PHILADELPHIA HYDRAULIC WORKS, Cor. Evelina & Levant Sts., PHILA.

Send for Descriptive Price List.

Machinery, &c.


**WESTON'S
PATENT DIFFERENTIAL****Pulley Blocks,**

Warranted superior to any made.

RATCHET DRILLS,
Machine Finished, Case Hardened and
Interchangeable.**Self-Sustaining Rope Pulley
Blocks**Being worked with a rope the motion is quick and
steady, and in many cases is more suitable than the
chain block. It is self-sustaining, the eccentric
brake being put in or out of action by moving the
hand-ropes to the right or left, or by pulling the rope
outward. The weight can be lowered or sustained
at any desired point.**VAN WART & MCCOY,**

Sole Agents,

43 Chambers Street, NEW YORK.

**WM. B. BEMENT & SON,**

Industrial Works, Philadelphia, Pa.

Manufacturers of

MACHINISTS' TOOLS


Of all descriptions. Steam Hammers a specialty.

JAMES HENSHALL,**Engineer, Machinist & Blacksmith,**

1056 Beach St. PHILADELPHIA.

Drawings made to order. Repairing of all kinds
promptly attended to. Blacksmithing executed in
all its branches.**P. BLAISDELL & CO.,**
WORCESTER, MASS.,

Manufacturers of the

**"BLAISDELL" UPRIGHT DRILLS,**
And other First-Class Machinists' Tools.**HASKINS'****Machine Company,**

Fitchburg, Mass.,

Manufacturers of

VERTICAL STEAM

Engines & Boilers.The Safest and Best in the
Market.

SEMI-PORTABLE

SEND FOR CIRCULAR

**JOHNSON'S PATENT UNIVERSAL
LATHE CHUCK.**We invite attention
to the superior con-
struction of this chuck.
Its working parts are
absolutely pro-
tected from dirt
and chips. It is
strong, compact and
durable, and will hold
the greatest variety
of work, as the jaws
are adjustable with a
range of the full diam-eter of the chuck. For Price List, address,
Lambertville Iron Works, Lambertville, N.J.

TUBAL SMELTING WORKS,

780 South Broad Street, PHILADELPHIA.

PAUL S. REEVES,

MANUFACTURER OF
ANTI-FRICTION METALS
OF VARIOUS GRADES.

XXX Metal Nickel Hardening.....50 cts. 1 lb.
XX Metal Nickel Hardening.....45 cts. 1 lb.
X Metal Copper Hardening.....40 cts. 1 lb.
A " " ".....35 cts. 1 lb.
B " " ".....30 cts. 1 lb.
C " " ".....25 cts. 1 lb.

(These metals are alloys of lead, with a large percentage of tin, antimony and copper, according to price. These metals are the ordinary low priced Babbitt alloys, used where there is not much wear on the machinery, and where economy is required.)

BRASS CASTINGS, from 21c to 35c per lb.
Deal in Block Tin, Lead, Antimony, Spelter, Sheet Copper, Crucibles, &c., Old Metals bought.

Plumb, Burdick & Barnard,

BUFFALO, N. Y.

MANUFACTURERS OF

BOLTS

COACH SCREWS,

SKEIN BOLTS,

CARRIAGE BOLTS,

TIRE, SLEIGH SHOE,


Machine and Blank Bolts.

FERNALD & SISE, N. Y. Agents, 100 Chambers St.

S. A. WOODS MACHINE CO.,

Manufacturers of
Planing, Tonguing and Grooving Machines.
Moulding Machines and Dimension Planers a Specialty.
We also deal in all kinds of Wood Working Machinery, and Iron Tools, Steam Engines and Boilers, Shafting, Pulleys and Hangers.


ALSO,
SOLID
EMERY
WHEELS
AND
GRINDING
Machines.



PLANER
KNIVES
to fit any machines.
MOULDING
Cutters
made to order.

Also agents for Bradley's Cushioned Hammer. Send for Circulars and Price List.
Machinery Depots, 91 Liberty Street, N. Y. 67 Sudbury Street, Boston, Mass.

AMERICAN LOCK CO., Cazenovia, N. Y.




Manufacturers of FINE
Store Door, Drawer and Pad Locks and N't Latches,
Containing 50 or more Springless Tumblers affording great security.
Pugsley & Chapman, 4 Gold St., N. Y. Also, manufacturers of Wheelbarrows and Store Trucks, and Hardware Dealers. Send for Price List. A full line of goods in stock.
PUGSLEY & CHAPMAN,
No. 6 Gold St., N. Y.



SUCCESS BEYOND COMPETITION.

Nellis' Cotton Tie.




This Tie meets the approval of every Planter and Factor that has given it a trial. A single trial at the Press or Compress affirms its strength, merit and advantages over any in the market. We are prepared to supply the trade at market prices. Orders and Sample Orders respectfully solicited.

Nellis' Process for Tempering Steel,
Which we use in the manufacture of Moldboards, Walking and Hiding Cultivator Shovel, Oval and Flat Reversible Points, Cultivator Teeth, Rolling Conifers, Cotton Sweeps, Bull Tongues, Post Vine Cutters, Whiffletree Clips, Steel and Iron Harrow Teeth, &c.; in fact, everything in the Agricultural Steel line, which we bevel, temper and finish to suit all kinds of soil. Implement makers and Farmers can govern themselves in making selections by the imprint thereon of our Trade Mark.

Also Manufacturers of Nellis' Original Harpoon Horse Hay Fork, Nellis' Grapple and Pulleys and Hart's Post-tension. Your wants in our lines will receive prompt attention by addressing

A. J. NELLIS & CO.,
Pittsburgh, Pa.



Steam Safety Elevators, Hand Hoisting Machinery, SELF-CLOSING HATCH DOORS.
GEO. C. HOWARD, 17 S. 18th St., Phila., Pa.

Wm. & Harvey Rowland,
Manufacturers of
NORWAY SHAPES,

AND
Norway Nail Rods, Springs and Steel,
Frankford, Philadelphia.

No. 74 Lantern,
ADJUSTABLE GLOBE.

Kerosene, Oil & Candle.

New, Cheap, Strong, Durable.
Takes the No. 0
TUBULAR GLOBE.
Excellent Burner.


GREAT Demand for the Cheapest and BEST Lanterns in the Market.



R. E. DIETZ,

54 & 56 Fulton Street, N. Y.

BARR'S ELLIPTIC Steam Trap




THE BEST IN THE WORLD
SEND FOR A CIRCULAR
Richards & Pike,
205 LEDGER PLACE, Philadelphia.

KEUFFEL & ESSER,
Importers and manufacturers of
MATHEMATICAL INSTRUMENTS,
Hard-rubber Tools, Drawing Papers, Scales, T Squares, Tapes, Chains, Colors, Etc.
Send 10 cents for illustrated catalogue.
111 Fulton Street, New York.

READ & DICKEY
Cleveland, O.
BROKERS IN

IRON.
Fig, Bar, Band, Hoop, Plate, Sheet, Skelp, Nails, &c.]

USE THE



BEST IN THE WORLD.



FOR SALE EVERYWHERE

Samples free to Sextons and Janitors of Public Buildings.
LOOSE POLISH FOR STOVE DEALERS & THE TRADE.



No more Hot Journals or Bearings by using
Plumbago Lubricant,
FOR ALL KINDS OF
MACHINERY, CAR AXLES, &c.



NEW YORK BLACK LEAD WORKS,
172 Forsyth Street, New York.

Russell, Burdsall & Ward,
PORT CHESTER, N. Y.

Manufacturers of
Carriage, Tire, Plow, Stove,
AND OTHER


BOLTS.

Carriage Bolts made from Best Square Iron, a Specialty.

THE AMERICAN SPIRAL SPRING BUTTS
FOR
STORES, SALOONS,
BANKS, AND ALL
OUTSIDE WINTER DOORS
MANUFACTURED BY
AM SPIRAL SPRING BUTT CO.,
27 PARK ROW, N.Y.

Old Style.	Gray's No. 2.	Gray's No. 1.
Rod Door Springs; Old Style, Gray's No. 2, and Gray's No. 1, (without Wrench.) Thorough in Manufacture and	At lowest market rates. Send for Prices. Made by Van Wagoner & Williams, No. 27 Park Row, N. Y.	

"GEM" DOOR & GATE SPRING
AN EASILY ADJUSTED POWERFUL & EFFECTIVE SPRING.
VAN WAGONER & WILLIAMS
27 PARK ROW, N.Y.



Coal Hods.
Stamped Corrugated Sheet Iron Bottom Riveted.

We manufacture six styles having our patent corrugated bottom, and all having the body bottom and hoop riveted together. Dealers before buying will find it to their advantage to get our prices, and also to beware of assumed hods that is in the market, somewhat similar in shape to ours. Don't buy any but the Corrugated Riveted Bottom Hod, manufactured by
SMITH, BURNS & CO., 46 Cliff St., N. Y.
Also Manufacturers of
Galvanized and Japanned Sheet Iron Goods, and Plain, Stamped and Japanned
TIN WARE.
FRY PANS, FIRE SHOVELS, ASH SIFTERS, &c. Send for Catalogue.